Category:JavaScript

JavaScript is, one of the most used, scripting language which are utilized on the web development. It's also well known client side scripting language, but can also be used on the server side scripting. JavaScript can be used example to, detect incoming browser, validate forms data, make mathematical calculations, react the user activities on the page.

HERE Maps API for JavaScript is a JavaScript API that enables you to present any custom content on top of HERE Maps within a browser. Portal:HERE Maps API for Web contains wiki topics on using this API.

- J2ME clients for JSON services made easy: the complete implementation . . pooja_1650
- JavaScript Performance Best Practices . . wmseto
- Converting Google Maps for JavaScript to HERE Maps . . jasfox
- HERE Maps API - Converting from JavaScript to KML . . jasfox
- How much interface can you fit into a single icon? . . NokAndrea

- Displaying Nokia Music Metadata with JQuery Mobile . . pavan.pareta
- Using the RESTful Map API together with HERE Maps API . . jasfox
- JQuery Mobile and Windows Phone . . bintk
- Locate Map Center Via Inputting Latitude and Longtitude . . r60600
- HERE Maps API - Asynchronous Loading . . jasfox
- How to parse JSON string . . Tapanila
- Converting Ovi Maps to HERE Maps . . jasfox
- J2ME clients for JSON services made easy: the complete implementation . . pooja_1650
- Show my location using HTML5 Geolocation API and HERE Maps . . Vaishali Rawat
- HERE Maps API - How to cluster map markers . . jasfox
- HERE Maps API - Advanced Routing . . jasfox
- HERE Maps API - How to create a custom overlay . . jasfox
- Using jQuery Mobile in Nokia Asha Web Apps . . eetomla
- JavaScript Performance Best Practices . . wmseto
- Developing Google Reader client for Series 40 with Web Tools . . eetomla

- JavaScript Performance Best Practices
- HERE Maps API - Using the geocoding service
- JQueryMobile for Windows Phone
- HERE Maps API - Add Maps To Any Web Page
- HERE Maps API - Advanced Routing
- How to parse JSON string
- Converting Google Maps for JavaScript to HERE Maps
- J2ME clients for JSON services made easy: the complete implementation
- HERE Maps API - How to cluster map markers
- HERE Maps API - How to display KML file data on the map
- HERE Maps API - How to create a custom overlay
- Maps Examples for HERE Maps API
- HERE Maps API - How to add map markers
- HERE Maps API - Converting from JavaScript to KML
- Using jQuery Mobile in Nokia Asha Web Apps

- Displaying Nokia Music Metadata with JQuery Mobile . . summeli
- Locate Map Center Via Inputting Latitude and Longtitude . . r60600
- HERE Maps API - Asynchronous Loading . . jasfox
- JQuery Mobile and Windows Phone . . Aady
- Converting Ovi Maps to HERE Maps . . jasfox
- J2ME clients for JSON services made easy: the complete implementation . . marcelobarrosalmeida
- Using jQuery Mobile in Nokia Asha Web Apps . . eetomla
- Developing Google Reader client for Series 40 with Web Tools . . eetomla
- JQueryMobile for Windows Phone . . manikantan
- How to use the Datepicker plugin in JQuery . . Maveric
- HERE Maps API - How to create a custom overlay . . jasfox
- HERE Maps API - How to cluster map markers . . jasfox
- HERE Maps API - How to display a bar graph over the map . . jasfox
- HERE Maps API - How to interact with Markers . . jasfox
- HERE Maps API - How to create a Tooltip . . jasfox

Articles

(C) Copyright Nokia 2013. All rights reserved.

A

- AJAX
- Accessing RESTful Web Services with JavaScript

B

- Battery JavaScript component for Symbian Web Runtime
- Bug - 3rd edition - javascript fails after choosing a tel link then cancelling the call

C

- Change Marker based on zoom level in HERE Maps
- Constructing simply UI classes with Javascript
- Converting Google Maps for JavaScript to HERE Maps
- Converting Ovi Maps to HERE Maps
- Creating APIBridge JavaScript Binding Code

D

- Developing Google Reader client for Series 40 with Web Tools
- Displaying Nokia Music Metadata with JQuery Mobile
- DrY JavaScript UI components
- Drop-Down Box Example

E

- ECMAScript
- ECMAScript MP

F

- Focus highlight border cannot be removed in touch mode using Browser 7.1 (Known Issue)

H

- HERE Maps API - Add Maps To Any Web Page
- HERE Maps API - Add a map into your Blogger post
- HERE Maps API - Advanced Routing
- HERE Maps API - Asynchronous Loading
- HERE Maps API - Converting a map screen pixel to a geo coordinate
- HERE Maps API - Converting any data file to KML
- HERE Maps API - Converting from JavaScript to KML
- HERE Maps API - Coroutines
- HERE Maps API - Create map markers from XML data
- HERE Maps API - Find a USA state (simple game on map utilizing reverse geocoding)
- HERE Maps API - Geocoordinate system
- HERE Maps API - How to add an HTML InfoBubble on the map
- HERE Maps API - How to add map markers
- HERE Maps API - How to calculate a route between two points
- HERE Maps API - How to change map zoom level and center point

H cont.

- HERE Maps API - How to check the Date Border Crossing
- HERE Maps API - How to cluster map markers
- HERE Maps API - How to create a Context Menu
- HERE Maps API - How to create a KML data file
- HERE Maps API - How to create a Tooltip
- HERE Maps API - How to create a custom overlay
- HERE Maps API - How to create a tabbed Infobubble
- HERE Maps API - How to create custom graphics marker
- HERE Maps API - How to display KML file data on the map
- HERE Maps API - How to display a bar graph over the map
- HERE Maps API - How to draw a circle
- HERE Maps API - How to draw a polygon
- HERE Maps API - How to draw a rectangle
- HERE Maps API - How to find the nearest Marker
- HERE Maps API - How to highlight a Marker
- HERE Maps API - How to interact with Markers
- HERE Maps API - How to pan the map
- HERE Maps API - How to show a Place on a web page
- HERE Maps API - How to use sprite images as map marker icons
- HERE Maps API - Managing map Features
- HERE Maps API - Map UI components
- HERE Maps API - Performing multiple concurrent search requests
- HERE Maps API - Reading and displaying Map Features
- HERE Maps API - Short introduction to observable lists
- HERE Maps API - Using the geocoding service
- HERE Maps API - Utility class Vector3D
- HERE Maps API - Zooming to all Markers
- HERE Maps API - get the geocoordinates when user clicks mouse over the map
- HERE Maps API - getting and setting the default language in application context
- How much interface can you fit into a single icon?
- How much interface can you fit into a single icon? Part 2

H cont.

- How to create a chat in WRT
- How to display a map using Polymaps JS library
- How to parse JSON string
- How to parse XML file in WRT widget using JQuery
- How to switch CSS styles
- How to use javascript with QScript in Qt
- How to use the Datepicker plugin in JQuery
- How to use the Rico JavaScript library in a S60 WRT widget

J

- J2ME clients for JSON services made easy: the complete implementation
- JQuery Mobile and Windows Phone
- JQueryMobile for Windows Phone
- JavaScript
- JavaScript Performance Best Practices
- JavaScript execution change in Browser 7.3 on Symbian^3 devices (Known Issue)

K

- Key event handling in S60 Browser 7.1 and S60 WRT 1.1

L

- Locate Map Center Via Inputting Latitude and Longtitude

M

- Maps Examples for HERE Maps API

P

- PHP & Javascript & HTML5 - Uploading multiple files
- Platform Services 2.0 Landmarks API support in Symbian^3 (Known Issue)

S

- S60 Platform services return timestamps as localised strings (Known Issue)
- Sending Unicode SMS messages is not supported in Symbian Web Runtime (Known Issue)
- Show my location using HTML5 Geolocation API and HERE Maps
- Showing date and time in Symbian Web Runtime
- Simple indeterminate progress bar
- Storing state on exit in Symbian Web Runtime

T

- Tips and tricks for improving JavaScript performance

U

- Using jQuery Mobile in Nokia Asha Web Apps
- Using the RESTful Map API together with HERE Maps API

W

- WMLScript

(C) Copyright Nokia 2013. All rights reserved.

- Widget connection issue on Nokia N95 8GB (Known Issue)

W

- Windows Phone中的Json解析

在

- 在Qt C++中调用QML中的Javascript Function
- 在Windows Phone中使用JQueryMobile

怎

- 怎样解析JSON

J

- JQuery Mobile and Windows Phone (Arabic)

L

- Listbox for Symbian Web Runtime (日本語)

P

- Prototype JavaScript Libraryの使用：WRTアプリケーションにおける基本操作(ユーティリティ機能など)
- Prototype JavaScript Libraryの使用：WRTアプリケーション中でのPrototype UIの使用
- Prototype JavaScript Libraryの使用：WRTアプリケーション中でのオブジェクト作成

S

- Symbian Web Runtime Calendar (日本語)

A

- Calendar for Symbian Web Runtime
- Communicating with Flash Lite from JavaScript in a widget (WRT)
- Gridbox for Symbian Web Runtime
- Gridbox in Symbian Web Runtime (日本語)
- HERE Maps API - Passing Query Parameters
- JavaScript Sensor Service API not supported on S60 3rd Edition FP2 devices (Known Issue)
- JavaScript halted with "script is too big" error causing Symbian Web Runtime app freeze (Known Issue)
- JavaScript timers not triggered with widgets running in the background in BrowserNG/7.1 (Known Issue)

A cont.

- Listbox for Symbian Web Runtime
- NumKeyTranslator in Symbian Web Runtime
- Optimize HERE Map Type Selector for Asha 305, Asha 306 and Asha 311
- Ovi Maps API - Getting the ID of Components attached to a map
- Ovi Maps API - How to show photos on the map
- Phone language affects HTML/CSS/JavaScript parsing on devices using OSS browser 3.1 and 3.2 (Known Issue)
- Update Nokia Online Maps Style for Asha Full Touch
- WRT WidgetでJavaScriptからFlash Liteに通信する方法

A cont.

- Web Runtime WidgetのJavaScriptでFlash Liteと通信する方法

H

- HERE Maps API - Route planning and journey plotting

J

- Journey Planner using HERE Maps

N

- NumKeyTranslator in Symbian Web Runtime (Japanese)

O

- Ovi Maps API - Information about map types

W

- Window.location does not include port number in BrowserNG/7.1 (Known Issue)

ADD_BODY_CLASS_BEGIN collapse_sub_categories ADD_BODY_CLASS_END

(C) Copyright Nokia 2013. All rights reserved.

(C) Copyright Nokia 2013. All rights reserved.