

Developer guidelines for new Nokia Asha Web Apps runtime proxy server release

This article provides information about the new Nokia Asha Web Apps Runtime Proxy server release.

Attention, Series 40 web app developers: An updated runtime proxy rendering engine on our servers rolled out last week. The new server release has some implications for your future development efforts. This update features Mozilla's 'Gecko' browser engine and will improve the layout and JavaScript processing of the web app content. The updated engine has significant improvements in terms of performance and capabilities compared to the 'Rhino' engine it replaces. The new engine also complies strictly with the W3C standard, and offers more stability and compliance with other standards, including HTML5 and CSS3.

Here are five new developer guidelines for your web apps:

- Series 40 web apps supports a single html document only even in the previous release. However some developers used some workarounds and made multiple html documents in a web app. These workarounds will not work with the updated engine.
- `element.innerHTML` is no longer supported. Instead, you should use `element.innerHTML`

```
document.getElementById('el').innerText="Hello World"; // not supported
document.getElementById('el').innerHTML="Hello World"; // correct way
```

- `mw1.timer` is always preferred over native JavaScript timer. The latter expires at the server, and so may not be useful to you.

Examples:

```
//Do Not use. This timer will expire at server only.
setTimeout("functionName()", 3500);

//Use Instead. This timer will expire at client side
mw1.timer('timerName',3500,1,'functionName();');
```

- Use either `{{{1}}}` or JavaScript `{{{1}}}`, but not both. If `mw1` API needs to be called in an onload event, then 'body onload' is preferred.
- When using the `<form>` tag without `action` attribute, `{{{1}}}` should be used. Use of `{{{1}}}` is only allowed when form has an `action` attribute with an absolute URL.

Examples:

```
<!-- Do Not Use -->
<form id="fid" name="fbform"> feedback<br/>
  <input type="text" name="tb" id="tb"/><br/>
  <input type="submit" value="Send" name="pb" id="pb" onclick="validate();"/>
</form>

<!-- Use Instead -->
<form id="fid" name="fbform"> feedback<br/>
  <input type="text" name="tb" id="tb"/><br/>
  <input type="button" value="Send" name="pb" id="pb" onclick="validate();"/>
</form>
```

