Category:Audio

This contains articles about Audio. See Category:Audio on Java ME and Category:Audio on Windows Phone for platform-specific topics. For more specific information about Voice/Speech audio see Category:Voice/Speech.

- Using QMicrophone . . pooja_1650
- BigCats app with multiple pages and audio in QML . . mghasan
- Playing audio files using Symbian C++ . . vineet.jain
- Audio Proxy Server . . juhanak
- Using sound effects in QML-Devotional songs chanting application . . mind_freak
- How to record audio in Qt using GStreamer . . gnuton
- Play audio on uplink without MultimediaDD capability on S60 5th Edition (Known Issue) . . Forum Nokia KB
- AMR format . . bppcomplete
- Audio in Symbian Web Runtime . . girishpadia
- Media Recorder API . . smithjackson
- Embedding local or remote MP3 audio in Symbian Web Runtime . . Maveric
- Avoid panics caused by deleting the VAS uplink stream before all buffers emptied (Known Issue) . . Forum Nokia KB
- VoIP Audio Service API . . ltomuta
- Music keyboard example in Qt . . axeljaeger
- Reading Meta data from audio files . . hugovk

- AMR format
- VoIP Audio Service API
- Audio Proxy Server
- Adding bass boost to the Symbian C++ audio player
- How to record audio in Qt using GStreamer
- Adding equalizer to the Symbian C++ audio player
- Music keyboard example in Qt
- Using QMicrophone
- BigCats app with multiple pages and audio in QML
- Adding doppler effects to the audio player in Symbian C++
- Adding source location effects to the Symbian C++ audio player
- Audio Metadata Reader API
- Playing audio with QSound in Qt for Symbian
- Audio Routing API
- Adding stereo widening to the Symbian C++ audio player

- Using QMicrophone . . galazzo
- BigCats app with multiple pages and audio in QML . . mghasan
- How to record audio in Qt using GStreamer . . gnuton
- Using sound effects in QML-Devotional songs chanting application . . mind_freak
- Play audio on uplink without MultimediaDD capability on S60 5th Edition (Known Issue) . . Kbwiki
- Audio in Symbian Web Runtime . . rosti
- Embedding local or remote MP3 audio in Symbian Web Runtime . . Maveric
- Avoid panics caused by deleting the VAS uplink stream before all buffers emptied (Known Issue) . . Kbwiki
- CRingTonePlayer instance stops with KErrUnderflow error while playing a file (Known Issue) . . Kbwiki
- Volume level range in Nokia N8 . . Kbwiki
- Increased CMMFDevSound playback buffer size in Nokia N8 (Known Issue) . . Kbwiki
- Audio tone player fails to generate short tones (Known Issue) . . Kbwiki
- VoIP Audio Service API - DTMF tones cannot be played to telephony uplink in S60 3rd Edition FP2 (Known Issue) . . Kbwiki
- Playing audio with QSound in Qt for Symbian . . Kbwiki
- Music keyboard example in Qt . . axeljaeger

Articles

(C) Copyright Nokia 2014. All rights reserved.

A

- AMR format
- Adding bass boost to the Symbian C++ audio player
- Adding doppler effects to the audio player in Symbian C++
- Adding equalizer to the Symbian C++ audio player
- Adding listener's location effects to the Symbian C++ audio player
- Adding reverb to the Symbian C++ audio player
- Adding source location effects to the Symbian C++ audio player
- Adding stereo widening to the Symbian C++ audio player
- Audio Metadata Reader API
- Audio Playback APIs
- Audio Proxy Server
- Audio Proxy Server FAQ
- Audio Recording APIs
- Audio Routing API
- Audio in Symbian Web Runtime
- Audio tone player fails to generate short tones (Known Issue)
- Avoid panics caused by deleting the VAS uplink stream before all buffers emptied (Known Issue)

B

- BigCats app with multiple pages and audio in QML

C

- CMPMediaRecognizer
- CMPMediaRecognizer:
- CMdaAudioConvertUtility not supported on S60 (Known Issue)
- CMdaAudioConvertUtility::OpenL fails with KerrNotSupported
- CMdaAudioPlayerUtility::OpenUrlL() not implemented (Known Issue)
- CR Keys To Control Phone Volume API
- CRingTonePlayer instance stops with KErrUnderflow error while playing a file (Known Issue)

C cont.

- Configuring AAC codec
- Configuring CMMFCodec for encoding audio to AMR
- Customizing the buffer size of CMdaAudioInputStream

D

- Detecting audio device availability using Symbian C++

E

- Embedding local or remote MP3 audio in Symbian Web Runtime
- Encoding and Decoding using MMF based Codec(CMMFCodec)

F

- Full Duplex Audio

H

- How to convert PCM to AMR
- How to detect profile
- How to enable tone in dialogs
- How to find out the mode of an AMR file to set the frame length properly
- How to get id3 info from a MP3 file
- How to implement camera snap sound in s60 device?
- How to record audio in Qt using GStreamer
- How to retrieve the ringing tone 3rd edition, FP1 using the Profile Engine Wrapper API?
- How to set the ringing tone 3rd edition, FP1 using the Profile Engine Wrapper API?

I

- Implementing Drm player in Symbian
- Increased CMMFDevSound playback buffer size in Nokia N8 (Known Issue)

M

- MMF
- MMFDevSound API
- Media Player Engine API
- Media Recorder API
- Multi-channel audio playback
- Music Player Remote Control API
- Music keyboard example in Qt

P

- Play audio on uplink without MultimediaDD capability on S60 5th Edition (Known Issue)
- Playing DRM-protected audio file using CDrmPlayerUtility
- Playing PCM audio streams
- Playing audio files using Symbian C++
- Playing audio tones
- Playing audio with QSound in Qt for Symbian
- Profile UID API
- Profiles Engine Extended API

R

- Reading Meta data from audio files
- Record audio files
- Recording audio with stream

S

- Setting AMR encoding mode for audio input stream (Known Issue)
- Setting contacts ringtone
- Smart Ringtone: Enhancing the music player
- Streaming audio in encoded format in S60 3rd Edition

T

- Text to speech in Symbian 2nd and 3rd edition phones
- Tone player helper class for Symbian C++

U

- Using QMicrophone
- Using sound effects in QML-Devotional songs chanting application

V

- VoIP Audio Service API
- VoIP Audio Service API - DTMF tones cannot be played to telephony uplink in S60 3rd Edition FP2 (Known Issue)
- Volume control in the navipanel
- Volume level range in Nokia N8

A

- Audio input streaming溢出，导致异常发生

向

- 向音频播放器增加混响效果

在

打

- 打开buffer播放MIDI音乐不被支持的问题

(C) Copyright Nokia 2014. All rights reserved.

C

- CMdaAudioPlayerUtilty::OpenUrl()尚未实现

R

- RAM文件最大尺寸限制为5KB

S

- S60上不再支持CMdaAudioConvertUtility
- S60第三版SDK中声音输出的限制
- S60第三版手机上可用的DevSound解码
- S60第三版音频流配置的不同之处
- SetTempRingingVolumeL()在某些手机中无效

V

- VoIP音频服务器（VAS）API和iLBC编码方式

为

- 为音频播放器增加听众位置效果
- 为音频播放器增加多普勒环绕声效

使

- 使用AMR格式录音时出现错误
- 在Qt程序中使用Symbian Audio Playback API播放声音

多

- 多媒体开发

如

- 如何为音乐播放器生成一个播放列表
- 如何发现可用的音频设备
- 如何获取音频文件的采样率和比特率信息

对

- 对AAC格式不同采样率的录制

尚

- 尚无API可以获得FM收音机程序的信息

录

- 录制电话声音时的警告铃声
- 录制音频文件

怎

- 怎样在使用摄像头拍照时添加一个快门声

手

- 手机音量API使用方法

播

- 播放AMR文件结束过早的问题
- 播放声音时有来电发生的错误

无

- 无法调用回音消除功能

用

- 用Qt控制音量键

自

- 自定义CMdaAudioInputStream的buffer大小

通

- 通过VAS(VoIP Audio Services)使用PCM编码的问题

配

- 配置CMMFCodec将音频编码为AMR格式
- 配置eAAC+解码的MMF插件

音

- 音频输入流无法设置AMR编码模式

ADD_BODY_CLASS_BEGIN collapse_sub_categories ADD_BODY_CLASS_END

(C) Copyright Nokia 2014. All rights reserved.