Category:Files/Data

This page lists all the articles in the Nokia Developer Wiki that include the category Files/Data. See also topics in the subcategories and platform specific portals: Portal:Windows Phone Files/Data, Portal:Java ME Files/Data Articles.

- Saving Symbian bitmap images to files . . ashraf fawzy
- Portal:Java ME Files/Data Articles . . hamishwillee
- Mapping points of interest using Java ME . . jasfox
- Reading and writing files in QML . . stupid_nokia
- HTML5 - Introduction to local, client-side databases . . Vaishali Rawat
- Creating an SQLite database in Qt . . hamishwillee
- Scanning folders & subfolders in Symbian devices . . mayur_24
- Making image files downloadable for Nokia Asha Web Apps . . isalento
- Using widget.preferences in Nokia Asha Web Apps . . isalento
- Using GConf from QML applications . . oniongarlic
- Using RProperty for subscribing . . debjit.roy
- Determining the application path using Symbian C++ . . debjit.roy
- Toad ftp . . dridk
- Dropian QML Dropbox Client for Symbian - app showcase . . chintandave_er
- How to write data to a file in Qt . . vineet.jain

- How to write data to a file in Qt
- Creating an SQLite database in Qt
- How to read data from a file in Qt
- Checking if a file exists in Open C and C++
- Reading and writing text files in Open C++
- Reading and writing files in QML
- Converting strings and numbers using string streams in Open C++
- Dropian QML Dropbox Client for Symbian - app showcase
- How to list files and folders in Java ME
- How-to create a persistent settings database in Qt Quick (QML)
- Reading and writing binary files in Open C++
- Navigating through a Symbian DBMS database table
- Get the file information in Qt
- How to perform file IO using QDataStream in Qt
- Mapping points of interest using Java ME

- Portal:Java ME Files/Data Articles . . hamishwillee
- Mapping points of interest using Java ME . . adarsha_saraff
- Making image files downloadable for Nokia Asha Web Apps . . isalento
- Using GConf from QML applications . . oniongarlic
- Using widget.preferences in Nokia Asha Web Apps . . isalento
- Toad ftp . . dridk
- Dropian QML Dropbox Client for Symbian - app showcase . . knobtviker
- Reading and writing files in QML . . gnuton
- How-to create a persistent settings database in Qt Quick (QML) . . Slocan
- HTML5 - Introduction to local, client-side databases . . Maveric
- Dbshell . . nyamga
- How to create a new database in MySQL . . Maveric
- How to read a multiline file . . vdharankar
- How to Embed Resources in the Application Executable . . Yashu
- Storing state on exit in Symbian Web Runtime . . Kbwiki

- Mapping points of interest using Java ME . . jasfox
- How-to create a persistent settings database in Qt Quick (QML) . . Slocan

(C) Copyright Nokia 2014. All rights reserved.

Articles

A

- AIW Generic Parameters API

C

- CMPFileManager:
- Checking if a file exists in Open C and C++
- Checking the file I/O status in Open C++
- Checking whether a certain MIME type is supported on Symbian
- Client side implementation of a server
- CommDb
- Converting date and time to string in Open C++
- Converting strings and numbers using string streams in Open C++
- Converting text to Unicode text
- Copying content to predefined directories with CDocumentHandler
- Creating a confirmation query dialog with an animation on Symbian
- Creating a handler application for a MIME type using Symbian C++
- Creating a password dialog with secret editors using Symbian C++
- Creating a recognizer plug-in for a MIME type on Symbian
- Creating an SQLite database in Qt

D

- DBMS
- Database Example
- Dbshell
- Determining the application path using Symbian C++
- Direct Memory Access
- Dropian QML Dropbox Client for Symbian - app showcase

F

- File Server and File Session
- File logger
- File manipulation in Symbian C++
- Filtering Directory Content
- Find Files
- Folder handling in Symbian C++

G

- Get the file information in Qt
- Getting Contact Database Change Event using Symbian C++

H cont.

- How to download a file using HTTP using Symbian C++
- How to get File Size
- How to get current directory
- How to get file system drive information using Symbian C++
- How to get the Volume Information
- How to list files and folders in Java ME
- How to parse XML files using the CParser class
- How to perform file IO using QDataStream in Qt
- How to read ZIP file using Symbian C++
- How to read a CSV file using Symbian C++
- How to read a multiline file
- How to read data from a file in Qt
- How to read long text from DB
- How to retrieve phone number from incoming call?
- How to run the file with the default application
- How to show unicode characters using resource file
- How to uninstall files/directories created by a Symbian application at runtime
- How to upload files from Symbian Web Runtime
- How to use QDir in Qt
- How to use RFileReadStream
- How to use RFileWriteStream
- How to write data to a file in Qt
- How-to create a persistent settings database in Qt Quick (QML)

I

- Inter-Process Data Transfer

L

- List Files and Directories
- Loading and mounting a file system
- Logs Example

M

- MIME type handling in Symbian Web Runtime
- Making image files downloadable for Nokia Asha Web Apps
- Mapping points of interest using Java

R cont.

- Reading Meta data from audio files
- Reading all fonts from the device
- Reading and writing binary files in Open C++
- Reading and writing files
- Reading and writing files in QML
- Reading and writing text files in Open C++
- Recognizers
- Recognizing file types
- Retrieving memory info in Symbian Web Runtime

S

- Saving Symbian bitmap images to files
- Saving settings with Dictionary store
- Scanning folders & subfolders in Symbian devices
- Selecting data from a database without using SQL statements in Qt
- Sending files with SendUi
- Setting contacts ringtone
- Showing a global confirmation query using CAknGlobalConfirmationQuery
- Showing a global list query using CAknGlobalListQuery
- Showing a manufacturer disclaimer during the first launch on Symbian
- Shuffling data using STL random shuffle algorithm in Open C++
- Sorting class and struct types using STL sort in Open C++
- Sorting predefined types using STL sort in Open C++
- Stack
- Storing settings in Symbian Web Runtime
- Storing state on exit in Symbian Web Runtime
- Streams - externalizing objects on Symbian
- String comparison
- Symbian @@identity DBMS
- Symbian C++ : Multipart/form-data

T

- Toad ftp
- Try and catch exception handling in Open C++

U

(C) Copyright Nokia 2014. All rights reserved.

- Getting Eikon environment pointer
- Getting Gallery Images Rootpath
- Getting application installation path
- Getting contact info from default database
- Getting tokens

H

- HTML5 - Introduction to local, client-side databases
- Heap
- How can I access metadata in JPEG images using Symbian C++
- How to Create a Direct File Store
- How to Delete an event from Log?
- How to Embed Resources in the Application Executable
- How to check free space on memory card
- How to create a new database in MySQL

ME

N

- Navigating through a Symbian DBMS database table
- Numbers to/from strings

O

- Open file with its corresponding handler
- Opening a file using CDocumentHandler

P

- Portal:Java ME Files/Data Articles

R

- RDictionaryReadStream
- RDictionaryWriteStream
- RReadStream
- RWriteStream
- Read data from File - Dynamically
- Read files from a folder
- Reading Content of Directory Effectively
- Reading Directory Contents using RDir
- Using .ini files in Symbian C++ apps
- Using CReadFaxFile
- Using CWriteFaxFile
- Using GConf from QML applications
- Using RProperty for subscribing
- Using TKeyArrayFix for array sorting
- Using TResourceReader
- Using ini files to store application's settings
- Using widget.preferences in Nokia Asha Web Apps

X

- XML Generator
- XML parsing in Symbian OS v9.x

C

- Como escrever dados em um arquivo, em Qt
- Como selecionar informações do banco de dados sem o uso de declaração SQL em Qt

O

- Operações em arquivos
- Operações em pastas

F

- Fundamentals of Symbian C++/File Server/zh-hans

H

- HTML5 - 存储

P

- Publish及Subscribe：使用RProperty进行publish操作
- Publish及Subscribe：使用RProperty进行subscribe操作

S

- Symbian C++: Multipart/form-data

从

- 从文件夹里读取文件

使

- 使用CAknGlobalConfirmationQuery显示一个全局确认查询框

使 cont.

- 使用CAknGlobalMsgQuery显示一个全局消息查询框
- 使用CAknGlobalProgressDialog显示一个全局进度对话框
- 使用CDocumentHandler打开文件

关

- 关于ini文件的使用

判

- 判断应用程序的路径

多

- 多媒体资料无法自动更新的问题

如

- 如何不用RFile读取文件大小
- 如何使用CParser类来解析XML文件
- 如何列出文件和目录

如 cont.

- 如何向电话簿添加联系人
- 如何在Symbian中生成随机数
- 如何查找文件
- 如何获取磁盘空间大小
- 如何获得图片文件夹的根路径
- 如何读取ZIP文件
- 如何读取一个多行文件
- 如何转换txt到unicode文本

(C) Copyright Nokia 2014. All rights reserved.

- 使用CAknGlobalConfirmationQuery显示一个全局确认询问框
- 使用CAknGlobalListQuery显示一个全局列表查询框

@

- @@identity в Symbian DBMS

A

- API Унифицированных параметров AIW

D

- DBMS (СУБД) API

F

- Fundamentals of Symbian C++/File Server/ru

И

- Использование TKeyArrayFix для сортировки массива

П

- Пример базы данных

A

- AIW ジェネリック・パラメータ(Generic Parameters) API

H

- How to list files and folders in Java ME

M

- Making image files downloadable for Nokia Asha Web Apps
- Mapping points of interest using Java ME

P

- Portal:Java ME Files/Data Articles

U

- Using widget.preferences in Nokia Asha Web Apps

A

- AIW Generic Parameters API

C

- CMPFileManager:
- Checking whether a certain MIME type is supported on Symbian
- Client side implementation of a server
- CommDb
- Converting text to Unicode text
- Copying content to predefined directories with CDocumentHandler
- Creating a confirmation query dialog with an animation on Symbian
- Creating a handler application for a MIME type using Symbian C++
- Creating a password dialog with secret editors using Symbian C++

H cont.

- How to download a file using HTTP using Symbian C++
- How to get File Size
- How to get current directory
- How to get file system drive information using Symbian C++
- How to get the Volume Information
- How to parse XML files using the CParser class
- How to perform file IO using QDataStream in Qt
- How to read ZIP file using Symbian C++
- How to read a CSV file using Symbian C++
- How to read a multiline file
- How to read data from a file in Qt

R cont.

- Reading Content of Directory Effectively
- Reading Directory Contents using RDir
- Reading Meta data from audio files
- Reading all fonts from the device
- Reading and writing files
- Reading and writing files in QML
- Recognizers
- Recognizing file types
- Retrieving memory info in Symbian Web Runtime

S

- Saving Symbian bitmap images to files
- Saving settings with Dictionary store
- Scanning folders & subfolders in Symbian devices

(C) Copyright Nokia 2014. All rights reserved.

- Creating a recognizer plug-in for a MIME type on Symbian
- Creating an SQLite database in Qt

D

- DBMS
- Database Example
- Dbshell
- Determining the application path using Symbian C++
- Direct Memory Access
- Dropian QML Dropbox Client for Symbian - app showcase

F

- File Server and File Session
- File logger
- File manipulation in Symbian C++
- Filtering Directory Content
- Find Files
- Folder handling in Symbian C++

G

- Get the file information in Qt
- Getting Contact Database Change Event using Symbian C++
- Getting Eikon environment pointer
- Getting Gallery Images Rootpath
- Getting application installation path
- Getting contact info from default database
- Getting tokens

H

- Heap
- How can I access metadata in JPEG images using Symbian C++
- How to Create a Direct File Store
- How to Delete an event from Log?
- How to Embed Resources in the Application Executable
- How to check free space on memory card
- How to read long text from DB
- How to retrieve phone number from incoming call?
- How to run the file with the default application
- How to show unicode characters using resource file
- How to uninstall files/directories created by a Symbian application at runtime
- How to upload files from Symbian Web Runtime
- How to use QDir in Qt
- How to use RFileReadStream
- How to use RFileWriteStream
- How to write data to a file in Qt
- How-to create a persistent settings database in Qt Quick (QML)

I

- Inter-Process Data Transfer

L

- List Files and Directories
- Loading and mounting a file system
- Logs Example

M

- MIME type handling in Symbian Web Runtime

N

- Navigating through a Symbian DBMS database table
- Numbers to/from strings

O

- Open file with its corresponding handler
- Opening a file using CDocumentHandler

R

- RDictionaryReadStream
- RDictionaryWriteStream
- RReadStream
- RWriteStream
- Read data from File - Dynamically
- Read files from a folder
- Selecting data from a database without using SQL statements in Qt
- Sending files with SendUi
- Setting contacts ringtone
- Showing a global confirmation query using CAknGlobalConfirmationQuery
- Showing a global list query using CAknGlobalListQuery
- Showing a manufacturer disclaimer during the first launch on Symbian
- Stack
- Storing settings in Symbian Web Runtime
- Storing state on exit in Symbian Web Runtime
- Streams - externalizing objects on Symbian
- String comparison
- Symbian @@identity DBMS
- Symbian C++ : Multipart/form-data

T

- Toad ftp

U

- Using .ini files in Symbian C++ apps
- Using CReadFaxFile
- Using CWriteFaxFile
- Using RProperty for subscribing
- Using TKeyArrayFix for array sorting
- Using TResourceReader
- Using ini files to store application's settings

X

- XML Generator
- XML parsing in Symbian OS v9.x

C

- Creating an SQLite database in Qt

D

- Dropian QML Dropbox Client for Symbian - app showcase

H cont.

- How to perform file IO using QDataStream in Qt
- How to read data from a file in Qt
- How to use QDir in Qt
- How to write data to a file in Qt

H cont.

- How-to create a persistent settings database in Qt Quick (QML)

R

- Reading and writing files in QML

(C) Copyright Nokia 2014. All rights reserved.

G

- Get the file information in Qt

H

- How to Embed Resources in the Application Executable

A

- A simple ORM SQL for PySymbian
- Checking memory card availability in Flash Lite
- Como criar e extrair arquivos, em PySymbian
- Como manipular arquivos de metadados, em PySymbian
- Como pesquisar uma extensão de arquivo
- Complete SQL database guide for PySymbian
- Compressing and decompressing GZIP files using Symbian C++
- Compressing and decompressing files using CEZFileBufferManager
- Converting C strings to numbers
- Converting numbers to C strings
- Copying or moving unrecognized files with document handler (Known Issue)
- Creating Random Numbers in Symbian
- Creating a condition-based schedule with RScheduler
- Creating persistent and transient schedules with RScheduler
- Creating temporary files in Open C
- Database in PySymbian
- Deleting schedules and tasks using RScheduler
- Displaying date in different formats using TTime
- Displaying time in different formats using TTime
- Editing a schedule using RScheduler
- Encrypting and decrypting text with Open C

A cont.

- File upload in Series 40 Web Apps
- Getting schedule and task count using RScheduler
- Getting schedule and task info using RScheduler
- Getting trailer and header info from GZIP files using Symbian C++
- How to add contacts from phonebook
- How to create and extract zip archives using PySymbian
- How to handle file metadata in PySymbian
- How to make an interactive SQL shell using PySymbian
- How to search a file extension using PySymbian
- How to use SQL on DBMS database with PySymbian
- How to use quotation in SQL in PySymbian
- Installing and uninstalling MIDlets programmatically
- Loading app image files under the \private folder may fail (Known Issue)
- Persistent Storage in PySymbian
- Persistent data in FlashLite
- Persistência em PySymbian
- Playing multi-channel audio using CMdaAudioOutputStream
- Save and Open Files with QFileDialogBox
- Saving an image captured using the Symbian Camera API
- Showing a manufacturer disclaimer during application installation on Symbian
- Using CFindItemEngine to parse items from text

S

- Selecting data from a database without using SQL statements in Qt

U

- Using GConf from QML applications

A cont.

- Using CTextResolver to resolve error texts
- Using SQL API for creating non-secure and secure databases on Symbian
- Using Symbian SQL API for attaching and detaching databases
- Using Symbian SQL API with SQL statements which do not return data
- Using Symbian SQL API with SQL statements which return data
- Using Symbian SQL API with data streams
- Using Symbian SQL API with scalar queries
- Using a variable argument list in Open C
- Using class CErrorUI to display error notes
- Using command line arguments in Open C
- Working database example for e32db in PySymbian
- 如何在Qt Symbian中保存文件为中文文件名

C

- Checking memory card availability using Symbian C++
- Creating and registering a task handler with RScheduler

M

- Monitoring memory card insertion/removal events

O

- One-second timer implementation using Open C++

S

- Showing a global message query using CAknGlobalMsgQuery
- Showing a global progress dialog using CAknGlobalProgressDialog

U

- Using files with S60 and Maemo Platforms

(C) Copyright Nokia 2014. All rights reserved.

ADD_BODY_CLASS_BEGIN collapse_sub_categories ADD_BODY_CLASS_END

(C) Copyright Nokia 2014. All rights reserved.