Category:UI

This page lists all the articles in the Nokia Developer Wiki that include the category **UI**

Portals & Subcategories

The following portals provide development framework specific lists of UI articles:

- Portal:Windows Phone UI Articles and Category:UI on Windows Phone
- Portal:Java UI Articles and Category:UI on Java ME
  - Category:Animation
- Qt
  - Qt C++ UI (deprecated)
- Symbian C++

- How to create a Settings Flyout using Visual States and Blend NEW . . leemcpherson
- Using Swipe Events with dynamic content in Nokia Asha Web Apps . . igordsm
- StarMenu: custom QML component plugin . . chintandave_er
- Creating Compass in Qt and Windows Phone . . somnathbanik
- Interactive buttons with onfocus event . . internetlabor
- Drawing lines in QML . . oniongarlic
- How to create a simple listbox in Symbian C++ . . mateen_maldar
- Nokia Asha web apps - Creating On/Off Switch . . hamishwillee
- Using jQuery Mobile in Nokia Asha Web Apps . . eetomla
- Hiding an app from the task list on Symbian . . ashraf fawzy
- Keeping a Symbian application running in the background on exit . . ashraf fawzy
- How to detect if application launched from Home-screen . . ashraf fawzy
- Detect if Idle screen is active on Belle . . ashraf fawzy
- Workaround to hide VKB in QML apps (Known Issue) . . mzorz
- Simulating Pointer Events . . skalogir

- How to create a Settings Flyout using Visual States and Blend NEW
- Generating random-value integers in Qt
- Change font in Qt application
- Generate XML programatically in Qt
- Creating a custom QML element with Qt
- Inserting a row into a database in Qt
- Creating a database table in Qt
- Scaling QPixmap image
- StarMenu: custom QML component plugin
- Drawing lines in QML
- Implementing of fading animation with QML
- Using jQuery Mobile in Nokia Asha Web Apps
- How to build a tabbed UI with QML
- Code Example for SlidingStackedWidget class in Qt
- Qt Kinetic scrolling - from idea to implementation

- How to create a Settings Flyout using Visual States and Blend NEW . . leemcpherson
- Interactive buttons with onfocus event . . internetlabor
- Drawing lines in QML . . oniongarlic
- Using Swipe Events with dynamic content in Nokia Asha Web Apps . . igordsm
- Using jQuery Mobile in Nokia Asha Web Apps . . eetomla
- Detect if Idle screen is active on Belle . . ashraf fawzy
- Changing Title Pane Text in QML applications . . favoritas37
- How to hide your application from running tasks list, and how to hide the round circle over your running application icon . . ashraf fawzy

(C) Copyright Nokia 2014. All rights reserved.

- How to use the Datepicker plugin in JQuery . . Maveric
- Custom Avkon pop-up list . . ltomuta
- Creating Compass in Qt and Windows Phone . . somnathbanik
- Login Dialog with validated email input in Qt Quick . . somnathbanik
- Custom Rating Indicator using Qt Quick . . somnathbanik
- Animated slide popup dialog using Qt Quick . . somnathbanik
- Turnstile ListView using Qt Quick . . somnathbanik
- Using Swipe Events with dynamic content in Nokia Asha Web Apps . . igordsm
- Prepare your application for Nokia E6 . . pooja_1650
- Porting the Premier League app from WRT to Qt Quick . . jappit
- QML Change Password Dialog . . Den123
- Simple Splash Screen in QML . . liuxg
- Nokia Asha web apps - Swipe Events . . somnathbanik
- QML Drag-and-drop . . gnuton
- Mobilising your Web Service . . Risalmin
- Implementing an Autocomplete Line Edit component for Qt Quick . . croozeus
- How to create a Collapsible Panel with QML . . croozeus
- Qt Kinetic scrolling - from idea to implementation . . divanov
- Custom QML Component: Website Thumbnails . . dennis4b
- Incremental Search with Qt . . axeljaeger
- Migrating from Avkon to QWidget: UI component comparison . . seppo_fn
- Split view input in Symbian C++ applications . . ltomuta

Articles

A

- A tip to debug Draw() function of a control class
- A tour to the S60 Touch UI components
- AIW Service Handler API
- API and functionality changes in Symbian^3 / Nokia N8
- Accessing the menu bar of Symbian C++ dialog-based applications returns a null pointer (Known Issue)
- Adding scrollbars to a CEikRichTextEditor
- Adding visible feedback to buttons links and clickable elements in Symbian Web Runtime apps
- Advanced MultiSelection Dialog
- Animated Page Navigation using QML
- Animated slide popup dialog using Qt Quick
- Animation with Transformation in Qt
- App Launcher Icon Competition November 2011
- AppLauncher - S60 5th Touch UI
- Avoid reserved IDs in Symbian resource file enumerations (Known Issue)

H cont.

- Handling drag-and-drop in WRT
- Handling new touch-related MEikListBoxObserver events
- Handling pointer events in Symbian C++
- Handling scalability in Symbian C++ on touch enabled device
- Haptics effects in Qt
- Header Based Menu for MeeGo-Harmattan
- Hide the application icon in menu
- Hiding Status panel
- Hiding an app from the task list on Symbian
- Hiding default scrollbars in Symbian Web Runtime
- How can I get a pointer from a container to a view in Symbian C++
- How can I remove the gear icon from a wait note on Symbian?
- How to Add an application shortcut to the Go To menu of a S60 device?
- How to Change CEikLabel Color in Symbian C++
- How to Change an Image in the Context Pane
- How to Create a Scrollable Container

M cont.

- Marquee effect does not work with CAknSingleHeadingStyleListBox (Known Issue)
- Matchbox
- MeeGo Harmattan QML ToolIcon Element and Various icons
- MeeGo Qt Quick Component - Static Page Navigation
- MeeGo Qt Quick Query Dialog, Selection Dialog and MultiSelection Dialog Components
- Meego control panel declarative settings applet
- Mifconv
- Migrating from Avkon to QWidget: UI component comparison
- Mobile Design Pattern: Application tray
- Mobilising your Web Service
- Multiline CEikLabel

N

- Native Symbian Dialogs in Qt Apps
- Native Symbian Note Dialogs in Qt Apps
- Navigate CEikRichTextEditor up and down with stylus
- Navigating controls on up and down

(C) Copyright Nokia 2014. All rights reserved.

B

- Battery JavaScript component for Symbian Web Runtime
- BigCats app with multiple pages and audio in QML
- Bouncing Menu using Qt Quick
- Bring application to foreground with a keypress
- Building the Italian Tax ID app with Qt Quick components

C

- CEikEdwin::InsertDeleteCharsL does not update virtual keyboard edit field (Known Issue)
- CNotepadApi
- Capturing all keys in Non-GUI applications
- Capturing foreground window server events on Symbian
- Capturing keys in background
- Capturing the End (red) key during a call using Symbian C++
- Carbide.c++ Tutorial 2 - Getting Input from user
- Carbide.c++ Tutorial 3 - Using List view
- Carbide.c++ Tutorial 4 - Creating a Settings view
- Carbide.c++ Tutorial 5 - Creating a Settings view - II
- Carbide.c++ UI Designer
- Catching menu events in Symbian Web Runtime
- Catching the menu open and close events in Symbian C++
- Change Wallpaper
- Change display mode and trigger orientation change using Symbian C++
- Change font in Qt application
- Change screen orientation of UI application
- Change softkeys dynamically (either right or left or both)
- Changing Status pane text and icon
- Changing Title Pane Text
- Changing Title Pane Text in QML applications
- Changing application's language at runtime
- Changing display orientation in Symbian Web Runtime
- Changing softkeys dynamically and disabling them in Symbian
- Changing tab background graphics not
- How to Create a Scrollable Container
- How to Disable T9
- How to Display an Image in Navigation Pane Using Resources
- How to Hide Application from User Menu
- How to Open SMS or MMS Editor
- How to Override the Behavior of Shortcut Keys.
- How to add Marquee effect in ListBox
- How to add ScrollBar in ListBox
- How to add additional data to the list box?
- How to apply highlighting in richtexteditor
- How to build a tabbed UI with QML
- How to calculate hash for a text using QCryptographicHash in Qt
- How to capture screen to bitmap
- How to change font of specific item in a listbox
- How to change the CAknPopupFieldText Dynamically
- How to change the Wallpaper
- How to change wait note text at runtime
- How to control visibility of a setting item in Setting Listbox
- How to create Button with Picture
- How to create Label
- How to create Text View
- How to create a Collapsible Panel with QML
- How to create a Context Menu with QML
- How to create a Settings Flyout using Visual States and Blend
- How to create a Text Editor in Symbian
- How to create a new Component for the Guarana UI Library
- How to create a new UI component in the WRTKit
- How to create a simple console
- How to create a simple listbox in Symbian C++
- How to create an alarm using Symbian C++
- How to create dynamic QML component by XML
- How to create multi-page dialogs in Symbian C++
- How to create semi-transparent windows using Symbian C++
- How to customize a listbox
- How to define and choose scalable text
- How to define application icon
- Navigating controls on up and down keys
- Network Signal JavaScript component for WRT
- Nokia Asha web apps - Creating On/Off Switch
- Nokia Asha web apps - Screen Navigation
- Nokia Asha web apps - Swipe Events
- Nokia Asha web apps - Traffic Light
- Numeric input from a QWERTY keypad on Symbian

O

- Optical Motion Detection as Interaction Technology for Mobile Phones

P

- Page Navigation with State and Transition
- Painting in Qt
- Password based encryption
- Personal Profile
- Personalisation Skins Settings API
- Plain-text editor in Symbian C++
- Pointer capturing in Symbian C++ on touch-enabled devices
- Pop up list example
- Pop up screen with State and Transition
- Popup Menu List Item Definitions
- Portal:Java UI Articles
- Porting the Premier League app from WRT to Qt Quick
- Prepare your application for Nokia E6
- Preview Pop-up
- Progress and wait notes in Symbian C++
- Providing a copy-paste utility between two Qt applications using clipboard

Q

- QML Change Password Dialog
- QML Component AccordionList
- QML Day of Week & Time Dialog
- QML Day of Week & Time Selector
- QML Drag-and-drop
- QML ProgressBar and Slider elements in Meego Qt Quick Components
- QML Sliding Pages
- QML TabBar with accessible off-screen tabs
- QML ToolBar element in Meego Qt Quick Components
- QML component ActionList
- QckWeb (Qt Quick Project)

(C) Copyright Nokia 2014. All rights reserved.

possible using MAknsSkinInstance::SetLocalItemDefL (Known Issue)
- Changing the focus of a Symbian custom control
- Changing the owning window group of a Symbian C++ application
- Checking Vibration status in WRT
- Checking availability of Cover UI in WRT
- Checking availability of Vibrator in WRT
- Clipboard Copy/Cut/Paste
- Clipping longText to Fit Screen
- Closing a dialog after a timeout using Symbian C++
- Code Example for SlidingStackedWidget class in Qt
- Coding Nokia Asha web apps for screen orientation
- Colors in User Interface
- Comparing Symbian GUI and Console applications
- Confirmation Query
- Constructing a Symbian container control
- Constructing simply UI classes with Javascript
- Contacts component for Symbian Web Runtime
- Controlling the softkeys in Symbian Web Runtime
- Controlling vibration in Symbian Web Runtime
- Conversions between twips, pixels, and millimeters using Symbian C++
- Create Dynamic Settings Pages using Symbian C++
- Create Marquee effect in poplists and menus
- Create Modal dialog and add controls dynamically
- Creating Compass in Qt and Windows Phone
- Creating Flipable UI in Qt Quick
- Creating Scrolling area on mobile screen : Web Runtime
- Creating a custom QML element with Qt
- Creating a database table in Qt
- Creating a launcher for a web application in Symbian Web Runtime
- Creating a radio button settings page using Symbian C++
- Creating a spinner list with QML
- How to define folder for application icon while installation
- How to define submenu
- How to detect if application launched from Home-screen
- How to display an image in the title pane using Symbian C++
- How to display splash screen in a non GUI thread in Symbian C++
- How to display ticker on Symbian active idle screen
- How to draw complicated rounded rectangles in Symbian C++
- How to draw image to screen directly
- How to draw transparent image without mask
- How to enable empty strings in query dialogs
- How to enable navigation arrows
- How to enable or disable HotKeys dynamically
- How to ensure that the scroll bar background is drawn properly in Symbian C++
- How to fade screen behind a custom popup control
- How to fade the screen using Symbian C++
- How to fetch an entry and set it in CAknSettingItem
- How to find out the correct location for softkey labels
- How to get Application Icon using RApaLsSession
- How to get Focus Events
- How to get GDR fonts
- How to get Numeric Input in CEikEdwin
- How to get maximum Font Size in Qt to fit text into Widget
- How to get notification of profile change
- How to get notification of user activity when the device has been idle
- How to get the Current Item Text from ListBox
- How to get the current screen orientation using Symbian C++
- How to handle events in custom controls
- How to hide CBA/MenuBar
- How to hide ScrollBar in ListBox
- How to hide Status Pane
- How to hide your application from running tasks list, and how to hide the
- Qt Kinetic scrolling - from idea to implementation
- Qt for Maemo: GUI Example
- Qt for Maemo: Whac-A-Mole Game Example
- QtOrientationTest
- QtPhoneRetro - A Qt Widget using Kinetic Animations
- Querying Date and Time in Symbian C++
- Querying Numbers
- Querying Strings
- Querying selection with list

R

- RSG File
- Reacting to the changes in screen size in Symbian Web Runtime
- Reseting Vibration in WRT
- Retrieving current orientation of a device in WRT
- Retrieving the content of RichTextEditor at the tapped position on 5th Edition devices
- Rotary Dialer: mixing Qt Quick components and custom UI
- Rotating QWidget based applications on MeeGo Harmattan

S

- S60 View Architecture with UI Design
- S60 application views
- Sampling Profiler
- ScShortcuts Engine Wrapper API
- Scalalabe Vector Graphics
- Scaling QGraphicsPixmapItem
- Scaling QPixmap image
- Screen QML Component for MeeGo Harmattan
- Screen flicker
- Scrolling Toolbar with Flickable
- Scrolling an editor screen without highlighting the contents using Symbian C++
- Searching for data in a database in Qt
- Selecting data from a database without using SQL statements in Qt
- Sending Application in Background using RSS
- Sending an application to background
- Serialisation of user-defined data in Qt
- Set text on navigation pane
- Setting Vibration in WRT
- Setting empty listbox or grid text
- Setting the image and mask bitmaps

(C) Copyright Nokia 2014. All rights reserved.

- Creating a touch-friendly combobox with QML for Harmattan
- Creating custom Music Player with S60 Touch UI APIs
- Creation of MBM file
- Custom Avkon pop-up list
- Custom Drop Down Menu
- Custom QML Component: Website Thumbnails
- Custom Rating Indicator using Qt Quick
- Custom Swipe Gestures in Qt
- Custom button
- Custom tabs

D

- DatePicker and TimePicker Dialogs in MeeGo Qt Quick Extras Components
- Defining shortcut keys for a Symbian app
- Deleting data from a database in Qt
- Detect if Idle screen is active on Belle
- Detecting Location of softkeys in WRT widget
- Detecting focus lost & gained events in Qt for Symbian
- Detecting long tap using CAknLongTapDetector
- Detecting orientation changes in Symbian Web Runtime
- Determining the current editing state of a Symbian app
- Developing applications for secondary display
- Different application caption strings
- Disco lights in QML- A Random Color Changing Application
- Display Date-Time in different formats
- Display image gallery grid with asynchronous thumbnails 2nd Edition
- Display wait note between HTTP response delay
- Displaying links in a CAknMessageQueryDialog
- Dojo UI controls
- DrY Accordion component
- DrY Busy component
- DrY Button
- DrY Carousel
- DrY LightBox
- DrY Optionsbox
- DrY ProgressBar
- DrY Rating
- DrY TextLabel
- DrY Toggle and togglelist

round circle over your running application icon
- How to hide/show a setting item depending upon other setting item
- How to implement Live Scrolling in a Web Runtime widget
- How to implement a recent array
- How to implement fisheye view in Symbian C++
- How to insert text on the navipane of a Symbian app
- How to interpret key events in WRT widgets?
- How to keep a window always as top window with Symbian device
- How to keep the Backlight on
- How to know the present input mode
- How to make a full-screen application using Symbian C++
- How to modify grid
- How to monitor Device Orientation Change in WRT Widget
- How to read icons for listbox
- How to read key-input in console applications
- How to resize an array
- How to scroll a customized list box without using a scroll bar
- How to select an item in CAknSelectionListDialog
- How to send particular Event to External application in Symbian
- How to set File Attributes
- How to show marquee on navi pane
- How to show tooltips in Symbian applications
- How to show unicode characters using resource file
- How to support layout switching
- How to suppress the menu option of a form
- How to switch orientations in WRT Widget
- How to use CEikLabel
- How to use QCompleter in Qt
- How to use QGraphicsProxyWidget in Qt
- How to use QVibra to enable vibration in QML
- How to use QtMobility to enable vibration in QML
- How to use native Maemo 5 contacts dialogs
- How to use the Datepicker plugin in JQuery

- Settings Lists
- Showing Notes
- Showing count in the navi pane on Symbian
- Simple About dialog
- Simple Splash Screen in QML
- Simple indeterminate progress bar
- Simple information Box
- Simulate key events using Symbian C++
- Simulating Pointer Events
- Skinning the a Symbian app
- Slider component example using Qt Quick
- Sliding 3D QML ListView
- Splash screen while loading main qml
- Splash screen with image using Symbian C++
- Split view input in Symbian C++ applications
- StarMenu: custom QML component plugin
- Stock dialog boxes
- Supported screen modes of a Symbian device
- Switching views on Symbian
- Symbian Belle UX changes impact on WRT widget toolbar
- Symbian C++ Common File Dialogs
- Symbian C++ and Qt toolbar comparison
- Symbian Context-sensitive Help Basics
- Symbian Scalable UI Framework
- Symbian: playing with fonts

T

- Tab operations
- Tabbed UI using Meego Qt Quick Components
- Tabs example
- Tactile feedback
- Thumbnail path for 3rd edition devices
- Transformation of QGraphicsView
- Transformations with QWidgets
- Tumbler based SelectionDialog
- Turnstile ListView using Qt Quick
- Turnstile Menu using Qt Quick
- Two ways to control rotation in QML

U

- UI Manager Overview
- UI test criteria
- Using CAknWaitDialog without callback

(C) Copyright Nokia 2014. All rights reserved.

- Draw an icon on the screen from a MIF file
- Drawing a standard border around a CEikEdwin
- Drawing custom borders around a Symbian control
- Drawing lines in QML
- Drawing to the screen outside application framework
- Drop-Down Box Example
- Dynamic menu
- Dynamically creating/updating listbox in QML from C++

E

- Enable Skin Support in Views/Containers
- Enabling Qt Animation Framework in an application
- Enabling Skin
- Enabling drag events in Symbian C++ on touch-enabled devices
- Enabling drag-and-drop in Symbian WRT touch devices
- Enabling touch UI support for check boxes in Setting Lists using Symbian C++
- Ensuring Scroll Bar Background is drawn properly
- Enter key as an alternative to navigation select key
- Enumerated Text Popup Example
- Eshell on S60 5th edition SDK
- Explaining Key Events in Symbian
- Extended Skins API
- Extending Bondi wrapper library

F

- Feature Discovery returns invalid value for keyboard support on Nokia 5800 XpressMusic (Known Issue)
- Forms in Symbian C++

G

- GDI Classes for Size and Target Independent Drawing
- GTK
- Generate XML programatically in Qt
- Generating random-value integers in Qt
- Get Available Fonts on device
- Get application icon using Symbian C++
- Get screen coordinates in Qt
- Giving tactile feedback in touch UI apps using Symbian C++
- How to use the Symbian C++ List Query Dialog?
- How-to use the menu object in WRT widgets

I

- Identifying the menubar associated with an application using FEP
- Implementing Animation using CAknBitmapAnimation
- Implementing a custom CAknQueryDialog dialog
- Implementing an Autocomplete Line Edit component for Qt Quick
- Implementing an animated wait note in QML and showing it while running time consuming JavaScript functions
- Implementing horizontally scrolling view with QML Flickable
- Implementing of fading animation with QML
- Incorrect Unicode fonts for Romanian in all Nokia phones
- Incremental Search with Qt
- Information about the touch ui and tactile feedback for touch screen phone
- Inhibiting the device screen saver using Qt
- Inserting a row into a database in Qt
- Inserting text or an icon on the navi pane of a Symbian app
- Interactive buttons with onfocus event
- Interpolating points between drag events using Symbian C++
- Item Finder API

K

- Keeping a Symbian application running in the background on exit

L

- Landmarks/web client example using Carbide.c++ and UI designer
- Layout-awareness challenges in custom UIs
- List Item Definitions
- List box example in Symbian C++
- List box with Search, example
- ListStretching
- Listbox creation using Symbian resource definition
- Listening for Symbian Window Server events in Qt
- Listening for Symbian key events in Qt
- Listening for scrollbar events using Symbian C++
- Using CEikEdwin Text Editor
- Using Clock API
- Using QDataWidgetMapper to show data from a database in Qt
- Using QML Flow to place QML elements
- Using SubMenu in Widget
- Using Swipe Events with dynamic content in Nokia Asha Web Apps
- Using Symbian Access points settings dialog in 3rd-party applications
- Using TResourceReader
- Using a Symbian custom control in a dialog
- Using jQuery Mobile in Nokia Asha Web Apps
- Using read-only Editor as a disclaimer
- Using scrollbars in Symbian container control
- Using skins in a Symbian C++ app
- Using split screen keyboard in Symbian Anna and beyond

V

- View Vs Container

W

- Workaround to hide VKB in QML apps (Known Issue)
- Working with Adaptive Search feature - S60 Touch UI
- Working with ChoiceList API - S60 Touch UI
- Working with Generic Button API - S60 Touch UI
- Working with LongTapDetector API - S60 Touch UI
- Working with SingleColumnStyleTreeList with Hierarchical Lists API - S60 Touch UI
- Working with SingleStyleTreeList with Hierarchical Lists API - S60 Touch UI
- Working with Stylus Pop-up Menu API - S60 Touch UI
- Working with Tactile Feedback Client API - S60 Touch UI
- Working with Toolbar API - S60 Touch UI

X

- Xpress Media key Key Code in Symbian C++

(C) Copyright Nokia 2014. All rights reserved.

- Global notes
- Grid example
- Grids

H

- HTML5 Canvas example - Noughts and Crosses game
- Handle Profile Activation
- Handle Window Server-Generated Events
- Handle edwin events
- Handling Send key events in Phonebook Extension Plug-in
- Lock application orientation in Symbian
- Login Dialog with validated email input in Qt Quick
- Logs Client API

M

- MIF format internals
- Maemo: Hildonizing application UI
- Mapping iPhone and Android UI Concepts to Qt
- Mapping of physical keys across language variants on Symbian

C

- Como selecionar informações do banco de dados sem o uso de declaração SQL em Qt
- Criando Grids

D

- Detectando mudanças de orientação em WRT

A

- About对话框的简单显示
- AknTextUtils::WrapToArrayL()不接收字母参数
- Asha平台设备物理Back按键的使用

N

- Nokia N91以及Nokia 5500运动手机上某些SVG图标被裁剪的问题

Q

- QWERTY键盘的数字输入

S

- S60触屏使用指南
- Symbian C++中的表单

T

- TextField实用大全
- Twip(缇)，像素以及毫米的转换

W

- Web技术
- Windows Phone的语言切换实时本地化

一

- 一些手机需使用EKeyRepeat代替EKeyDown获取重复按键事件

中

- 中文 S60程序的视图

为

- 为CEikEdwin绘制标准边框
- 为功能键设置图片

如 cont.

- 如何创建半透明窗口
- 如何去除表单的菜单项
- 如何在S60中动态改变功能键并置之为无效
- 如何在列表框项中响应动作
- 如何在滚动编辑框屏时避免文本高亮的问题
- 如何在通过中捕捉挂机键（红色）
- 如何完成自定义的CAknQueryDialog对话框
- 如何将日期时间用不同格式显示
- 如何找出功能键的正确位置？
- 如何改变Context Pane中的图片
- 如何改变列表框当前项的背景
- 如何改变程序所属窗口组？
- 如何更改标签(Label)的颜色方案
- 如何根据一个设置列表项的值动态显示/隐藏另一个项
- 如何生成一个MIF文件
- 如何直接在屏幕上绘制图片
- 如何绘制自定义边框
- 如何获取功能键上的文字
- 如何让S60 Qt启动一个程序
- 如何读取CSV文件
- 如何防止editor中出现遮行的现象
- 如何隐去等待对话框中的齿轮图
- 如何隐藏status和control panes

当

- 当使用弹出对话框的搜索栏时发生的输入问题
- 当键盘锁定被取消时可能会导致无意中将程序切换到后台

手

- 手机启动时用自定义的FEP替换缺省的FEP

捕

- 捕捉S60第三版FP2的通话/挂机键
- 捕捉菜单打开和关闭事件

数

- 数字输入对话框

无

- 无法使用MAknsSkinInstance::SetLocalItemDefL改变tab背景图片

查

- 查找特殊项API

用

- 用QML实现用户定制虚拟键盘
- 用S60 Touch UI API创建自定义音乐播放器

监

- 监听屏幕布局的变化

缩

- 缩放QPixmap图像

自

- 自定义CAknMarkableListDialog
- 自定义按钮
- 自定义控件: 从资源构造（二）
- 自定义控件： 在Dialog中（六）
- 自定义控件： 定义（一）

(C) Copyright Nokia 2014. All rights reserved.

作

- 作为输入键之一的导航选择键

使

- 使用Toolbar API - S60 Touch UI

切

- 切换基于对话框程序的方向

列

- 列出或管理已安装的屏幕保护插件暂不支持

压

- 压缩SVG文件

在

- 在Qt中获取屏幕坐标
- 在后台捕捉按键
- 在程序的导航条中插入文本或图片
- 在触屏UI应用程序中给予触摸反馈

处

- 处理edwin事件

如

- 如何使用Qt Create IDE V4.5
- 如何切换程序UI方向为横屏或竖屏
- 将程序切换到后台

怎

- 怎样检测笔型键

我

- 我怎样可以获取一个视图中控件的指针
- 自定义控件： 定义（一）
- 自定义控件： 容器控件（三）
- 自定义控件： 滚动条（五）
- 自定义控件： 聚焦（四）
- 自定义窗口的消色参数无法正确工作的问题

获

- 获得手机支持的屏幕参数
- 获得音量键回应

视

- 视图切换

选

- 选择View还是Container

防

- 防止内容显示在多媒体文件夹中
- 防止资源文件枚举值中出现保留ID值

И

- Изменение ориентации экрана приложения UI
- Использование пользовательских элементов управления (Custom Controls) в диалогах

К

- Как создать собственную экранную заставку

О

- Обнаружение смены фокуса
- Обработка событий от указателя

П

- Программное управление яркостью экрана

С

- Смена фонового рисунка
- Составные пользовательские элементы управления, обработка событий
- Стандартные диалоги AVKON для работы с файловой системой

A

- AIW サービス・ハンドラ(Service Handler) API

I

- Interactive buttons with onfocus event (Arabic)

M

- Memperoleh Screenshot Themes pada Series 40

W

- Web Runtime Widgetsでキーイベントを取得する方法
- Web Runtime WidgetでAccordionを使用する方法

C

- Creating Compass in Qt and Windows Phone

H

(C) Copyright Nokia 2014. All rights reserved.

- How to create a Settings Flyout using Visual States and Blend

C

- Coding Nokia Asha web apps for screen orientation

I

- Interactive buttons with onfocus event

N

- Nokia Asha web apps - Creating On/Off Switch
- Nokia Asha web apps - Screen Navigation

N cont.

- Nokia Asha web apps - Swipe Events
- Nokia Asha web apps - Traffic Light

P

- Portal:Java UI Articles
- Prepare your application for Nokia E6

U

- Using Swipe Events with dynamic content in Nokia Asha Web Apps
- Using jQuery Mobile in Nokia Asha Web Apps

A

- A tip to debug Draw() function of a control class
- AIW Service Handler API
- API and functionality changes in Symbian^3 / Nokia N8
- Accessing the menu bar of Symbian C++ dialog-based applications returns a null pointer (Known Issue)
- Adding scrollbars to a CEikRichTextEditor
- Adding visible feedback to buttons links and clickable elements in Symbian Web Runtime apps
- Advanced MultiSelection Dialog
- Animated Page Navigation using QML
- Animated slide popup dialog using Qt Quick
- Animation with Transformation in Qt
- App Launcher Icon Competition November 2011
- Avoid reserved IDs in Symbian resource file enumerations (Known Issue)

B

- Battery JavaScript component for Symbian Web Runtime
- BigCats app with multiple pages and audio in QML
- Bouncing Menu using Qt Quick
- Bring application to foreground with a keypress

C

- CEikEdwin::InsertDeleteCharsL does not update virtual keyboard edit field (Known Issue)
- CNotepadApi
- Capturing all keys in Non-GUI applications

H

- Handle Profile Activation
- Handle Window Server-Generated Events
- Handle edwin events
- Handling Send key events in Phonebook Extension Plug-in
- Handling drag-and-drop in WRT
- Handling new touch-related MEikListBoxObserver events
- Handling pointer events in Symbian C++
- Handling scalability in Symbian C++ on touch enabled device
- Haptics effects in Qt
- Hide the application icon in menu
- Hiding Status panel
- Hiding an app from the task list on Symbian
- Hiding default scrollbars in Symbian Web Runtime
- How can I get a pointer from a container to a view in Symbian C++
- How can I remove the gear icon from a wait note on Symbian?
- How to Add an application shortcut to the Go To menu of a S60 device?
- How to Change CEikLabel Color in Symbian C++
- How to Change an Image in the Context Pane
- How to Create a Scrollable Container
- How to Disable T9
- How to Display an Image in Navigation Pane Using Resources
- How to Hide Application from User Menu
- How to Open SMS or MMS Editor
- How to Override the Behavior of Shortcut Keys.

L

- Landmarks/web client example using Carbide.c++ and UI designer
- Layout-awareness challenges in custom UIs
- List Item Definitions
- List box example in Symbian C++
- List box with Search, example
- ListStretching
- Listbox creation using Symbian resource definition
- Listening for Symbian Window Server events in Qt
- Listening for Symbian key events in Qt
- Listening for scrollbar events using Symbian C++
- Lock application orientation in Symbian
- Login Dialog with validated email input in Qt Quick
- Logs Client API

M

- Mapping iPhone and Android UI Concepts to Qt
- Mapping of physical keys across language variants on Symbian
- Marquee effect does not work with CAknSingleHeadingStyleListBox (Known Issue)
- Mifconv
- Migrating from Avkon to QWidget: UI component comparison
- Mobilising your Web Service
- Multiline CEikLabel

N

- Native Symbian Dialogs in Qt Apps
- Native Symbian Note Dialogs in Qt Apps
- Navigate CEikRichTextEditor up and

(C) Copyright Nokia 2014. All rights reserved.

- Capturing foreground window server events on Symbian
- Capturing keys in background
- Capturing the End (red) key during a call using Symbian C++
- Carbide.c++ Tutorial 2 - Getting Input from user
- Carbide.c++ Tutorial 3 - Using List view
- Carbide.c++ Tutorial 4 - Creating a Settings view
- Carbide.c++ Tutorial 5 - Creating a Settings view - II
- Carbide.c++ UI Designer
- Catching menu events in Symbian Web Runtime
- Catching the menu open and close events in Symbian C++
- Change Wallpaper
- Change display mode and trigger orientation change using Symbian C++
- Change font in Qt application
- Change screen orientation of UI application
- Change softkeys dynamically (either right or left or both)
- Changing Status pane text and icon
- Changing Title Pane Text
- Changing Title Pane Text in QML applications
- Changing display orientation in Symbian Web Runtime
- Changing softkeys dynamically and disabling them in Symbian
- Changing tab background graphics not possible using MAknsSkinInstance::SetLocalItemDefL (Known Issue)
- Changing the focus of a Symbian custom control
- Changing the owning window group of a Symbian C++ application
- Checking Vibration status in WRT
- Checking availability of Cover UI in WRT
- Checking availability of Vibrator in WRT
- Clipboard Copy/Cut/Paste
- Clipping longText to Fit Screen
- Closing a dialog after a timeout using Symbian C++
- Code Example for SlidingStackedWidget class in Qt
- Comparing Symbian GUI and Console applications
- How to add Marquee effect in ListBox
- How to add ScrollBar in ListBox
- How to add additional data to the list box?
- How to apply highlighting in richtexteditor
- How to build a tabbed UI with QML
- How to calculate hash for a text using QCryptographicHash in Qt
- How to capture screen to bitmap
- How to change font of specific item in a listbox
- How to change the CAknPopupFieldText Dynamically
- How to change the Wallpaper
- How to change wait note text at runtime
- How to control visibility of a setting item in Setting Listbox
- How to create Button with Picture
- How to create Label
- How to create Text View
- How to create a Collapsible Panel with QML
- How to create a Context Menu with QML
- How to create a Text Editor in Symbian
- How to create a new UI component in the WRTKit
- How to create a simple console
- How to create a simple listbox in Symbian C++
- How to create an alarm using Symbian C++
- How to create dynamic QML component by XML
- How to create multi-page dialogs in Symbian C++
- How to create semi-transparent windows using Symbian C++
- How to customize a listbox
- How to define and choose scalable text
- How to define application icon
- How to define folder for application icon while installation
- How to define submenu
- How to detect if application launched from Home-screen
- How to display an image in the title pane using Symbian C++
- How to display splash screen in a non GUI thread in Symbian C++
- How to display ticker on Symbian active idle screen
- How to draw complicated rounded rectangles in Symbian C++
- Navigate QEikRichTextEditor up/down with stylus
- Navigating controls on up and down keys
- Network Signal JavaScript component for WRT
- Numeric input from a QWERTY keypad on Symbian

P

- Painting in Qt
- Password based encryption
- Personalisation Skins Settings API
- Plain-text editor in Symbian C++
- Pointer capturing in Symbian C++ on touch-enabled devices
- Pop up list example
- Popup Menu List Item Definitions
- Porting the Premier League app from WRT to Qt Quick
- Prepare your application for Nokia E6
- Preview Pop-up
- Progress and wait notes in Symbian C++
- Providing a copy-paste utility between two Qt applications using clipboard

Q

- QML Change Password Dialog
- QML Component AccordionList
- QML Day of Week & Time Dialog
- QML Day of Week & Time Selector
- QML Drag-and-drop
- QML Sliding Pages
- QML TabBar with accessible off-screen tabs
- QML component ActionList
- QckWeb (Qt Quick Project)
- Qt Kinetic scrolling - from idea to implementation
- Qt for Maemo: GUI Example
- Qt for Maemo: Whac-A-Mole Game Example
- QtOrientationTest
- QtPhoneRetro - A Qt Widget using Kinetic Animations
- Querying Date and Time in Symbian C++
- Querying Numbers
- Querying Strings
- Querying selection with list

R

- RSG File
- Reacting to the changes in screen size in Symbian Web Runtime

(C) Copyright Nokia 2014. All rights reserved.

- Confirmation Query
- Constructing a Symbian container control
- Constructing simply UI classes with Javascript
- Contacts component for Symbian Web Runtime
- Controlling the softkeys in Symbian Web Runtime
- Controlling vibration in Symbian Web Runtime
- Conversions between twips, pixels, and millimeters using Symbian C++
- Create Dynamic Settings Pages using Symbian C++
- Create Marquee effect in poplists and menus
- Create Modal dialog and add controls dynamically
- Creating Flipable UI in Qt Quick
- Creating Scrolling area on mobile screen : Web Runtime
- Creating a custom QML element with Qt
- Creating a database table in Qt
- Creating a launcher for a web application in Symbian Web Runtime
- Creating a radio button settings page using Symbian C++
- Creating a spinner list with QML
- Creation of MBM file
- Custom Avkon pop-up list
- Custom QML Component: Website Thumbnails
- Custom Rating Indicator using Qt Quick
- Custom Swipe Gestures in Qt
- Custom button
- Custom tabs

D

- Defining shortcut keys for a Symbian app
- Deleting data from a database in Qt
- Detect if Idle screen is active on Belle
- Detecting Location of softkeys in WRT widget
- Detecting focus lost & gained events in Qt for Symbian
- Detecting long tap using CAknLongTapDetector
- Detecting orientation changes in Symbian Web Runtime
- Determining the current editing state of a Symbian app
- How to draw image to screen directly
- How to draw transparent image without mask
- How to enable empty strings in query dialogs
- How to enable navigation arrows
- How to enable or disable HotKeys dynamically
- How to ensure that the scroll bar background is drawn properly in Symbian C++
- How to fade screen behind a custom popup control
- How to fade the screen using Symbian C++
- How to fetch an entry and set it in CAknSettingItem
- How to find out the correct location for softkey labels
- How to get Application Icon using RApaLsSession
- How to get Focus Events
- How to get GDR fonts
- How to get Numeric Input in CEikEdwin
- How to get maximum Font Size in Qt to fit text into Widget
- How to get notification of profile change
- How to get notification of user activity when the device has been idle
- How to get the Current Item Text from ListBox
- How to get the current screen orientation using Symbian C++
- How to handle events in custom controls
- How to hide CBA/MenuBar
- How to hide ScrollBar in ListBox
- How to hide Status Pane
- How to hide your application from running tasks list, and how to hide the round circle over your running application icon
- How to hide/show a setting item depending upon other setting item
- How to implement Live Scrolling in a Web Runtime widget
- How to implement a recent array
- How to implement fisheye view in Symbian C++
- How to insert text on the navipane of a Symbian app
- How to interpret key events in WRT widgets?
- Reseting Vibration in WRT
- Retrieving current orientation of a device in WRT
- Retrieving the content of RichTextEditor at the tapped position on 5th Edition devices

S

- S60 View Architecture with UI Design
- S60 application views
- Sampling Profiler
- ScShortcuts Engine Wrapper API
- Scalalabe Vector Graphics
- Scaling QGraphicsPixmapItem
- Scaling QPixmap image
- Screen flicker
- Scrolling an editor screen without highlighting the contents using Symbian C++
- Searching for data in a database in Qt
- Selecting data from a database without using SQL statements in Qt
- Sending Application in Background using RSS
- Sending an application to background
- Serialisation of user-defined data in Qt
- Set text on navigation pane
- Setting Vibration in WRT
- Setting empty listbox or grid text
- Setting the image and mask bitmaps
- Settings Lists
- Showing Notes
- Showing count in the navi pane on Symbian
- Simple About dialog
- Simple Splash Screen in QML
- Simple indeterminate progress bar
- Simple information Box
- Simulate key events using Symbian C++
- Simulating Pointer Events
- Skinning the a Symbian app
- Slider component example using Qt Quick
- Sliding 3D QML ListView
- Splash screen while loading main qml
- Splash screen with image using Symbian C++
- Split view input in Symbian C++ applications
- StarMenu: custom QML component plugin
- Stock dialog boxes
- Supported screen modes of a Symbian device

(C) Copyright Nokia 2014. All rights reserved.

- Developing applications for secondary display
- Different application caption strings
- Disco lights in QML- A Random Color Changing Application
- Display Date-Time in different formats
- Display image gallery grid with asynchronous thumbnails 2nd Edition
- Display wait note between HTTP response delay
- Displaying links in a CAknMessageQueryDialog
- DrY Accordion component
- DrY Busy component
- DrY Button
- DrY Carousel
- DrY LightBox
- DrY Optionsbox
- DrY ProgressBar
- DrY Rating
- DrY TextLabel
- DrY Toggle and togglelist
- Draw an icon on the screen from a MIF file
- Drawing a standard border around a CEikEdwin
- Drawing custom borders around a Symbian control
- Drawing lines in QML
- Drawing to the screen outside application framework
- Dynamic menu

E

- Enable Skin Support in Views/Containers
- Enabling Qt Animation Framework in an application
- Enabling Skin
- Enabling drag events in Symbian C++ on touch-enabled devices
- Enabling drag-and-drop in Symbian WRT touch devices
- Enabling touch UI support for check boxes in Setting Lists using Symbian C++
- Ensuring Scroll Bar Background is drawn properly
- Enter key as an alternative to navigation select key
- Enumerated Text Popup Example
- Eshell on S60 5th edition SDK
- Explaining Key Events in Symbian
- Extended Skins API
- Extending Bondi wrapper library

- How to keep a window always as top window with Symbian device
- How to keep the Backlight on
- How to know the present input mode
- How to make a full-screen application using Symbian C++
- How to modify grid
- How to monitor Device Orientation Change in WRT Widget
- How to read icons for listbox
- How to read key-input in console applications
- How to resize an array
- How to scroll a customized list box without using a scroll bar
- How to select an item in CAknSelectionListDialog
- How to send particular Event to External application in Symbian
- How to set File Attributes
- How to show marquee on navi pane
- How to show tooltips in Symbian applications
- How to show unicode characters using resource file
- How to support layout switching
- How to suppress the menu option of a form
- How to switch orientations in WRT Widget
- How to use CEikLabel
- How to use QCompleter in Qt
- How to use QGraphicsProxyWidget in Qt
- How to use QVibra to enable vibration in QML
- How to use QtMobility to enable vibration in QML
- How to use the Symbian C++ List Query Dialog?
- How-to use the menu object in WRT widgets

I

- Identifying the menubar associated with an application using FEP
- Implementing Animation using CAknBitmapAnimation
- Implementing a custom CAknQueryDialog dialog
- Implementing an Autocomplete Line Edit component for Qt Quick
- Implementing an animated wait note in QML and showing it while running time consuming JavaScript functions
- Implementing horizontally scrolling

- Switching views on Symbian
- Symbian Belle UX changes impact on WRT widget toolbar
- Symbian C++ Common File Dialogs
- Symbian C++ and Qt toolbar comparison
- Symbian Context-sensitive Help Basics
- Symbian Scalable UI Framework
- Symbian: playing with fonts

T

- Tab operations
- Tabs example
- Thumbnail path for 3rd edition devices
- Transformation of QGraphicsView
- Transformations with QWidgets
- Tumbler based SelectionDialog
- Turnstile ListView using Qt Quick
- Turnstile Menu using Qt Quick
- Two ways to control rotation in QML

U

- UI Manager Overview
- Using CAknWaitDialog without callback
- Using CEikEdwin Text Editor
- Using Clock API
- Using QDataWidgetMapper to show data from a database in Qt
- Using QML Flow to place QML elements
- Using SubMenu in Widget
- Using Symbian Access points settings dialog in 3rd-party applications
- Using TResourceReader
- Using a Symbian custom control in a dialog
- Using read-only Editor as a disclaimer
- Using scrollbars in Symbian container control
- Using skins in a Symbian C++ app
- Using split screen keyboard in Symbian Anna and beyond

V

- View Vs Container

X

- Xpress Media key Key Code in Symbian C++

(C) Copyright Nokia 2014. All rights reserved.

F

- Feature Discovery returns invalid value for keyboard support on Nokia 5800 XpressMusic (Known Issue)
- Forms in Symbian C++

G

- GDI Classes for Size and Target Independent Drawing
- Generate XML programatically in Qt
- Generating random-value integers in Qt
- Get Available Fonts on device
- Get application icon using Symbian C++
- Get screen coordinates in Qt
- Giving tactile feedback in touch UI apps using Symbian C++
- Global notes
- Grid example
- Grids

A

- Animated slide popup dialog using Qt Quick
- Animation with Transformation in Qt

B

- Bouncing Menu using Qt Quick

C

- Change font in Qt application
- Code Example for SlidingStackedWidget class in Qt
- Creating Flipable UI in Qt Quick
- Creating a custom QML element with Qt
- Creating a database table in Qt
- Creating a spinner list with QML
- Creating a touch-friendly combobox with QML for Harmattan
- Custom Drop Down Menu
- Custom QML Component: Website Thumbnails
- Custom Rating Indicator using Qt Quick
- Custom Swipe Gestures in Qt

D

- DatePicker and TimePicker Dialogs in MeeGo Qt Quick Extras Components
- Deleting data from a database in Qt
- Disco lights in QML- A Random Color Changing Application
- Drawing lines in QML
- Dynamically creating/updating listbox

- Implementing horizontally scrolling view with QML Flickable
- Implementing of fading animation with QML
- Incorrect Unicode fonts for Romanian in all Nokia phones
- Incremental Search with Qt
- Inhibiting the device screen saver using Qt
- Inserting a row into a database in Qt
- Inserting text or an icon on the navi pane of a Symbian app
- Interpolating points between drag events using Symbian C++
- Item Finder API

K

- Keeping a Symbian application running in the background on exit

H cont.

- How to create dynamic QML component by XML
- How to get maximum Font Size in Qt to fit text into Widget
- How to use QCompleter in Qt
- How to use QGraphicsProxyWidget in Qt
- How to use QtMobility to enable vibration in QML
- How to use native Maemo 5 contacts dialogs

I

- Implementing an Autocomplete Line Edit component for Qt Quick
- Implementing an animated wait note in QML and showing it while running time consuming JavaScript functions
- Implementing horizontally scrolling view with QML Flickable
- Implementing of fading animation with QML
- Incorrect Unicode fonts for Romanian in all Nokia phones
- Incremental Search with Qt
- Inhibiting the device screen saver using Qt
- Inserting a row into a database in Qt

M

- Maemo: Hildonizing application UI
- Mapping iPhone and Android UI Concepts to Qt

Q cont.

- QML ToolBar element in Meego Qt Quick Components
- QckWeb (Qt Quick Project)
- Qt Kinetic scrolling - from idea to implementation
- Qt for Maemo: GUI Example
- Qt for Maemo: Whac-A-Mole Game Example
- QtPhoneRetro - A Qt Widget using Kinetic Animations

R

- Rotating QWidget based applications on MeeGo Harmattan

S

- Scaling QGraphicsPixmapItem
- Scaling QPixmap image
- Screen QML Component for MeeGo Harmattan
- Scrolling Toolbar with Flickable
- Searching for data in a database in Qt
- Selecting data from a database without using SQL statements in Qt
- Serialisation of user-defined data in Qt
- Simple Splash Screen in QML
- Slider component example using Qt Quick
- Sliding 3D QML ListView
- Splash screen while loading main qml
- StarMenu: custom QML component plugin

(C) Copyright Nokia 2014. All rights reserved.

- Dynamically creating/updating listbox in QML from C++

E

- Enabling Qt Animation Framework in an application

G

- GTK
- Generate XML programatically in Qt
- Generating random-value integers in Qt
- Get screen coordinates in Qt

H

- Haptics effects in Qt
- Header Based Menu for MeeGo-Harmattan
- How to build a tabbed UI with QML
- How to calculate hash for a text using QCryptographicHash in Qt
- How to create a Collapsible Panel with QML
- How to create a Context Menu with QML

Concepts to Qt

- Matchbox
- MeeGo Harmattan QML ToolIcon Element and Various icons
- MeeGo Qt Quick Component - Static Page Navigation
- MeeGo Qt Quick Query Dialog, Selection Dialog and MultiSelection Dialog Components
- Meego control panel declarative settings applet
- Mobilising your Web Service

P

- Page Navigation with State and Transition
- Painting in Qt
- Pop up screen with State and Transition
- Providing a copy-paste utility between two Qt applications using clipboard

Q

- QML Drag-and-drop
- QML ProgressBar and Slider elements in Meego Qt Quick Components
- QML Sliding Pages
- QML TabBar with accessible off-screen tabs

T

- Tabbed UI using Meego Qt Quick Components
- Transformation of QGraphicsView
- Transformations with QWidgets
- Turnstile ListView using Qt Quick
- Turnstile Menu using Qt Quick
- Two ways to control rotation in QML

U

- Using QDataWidgetMapper to show data from a database in Qt
- Using QML Flow to place QML elements

W

- Workaround to hide VKB in QML apps (Known Issue)

A

- A simple class to implement a progressbar in PySymbian
- Adding Options menu, panes, and icon to a Qt for Symbian application
- Adding items to listbox dynamically
- Adding menu items dynamically using Symbian C++
- AknTextUtils::WrapToArrayL() does not accept literals (Known Issue)
- Animating graphics item fading
- Animating graphics item position and rotation simultaneously
- Animating graphics item position in Qt
- Animating graphics item rotation
- Application disappears from Group folder in the Nokia N75 (Known Issue)
- Applications should not capture events from numeric keys (Known Issue)
- Applying a Qt style sheet to an application via QApplication
- Applying actions on list box items using Symbian C++

A cont.

- How to add a submenu in PySymbian
- How to add a text to an image in PySymbian
- How to add an icon to a QPushButton
- How to add submenu in Qt
- How to avoid auto rotation of Flash Lite content on Nokia 5800
- How to change screen orientation using PySymbian
- How to change screen size in PySymbian
- How to create a Qt Calendar Widget
- How to create a dynamic fisheye menu in Flash Lite
- How to create a form using QFormLayout in Qt
- How to create a menu in Qt
- How to create an empty listbox using PySymbian
- How to create interactive messagebox for getting user response in Qt
- How to customize a list box using Symbian C++
- How to display information on the

A cont.

- Numeric Stepper in Flash Lite
- OnResize event in Symbian Web Runtime does not fire on Nokia 5800 (Known Issue)
- Oxygen - The Flash Lite Developers Kit
- Painting only the dirty area of the widget in Qt
- Personalisation and Skins Settings Symbian API
- Pie Chart Using QPainter
- Pop-up Component for Flash Lite
- Preventing content from being displayed in Media Gallery on Symbian
- Progress bar on S60 5th Edition using PySymbian
- PySymbian Input and Output
- PySymbian basic user interface app framework
- PySymbian for 5th Edition with sample applications
- QLabel text ellipsis using QFontMetrics approach
- QListWidget with checkbox
- Qt Dynamic Menus
- Qt Menus
- RadioButton Component for Flash Lite

(C) Copyright Nokia 2014. All rights reserved.

- Applying background color for paragraphs in a CEikRichTextEditor
- Avkon.mbg IDs do not contain the scalable icons in S60 2nd Edition FP3 alpha (Known Issue)
- Avoiding partially visible lines in an editor
- Button Component for Flash Lite
- CGraphicsContext::ERight list box alignment does not work in some S60 3rd Edition FP1 and FP2 devices (Known Issue)
- Calculating ball collision physics in Flash Lite
- Calculating text width in Qt
- Capturing Send and End key events fails on S60 3rd Edition FP2 (Known Issue)
- Carbide UI Designer app with empty Options menu panics with 3rd party FEP (Known Issue)
- Changing QWidget background colour
- Changing S60 UI color scheme is not supported on S60 3rd Edition (Known Issue)
- Changing the Operator Logo in S60 1st and 2nd edition devices
- Changing the skin of the status pane on Symbian
- CheckBox Component for Flash Lite
- ComboBox with color palettes in Qt
- Como adicionar um submenu em PySymbian
- Como adicionar um texto à uma imagem, em PySymbian
- Como alterar o tamanho da tela em PySymbian
- Como exibir informações sobre o painel de navegação, em PySymbian
- Como fazer um campo de entrada de texto em Flash Lite
- Como manter a luz de fundo acesa, em PySymbian
- Como usa abas, em PySymbian
- Como usar eventos de toque em PySymbian
- Como verificar se o aparelho tem tela sensível ao toque com PySymbian
- Context menus in Qt
- Controlling Actions item in Qt context-sensitive menus
- Controlling the keyboard repeat rate
- Create a page based UI with navigation pane in PySymbian
- How to display transparent image on canvas
- How to draw on canvas in PySymbian
- How to enter non-ascii character in PySymbian
- How to handle keypress using PySymbian
- How to implement QToolBox
- How to implement vertical option list in Symbian C++
- How to keep backlight on using PySymbian
- How to make Flash Lite aware of softkey location and screen orientation
- How to make Flash launcher with Symbian C++
- How to make a Flash Lite application running in any screen orientation
- How to make a basic key movement in Flash Lite
- How to make a customized widget in Qt
- How to make a signal indicator
- How to make a stylesheet in Qt, Part 1
- How to make hello world using PySymbian
- How to make vibration in PySymbian
- How to plot a graph using PySymbian
- How to restrict input to a QLineEdit using a validator
- How to retrieve grid text color from the current theme on Symbian
- How to scroll an over sized image on PySymbian canvas
- How to select a color using QColorDialog
- How to select multiple items with QListWidget
- How to specify text font in PySymbian
- How to switch application in foreground using PySymbian
- How to toggle the input mode of an editor using Symbian C++
- How to use Canvas in PySymbian
- How to use Form in PySymbian
- How to use Listbox in PySymbian
- How to use QGroupBox in Qt
- How to use QListWidget and QListWidgetItem
- How to use QStatusBar
- How to use QVariantAnimation
- How to use S60 Platform Services to create accelerometer based user
- Refreshing problem when using a status pane with small layout (Known Issue)
- Retrieving text for softkey labels using Symbian C++
- Rotate picture in Qt
- S60第三版FP1手机中嵌套子菜单引发的问题
- ScrollPane component in FlashLite
- Scrollbar Component for Flash Lite
- Scrolling image in PySymbian
- Scrollpane component in Flash Lite
- Sending custom message between views using Symbian C++
- Sending package buffer between views in Symbian C++
- Setting a default drive and directory for AknCommonDialogs
- Setting an image for a softkey using Symbian C++
- Setting custom control as title pane not possible on Nokia E71 (Known Issue)
- Setting numeric input mode as the default for Text Editors not possible in QWERTY keypad devices (Known Issue)
- Shortcuts Engine API not available in S60 3rd Edition FP2 (Known Issue)
- Show error message using QErrorMessage
- Show tool tips in QWidget app
- Simple PySymbian alarm clock for S60 5th Edition
- Simulating Mouse Pointer in Flash Lite
- Slider Component for Flash Lite
- Some S60 3rd Edition phones uses EKeyRepeat rather than EKeyDown raw event for repeats (Known Issue)
- Some SVG icons are clipped on Nokia N91 and Nokia 5500 Sport (Known Issue)
- Splash screen in Qt for Symbian
- Switching application UI orientation between landscape and portrait using Symbian C++
- Switching orientation in dialog-based Symbian C++ applications
- Symbian C++でFlashランチャーを作成する方法
- Symbian ListBox search matches on icon index in S60 3rd Edition (Known Issue)
- Synchronisation of PIM data UI behavior changes depending on localization in Series 40 1st Edition (Known Issue)
- The bottom parts of some letters are cut off when using CAknGlobalMsgQuery (Known Issue)
- Tooltip component in Flash Lite

(C) Copyright Nokia 2014. All rights reserved.

- Create a page based UI with QStackedWidget and QToolbar
- Create progress dialog using QProgressDialog
- Creating Context Menu from QPushButton
- Creating a Dynamic List with scrollbar in Flash Lite
- Creating a customized Ticker Component in Flash Lite
- Creating a gradient background for a QPushButton with style sheet
- Creating a loading animation with GIF, QMovie, and QLabel
- Creating a stop watch with QWidgets
- Creating specialized TextFields in Flash Lite
- Custom FEP replaced with the default one at device startup (Known Issue)
- Custom font files don't work properly on S60 3rd Edition (Known Issue)
- Custom screen saver is not activated again after keypad has been unlocked (Known Issue)
- Custom window fading parameters do not work correctly (Known Issue)
- Customising QTreeView
- Customizing CAknMarkableListDialog
- Detecting Long Press in Flash Lite
- Device Central CS3
- Disabling compatibility mode in S60 5th Edition
- Displaying UI controls in Symbian console exe programs
- Drawing with monochrome masks may produce incorrect results on S60 3rd Edition FP2 (Known Issue)
- Dynamic Layout control for Flash Lite
- Flash Lite - Auto resize Flash Lite application
- Flash Lite 2.0 Soft Keys Example
- Flash Lite 2.0のソフトキーを使用した例題
- Flash Lite UI Components
- Flash Lite UI Kit
- Flash Liteにおける基本的なキー移動機構を作成する方法
- Flash Liteアプリケーションを、強制的にフルスクリーン画面にする
- Flash UI API
- Font on image using PySymbian
- Fontes em PySymbian
- interaction with Adobe Flash Lite
- How to use a QTabWidget
- How to use a list widget with a scroll area in Qt
- How to use a text input field in FlashLite
- How to use fonts in PySymbian
- How to use globalui
- How to use icon in listbox using PySymbian
- How to use tabs in PySymbian
- How to use tiles in games in Flash Lite 1.1
- How to wrap text in canvas screen
- How to write an extended notifier to get a response from the user using Symbian C++
- Implementando uma TreeView em um QComboBox - Parte 1
- Implementing a layout manager in Qt
- Improving the usability of spin boxes on Qt for Symbian touch devices
- Incorrect behavior of CAknGrid in the Nokia N95 (Known Issue)
- Incorrect column size returned by UI Metrics API in S60 3rd Edition FP1 (Known Issue)
- Incorrect drawing area returned by CAknView::ClientRect() in S60 2nd Edition (Known Issue)
- Incorrect values from AknLayoutUtils:LayoutMetricsRect on E71 (Known Issue)
- Info Popup Note API in Symbian C++
- Input problems when using popup search field in a dialog (Known Issue)
- Keypressイベントを処理する方法
- Launching a new file in an existing app instance
- List Component for Flash Lite
- Listening for screen orientation changes in Qt
- Listing or managing installed power/screen saver plug-ins not possible (Known Issue)
- Load a Selected Web Search Engine in a QWebView
- Load, Resize image and set background image in Qt application/widget
- Lock application orientation in Qt
- Lock application orientation in Qt for Symbian
- Menu Component for Flash Lite
- Menu dentro de menu
- MovieClip controller component in
- Transparent QPixmap picture
- Trazendo a arquitetura REST para dispositivos PySymbian: um tutorial guiado utilizando Twitter API
- Uma classe simples para implementar uma barra de progresso, em PySymbian
- Unintentional application switch to background when key blocking is disabled (Known Issue)
- Use CAknEnumeratedTextPopupSettingItem dynamically at runtime
- Using QTextBrowser in Qt
- Using Text with appuifw2 module in PySymbian
- Using TopWindow in PySymbian
- Using Touch and Type with Flash Lite
- Using drawable windows without Symbian application framework
- Using graphs in PySymbian
- Using the same background as built-in Symbian apps
- Vibration Control API on Symbian
- Why does MAknsSkinInstance::GetCachedItemData() return NULL?
- シグナルインジケータを作成する方法
- ソフトキーの位置と画面方向を意識したFlash Liteアプリケーションの作成方法
- 任意の画面方向で動作するFlash Liteアプリケーションの作成方法
- 使用QProgressDialog创建进度对话框
- 入力テキストフィールドを作成する方法
- 在Qt中监听屏幕方向改变
- 基于手机的CS3
- 如何在Symbian应用程序/widget中使用Qt加载和缩放图片
- 如何实现单选列表
- 定制QTreeView
- 改变状态栏的皮肤
- 某些SVG图标在Nokia N91和Nokia 5500 Sport手机上会被截断
- 第三版中自定义字体文件将无法正常工作

C

- Constructing a Symbian custom control from a resource
- Custom targets for controlling notification lights in S60 Eseries devices

H

- Hildon
- How to create a custom control in Symbian C++

M

(C) Copyright Nokia 2014. All rights reserved.

- Form UI component assumes skin support (Known Issue)
- Framework básico para criação de interfaces gráficas
- Getting a pointer to CAknViewAppUi or CAknView
- Getting image from list in Qt
- Getting the volume key response using Symbian C++
- Gridbox for Symbian Web Runtime
- Gridbox in Symbian Web Runtime (日本語)
- Gráficos em PySymbian
- Handle change in screen orientation in Qt
- Handling keypress events in Flash Lite
- Handling softkeys in Qt for Symbian
- Hiding status and control panes in Qt for Symbian
- Hiding status and control panes using Symbian C++
- How to Use Accordion in Symbian Web Runtime
- MovieClip controller component in Flash Lite
- Multi-line message query dialogs using Symbian C++
- Nested menus in PySymbian
- Nested submenus defect in S60 3rd Edition FP 1 devices (Known Issue)
- Not possible to use fixed orientation for Flash Lite applications (Known Issue)
- Notifications API: Setting up support for Notifications UI
- NumKeyTranslator in Symbian Web Runtime
- Moving scrollbar thumb on CEikScrollBarFrame

N

- NumKeyTranslator in Symbian Web Runtime (Japanese)

S

- Series 90
- Setting font for CEikLabel

U

- Using common dialogs with S60 and Maemo Platform

为

- 为何MAknsSkinInstance::GetCachedItemData()返回NULL？

ADD_BODY_CLASS_BEGIN collapse_sub_categories ADD_BODY_CLASS_END

(C) Copyright Nokia 2014. All rights reserved.