Google Chart Integration to Qt Using Google API and QtWebKit

This article shows how to draw Google Chart / Google Visualization on Qt Application using Google API and QtWebKit. You can use such charts in your Qt application by just passing values to Google API using Javascript and Google API draw the Chart according to data.

Preconditions

- You should know how to CS001495 - Display local web page with Qt WebKit.
- To Understand the Google Chart Tool check Google Chart API on Google Code site. You should need to know this API for Google Chart.
- We can display Google Chart on web page using Javascript and Google API Script.

What are Google Chart Tools?

The Google Chart Tools enable adding live charts to any web page and it's very simple to use and free. It Uses JavaScript library to draw Chart on webpage.

You can get more information about Google Chart from this link.

There are two type of Charts.

1. Image Charts (Chart API)

   Dynamically generate chart Image with a URL string. You can embed these charts on your web page, or download the image for local or offline use. Check this Google API for more information and code example.

2. Interactive Charts (Visualization API)

   Lets you access multiple sources of structured data that you can display, choosing from a large selection of visualizations.

Thus you can create reports and dashboards as well as analyze and display your data through the wealth of available visualization applications. Please check this Google API for more information and code example.

Google Charts Example

Below is some Google Chart Example Integrated with Qt Application and tested in Emulator. You can get more Examples on Google API Code Example. You can also find there complete html Page for each Example.

Gauge

This Script is use for display Meter type Visualization using Google API.

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
  google.load('visualization', '1', {packages: ['gauge']});
</script>
<script type="text/javascript">

    function drawVisualization() {
    // Create and populate the data table.

    var data = new google.visualization.DataTable();
    data.addColumn('string', 'Label');
    data.addColumn('number', 'Value');
    data.addRows(3);
    data.setValue(0, 0, 'Memory');
    data.setValue(0, 1, 44);
    data.setValue(1, 0, 'CPU');
    data.setValue(1, 1, 88);
```


(C) Copyright Nokia 2014. All rights reserved.

```
        data.setValue(2, 0, 'Network');
        data.setValue(2, 1, 11);

        // Create and draw the visualization.
        new google.visualization.Gauge(document.getElementById('visualization')).
            draw(data);
      }

    //drawVisualization();
     google.setOnLoadCallback(drawVisualization);

    </script>
```

Screenshot



Area Chart

This Script is use to display Area Chart. Here we use dummy data.

```
    <script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['corechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Some raw data (not necessarily accurate)
        var countries =
          ['Bolivia', 'Ecuador',
           'Madagascar', 'Papua Guinea', 'Rwanda'];
        var months = ['2004/05', '2005/06', '2006/07', '2007/08', '2008/09'];
        var productionByCountry = [[165, 135, 157, 139, 136],
                                   [938, 1120, 1167, 1110, 691],
                                   [522, 599, 587, 615, 629],
                                   [998, 1268, 807, 968, 1026],
                                   [450, 288, 397, 215, 366]];

        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Month');
        for (var i = 0; i < countries.length; ++i) {
          data.addColumn('number', countries[i]);
        }
        data.addRows(months.length);
```


(C) Copyright Nokia 2014. All rights reserved.

```
        for (var i = 0; i < months.length; ++i) {
          data.setCell(i, 0, months[i]);
        }
        for (var i = 0; i < countries.length; ++i) {
          var country = productionByCountry[i];
          for (var month = 0; month < months.length; ++month) {
            data.setCell(month, i + 1, country[month]);
          }
        }
        // Create and draw the visualization.
        var ac = new
google.visualization.AreaChart(document.getElementById('visualization'));
        ac.draw(data, {
          title : 'Monthly Coffee Production by Country',
          isStacked: true,
          width: 600,
          height: 340,
          vAxis: {title: "Cups"},
          hAxis: {title: "Month"}
        });
      }

      google.setOnLoadCallback(drawVisualization);
    </script>
```

Screenshot



Bar Chart

This Script is use to display bar type Chart. Here we used dummy data.

```
    <script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['corechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        var raw_data = [['Austria', 1336060, 1538156, 1576579, 1600652, 1968113,
1901067],
                        ['Bulgaria', 400361, 366849, 440514, 434552, 393032, 517206],
                        ['Denmark', 1001582, 1119450, 993360, 1004163, 979198, 916965],
                        ['Greece', 997974, 941795, 930593, 897127, 1080887, 1056036]];
```


(C) Copyright Nokia 2014. All rights reserved.

```
      var years = [2003, 2004, 2005, 2006, 2007, 2008];

      data.addColumn('string', 'Year');
      for (var i = 0; i  < raw_data.length; ++i) {
        data.addColumn('number', raw_data[i][0]);
      }

      data.addRows(years.length);

      for (var j = 0; j < years.length; ++j) {
        data.setValue(j, 0, years[j].toString());
      }
      for (var i = 0; i  < raw_data.length; ++i) {
        for (var j = 1; j  < raw_data[i].length; ++j) {
          data.setValue(j-1, i+1, raw_data[i][j]);
        }
      }

      // Create and draw the visualization.
      new google.visualization.BarChart(document.getElementById('visualization')).
          draw(data,
               {title:"Yearly Coffee Consumption by Country",
                width:600, height:340,
                vAxis: {title: "Year"},
                hAxis: {title: "Cups"}}
          );
    }

    google.setOnLoadCallback(drawVisualization);
  </script>
```

Screenshot



Column Chart

This Script is use to display Column type Chart. Here we used dummy data.

```
  <script type="text/javascript" src="http://www.google.com/jsapi"></script>
  <script type="text/javascript">
    google.load('visualization', '1', {packages: ['corechart']});
  </script>
  <script type="text/javascript">
    function drawVisualization() {
```


(C) Copyright Nokia 2014. All rights reserved.

```
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        var raw_data = [['Austria', 1336060, 1538156, 1576579, 1600652, 1968113,
1901067],
                        ['Belgium', 3817614, 3968305, 4063225, 4604684, 4013653,
6792087],
                        ['Czech Republic', 974066, 928875, 1063414, 940478, 1037079,
1037327],
                        ['Finland', 1104797, 1151983, 1156441, 1167979, 1207029,
1284795],
                        ['France', 6651824, 5940129, 5714009, 6190532, 6420270,
6240921],
                        ['Germany', 15727003, 17356071, 16716049, 18542843, 19564053,
19830493]];

        var years = [2003, 2004, 2005, 2006, 2007, 2008];

        data.addColumn('string', 'Year');
        for (var i = 0; i  < raw_data.length; ++i) {
          data.addColumn('number', raw_data[i][0]);
        }

        data.addRows(years.length);

        for (var j = 0; j < years.length; ++j) {
          data.setValue(j, 0, years[j].toString());
        }
        for (var i = 0; i  < raw_data.length; ++i) {
          for (var j = 1; j  < raw_data[i].length; ++j) {
            data.setValue(j-1, i+1, raw_data[i][j]);
          }
        }

        // Create and draw the visualization.
        new google.visualization.ColumnChart(document.getElementById('visualization')).
            draw(data,
                 {title:"Yearly Coffee Consumption by Country",
                  width:600, height:340,
                  hAxis: {title: "Year"}}
            );
      }


      google.setOnLoadCallback(drawVisualization);
    </script>
```

Screenshot

(C) Copyright Nokia 2014. All rights reserved.



Image Chart

This Script Dynamically generate chart Image for applied data.

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
  google.load('visualization', '1', {packages: ['imagechart']});
</script>
<script type="text/javascript">
  function drawVisualization() {
        var options = {};
        // Chart API chart type 'rs' is radar chart
        options.cht = 'rs';

        // set the line colors
        options.colors = ['#00FF00' , '#FF00FF'];

        // fill the area under the lines
        options.fill = true;

        // create a grid for the chart
        options.chg = '25.0,25.0,4.0,4.0';

        dataTable = new google.visualization.DataTable();
        dataTable.addColumn('string');
        dataTable.addColumn('number');
        dataTable.addColumn('number');
        dataTable.addRows(8);

        var pi = '\u03C0';
        dataTable.setValue(0, 0, '0');
        dataTable.setValue(1, 0, pi + '/4');
        dataTable.setValue(2, 0, pi + '/2');
        dataTable.setValue(3, 0, '3' + pi + '/4');
        dataTable.setValue(4, 0, pi);
        dataTable.setValue(5, 0, '5' + pi + '/4');
        dataTable.setValue(6, 0, '3' + pi + '/2');
        dataTable.setValue(7, 0, '7' + pi + '/4');

        dataTable.setValue(0, 1, 10);
        dataTable.setValue(1, 1, 20);
        dataTable.setValue(2, 1, 30);
        dataTable.setValue(3, 1, 40);
        dataTable.setValue(4, 1, 50);
```


(C) Copyright Nokia 2014. All rights reserved.

```
            dataTable.setValue(5, 1, 60);
            dataTable.setValue(6, 1, 70);
            dataTable.setValue(7, 1, 80);

            dataTable.setValue(0, 2, 100);
            dataTable.setValue(1, 2, 80);
            dataTable.setValue(2, 2, 60);
            dataTable.setValue(3, 2, 30);
            dataTable.setValue(4, 2, 25);
            dataTable.setValue(5, 2, 20);
            dataTable.setValue(6, 2, 10);
            dataTable.setValue(7, 2, 5);

            var chart = new
google.visualization.ImageChart(document.getElementById('visualization'));
            chart.draw(dataTable, options);
      }


      google.setOnLoadCallback(drawVisualization);
    </script>
```

Screenshot



Image Area Chart

Script

```
    <script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['imageareachart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Name');
        data.addColumn('number', 'Height');
        data.addColumn('boolean', 'Smokes');
        data.addRows(3);
```


(C) Copyright Nokia 2014. All rights reserved.

```
        data.setCell(0, 0, 'Tong Ning mu');
        data.setCell(1, 0, 'Huang Ang fa');
        data.setCell(2, 0, 'Teng nu');
        data.setCell(0, 1, 174);
        data.setCell(1, 1, 523);
        data.setCell(2, 1, 86);
        data.setCell(0, 2, true);
        data.setCell(1, 2, false);
        data.setCell(2, 2, true);

        // Create and draw the visualization.
        new
google.visualization.ImageAreaChart(document.getElementById('visualization')).
            draw(data, null);
      }


      google.setOnLoadCallback(drawVisualization);
    </script>
```

Screenshot



Image Bar Chart

Script

```
    <script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['imagechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Name');
        data.addColumn('number', 'Height');
        data.addRows(3);
        data.setCell(0, 0, 'Tong Ning mu');
        data.setCell(1, 0, 'Huang Ang fa');
        data.setCell(2, 0, 'Teng nu');
        data.setCell(0, 1, 174);
```


(C) Copyright Nokia 2014. All rights reserved.

```
        data.setCell(1, 1, 523);
        data.setCell(2, 1, 86);

        var options = {};

        // 'bhg' is a horizontal grouped bar chart in the Google Chart API.
        // The grouping is irrelevant here since there is only one numeric column.
        options.cht = 'bhg';

        // Add a data range.
        var min = 0;
        var max = 700;
        options.chds = min + ',' + max;

        // Now add data point labels at the end of each bar.

        // Add meters suffix to the labels.
        var meters = 'N** m';

        // Draw labels in pink.
        var color = 'ff3399';

        // Google Chart API needs to know which column to draw the labels on.
        // Here we have one labels column and one data column.
        // The Chart API doesn't see the label column.  From its point of view,
        // the data column is column 0.
        var index = 0;

        // -1 tells Google Chart API to draw a label on all bars.
        var allbars = -1;

        // 10 pixels font size for the labels.
        var fontSize = 10;

        // Priority is not so important here, but Google Chart API requires it.
        var priority = 0;

        options.chm = [meters, color, index, allbars, fontSize, priority].join(',');

        // Create and draw the visualization.
        new google.visualization.ImageChart(document.getElementById('visualization')).
          draw(data, options);
      }


      google.setOnLoadCallback(drawVisualization);
    </script>
```

Screenshot

(C) Copyright Nokia 2014. All rights reserved.



Image Line Chart

Script

```
    <script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['imagelinechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Name');
        data.addColumn('number', 'Height');
        data.addRows(3);
        data.setCell(0, 0, 'Tong Ning mu');
        data.setCell(1, 0, 'Huang Ang fa');
        data.setCell(2, 0, 'Teng nu');
        data.setCell(0, 1, 174);
        data.setCell(1, 1, 523);
        data.setCell(2, 1, 86);

        // Create and draw the visualization.
        new
google.visualization.ImageLineChart(document.getElementById('visualization')).
            draw(data, null);
      }


      google.setOnLoadCallback(drawVisualization);
    </script>
```

Screenshot

(C) Copyright Nokia 2014. All rights reserved.



Image Pie Chart

Script

```
    <script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['imagepiechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Task');
        data.addColumn('number', 'Hours per Day');
        data.addRows(5);
        data.setValue(0, 0, 'Work');
        data.setValue(0, 1, 11);
        data.setValue(1, 0, 'Eat');
        data.setValue(1, 1, 2);
        data.setValue(2, 0, 'Commute');
        data.setValue(2, 1, 2);
        data.setValue(3, 0, 'Watch TV');
        data.setValue(3, 1, 2);
        data.setValue(4, 0, 'Sleep');
        data.setValue(4, 1, 7);

        // Create and draw the visualization.
        new
google.visualization.ImagePieChart(document.getElementById('visualization')).
            draw(data, null);
      }


      google.setOnLoadCallback(drawVisualization);
    </script>
```

Screenshot

(C) Copyright Nokia 2014. All rights reserved.



Intensity Map

Script

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
  google.load('visualization', '1', {packages: ['intensitymap']});
</script>
<script type="text/javascript">
  function drawVisualization() {
    // Create and populate the data table.
    var data = new google.visualization.DataTable();
    data.addColumn('string', '', 'Country');
    data.addColumn('number', 'Population (mil)', 'a');
    data.addColumn('number', 'Area (km2)', 'b');
    data.addRows(5);
    data.setValue(0, 0, 'CN');
    data.setValue(0, 1, 1324);
    data.setValue(0, 2, 9640821);
    data.setValue(1, 0, 'IN');
    data.setValue(1, 1, 1133);
    data.setValue(1, 2, 3287263);
    data.setValue(2, 0, 'US');
    data.setValue(2, 1, 304);
    data.setValue(2, 2, 9629091);
    data.setValue(3, 0, 'ID');
    data.setValue(3, 1, 232);
    data.setValue(3, 2, 1904569);
    data.setValue(4, 0, 'BR');
    data.setValue(4, 1, 187);
    data.setValue(4, 2, 8514877);

    // Create and draw the visualization.
    new google.visualization.IntensityMap(document.getElementById('visualization')).
        draw(data, null);
  }


  google.setOnLoadCallback(drawVisualization);
</script>
```


(C) Copyright Nokia 2014. All rights reserved.

Screenshot





Line Chart

Script

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
      google.load('visualization', '1', {packages: ['corechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'x');
        data.addColumn('number', 'Cats');
        data.addColumn('number', 'Blanket 1');
        data.addColumn('number', 'Blanket 2');
        data.addRow(["A", 1, 1, 0.5]);
        data.addRow(["B", 2, 0.5, 1]);
        data.addRow(["C", 4, 1, 0.5]);
        data.addRow(["D", 8, 0.5, 1]);
        data.addRow(["E", 7, 1, 0.5]);
```


(C) Copyright Nokia 2014. All rights reserved.

```
        data.addRow(["F", 7, 0.5, 1]);
        data.addRow(["G", 8, 1, 0.5]);
        data.addRow(["H", 4, 0.5, 1]);
        data.addRow(["I", 2, 1, 0.5]);
        data.addRow(["J", 3.5, 0.5, 1]);
        data.addRow(["K", 3, 1, 0.5]);
        data.addRow(["L", 3.5, 0.5, 1]);
        data.addRow(["M", 1, 1, 0.5]);
        data.addRow(["N", 1, 0.5, 1]);

        // Create and draw the visualization.
        new google.visualization.LineChart(document.getElementById('visualization')).
            draw(data, {curveType: "function",
                        width: 500, height: 340,
                        vAxis: {maxValue: 10}}
                );
      }


      google.setOnLoadCallback(drawVisualization);
</script>
```

Screenshot



Org Chart

Script

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
<script type="text/javascript">
      google.load('visualization', '1', {packages: ['orgchart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Name');
        data.addColumn('string', 'Manager');
        data.addColumn('string', 'ToolTip');
        data.addRows(5);
        data.setCell(0, 0, 'Mike');
        data.setCell(0, 2, 'The President');
        data.setCell(1, 0,
            'Jim', 'Jim<br/><font color="red"><i>Vice President<i></font>');
```


(C) Copyright Nokia 2014. All rights reserved.

```
        data.setCell(1, 1, 'Mike');
        data.setCell(2, 0, 'Alice');
        data.setCell(2, 1, 'Mike');
        data.setCell(3, 0, 'Bob');
        data.setCell(3, 1, 'Jim');
        data.setCell(3, 2, 'Bob Sponge');
        data.setCell(4, 0, 'Carol');
        data.setCell(4, 1, 'Bob');

        // Create and draw the visualization.
        new google.visualization.OrgChart(document.getElementById('visualization')).
            draw(data, {allowHtml: true});
      }


      google.setOnLoadCallback(drawVisualization);
</script>
```

Screenshot



Pie Chart

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['corechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Task');
        data.addColumn('number', 'Hours per Day');
        data.addRows(5);
        data.setValue(0, 0, 'Work');
        data.setValue(0, 1, 11);
        data.setValue(1, 0, 'Eat');
        data.setValue(1, 1, 2);
        data.setValue(2, 0, 'Commute');
        data.setValue(2, 1, 2);
        data.setValue(3, 0, 'Watch TV');
        data.setValue(3, 1, 2);
        data.setValue(4, 0, 'Sleep');
        data.setValue(4, 1, 7);

        // Create and draw the visualization.
        new google.visualization.PieChart(document.getElementById('visualization')).
```


(C) Copyright Nokia 2014. All rights reserved.

```
            draw(data, {title:"So, how was your day?"});
      }


      google.setOnLoadCallback(drawVisualization);
</script>
```

Screenshot



Scatter Chart

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['corechart']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
          // Create and populate the data table.
          var data = new google.visualization.DataTable();
          data.addColumn('number', 'X');
          data.addColumn('number', 'Shape 1');
          data.addColumn('number', 'Shape 2');
          for (var i = 0; i < 500; ++i) {
            data.addRow([Math.sin(i / 5) * 0.25, Math.cos(i / 25), null])
          }
          for (var i = 0; i < 500; i++) {
            data.addRow([Math.sin(i / 25), null, Math.cos(i / 10) * 0.5]);
          }

          // Create and draw the visualization.
          var chart = new google.visualization.ScatterChart(
              document.getElementById('visualization'));
          chart.draw(data, {title: 'Cool shapes',
                            width: 600, height: 340,
                            vAxis: {title: "Y", titleTextStyle: {color: "green"}},
                            hAxis: {title: "X", titleTextStyle: {color: "green"}}}
                    );
      }


      google.setOnLoadCallback(drawVisualization);
</script>
```


(C) Copyright Nokia 2014. All rights reserved.

Screenshot



Sparkline

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['imagesparkline']});
    </script>
    <script type="text/javascript">
      function drawVisualization() {
        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn("number", "Revenue");
        data.addColumn("number", "Licenses");
        data.addRows(10);
        data.setValue(0,0,435);
        data.setValue(1,0,438);
        data.setValue(2,0,512);
        data.setValue(3,0,460);
        data.setValue(4,0,491);
        data.setValue(5,0,487);
        data.setValue(6,0,552);
        data.setValue(7,0,511);
        data.setValue(8,0,505);
        data.setValue(9,0,509);

        data.setValue(0,1,132);
        data.setValue(1,1,131);
        data.setValue(2,1,137);
        data.setValue(3,1,142);
        data.setValue(4,1,140);
        data.setValue(5,1,139);
        data.setValue(6,1,147);
        data.setValue(7,1,146);
        data.setValue(8,1,151);
        data.setValue(9,1,149);

        // Create and draw the visualization.
        new google.visualization.ImageSparkLine(
          document.getElementById('visualization')).draw(data, null);
      }
```


(C) Copyright Nokia 2014. All rights reserved.

```
    google.setOnLoadCallback(drawVisualization);
  </script>
```

Screenshot



Image Multicolor Bar Chart

```
  <script type="text/javascript" src="http://www.google.com/jsapi"></script>
  <script type="text/javascript">
    google.load('visualization', '1', {packages: ['imagechart']});
  </script>
  <script type="text/javascript">
    // This function applies color formatting to a bar chart,
    // by calculating the color of each bar based on the data.
    function drawVisualization() {
      // Create and populate the data table.
      var data = new google.visualization.DataTable();
      data.addColumn('string');
      data.addColumn('number');
      data.addRows([
        ['a', 14],
        ['b', 47],
        ['c', 80],
        ['d', 55],
        ['e', 16],
        ['f', 90],
        ['g', 29],
        ['h', 23],
        ['i', 58],
        ['j', 48]
      ]);

      var red = 'ff0000';
      var green = '00ff00';
      var yellow = 'ffff00';

      // Loop over the data table to create the color specification.
      var colors = [];
      for (var i = 0; i < data.getNumberOfRows(); i++) {
        var value = data.getValue(i, 1);
        var color = value < 20 ? red : (value < 80 ? yellow : green);
```


(C) Copyright Nokia 2014. All rights reserved.

```
        colors.push(color);
      }
      colors = colors.join('|');

      var options = {cht: 'bvs', chco: colors, max: 100};

      // Create and draw the visualization.
      new google.visualization.ImageChart(document.getElementById('visualization')).
        draw(data, options);
    }


    google.setOnLoadCallback(drawVisualization);
  </script>
```

Screenshot



Gauge Interaction

```
<script type="text/javascript" src="http://www.google.com/jsapi"></script>
   <script type="text/javascript">
     google.load('visualization', '1', {packages: ['gauge']});
   </script>
   <script type="text/javascript">
   var gauge;
   var gaugeData;
   var gaugeOptions;
   function drawGauge() {
     gaugeData = new google.visualization.DataTable();
     gaugeData.addColumn('number', 'Engine');
     gaugeData.addRows(2);
     gaugeData.setCell(0, 0, 120);


     gauge = new google.visualization.Gauge(document.getElementById('gauge'));
     gaugeOptions = {
         min: 0,
         max: 280,
         yellowFrom: 200,
         yellowTo: 250,
         redFrom: 250,
         redTo: 280,
```


(C) Copyright Nokia 2014. All rights reserved.

```
          minorTicks: 5
      };
      gauge.draw(gaugeData, gaugeOptions);
    }

    function changeTemp(dir) {
      gaugeData.setValue(0, 0, gaugeData.getValue(0, 0) + dir * 25);
      gauge.draw(gaugeData, gaugeOptions);
    }


    google.setOnLoadCallback(drawGauge);
  </script>
```

Screenshot

Sample code for Integration to Qt

Here is sample code to integrate chart to Qt Application. Here I used "Querystring" to send data to webpage's JavaScript. There are also other methods. Also you can make simple fully web based Qt Application using QtWebkit. Check this QtWebKit: Cartoon Reader Example v1.2 for reference. You can also find this Cartoon Reader Example, its details and Documents on CartoonReader.

Source:

```
    /**
      * Create the central widget
      * and set it.
      */
    QFrame* cW = new QFrame(this);

    /**
      * Set the layout to central widget.
      */
    _layout = new QVBoxLayout(this);
    cW->setLayout(_layout);
    _layout->setMargin(0);
    _layout->setSpacing(0);

    /**
      * Let's create the web view which
      * will be used to display our page.
```


(C) Copyright Nokia 2014. All rights reserved.

```
      */
    _webView = new QWebView(this);

    // Send data to the webpage in QueryString
    _webView->load(QUrl("qrc:///html/Gauge.html?Mem=44&CPU=88&Network=11"));

    _webView->show();

    /** Add it to layout */
    _layout->addWidget(_webView);
```

Html Web page:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8"/>
    <title>
      Google Visualization API Sample
    </title>
    <script type="text/javascript" src="http://www.google.com/jsapi"></script>
    <script type="text/javascript">
      google.load('visualization', '1', {packages: ['gauge']});
    </script>
    <script type="text/javascript">
       // get the Querystring Function
        function getQuerystring(key, default_) {
            if (default_ == null) default_ = "";
            key = key.replace(/[\[]/, "\\\[").replace(/[\]]/, "\\\]");
            var regex = new RegExp("[\\?&]" + key + "=([^&#]*)");
            var qs = regex.exec(window.location.href);
            if (qs == null)
                return default_;
            else
                return qs[1];
        }

        function drawVisualization() {

        // get the Querystring value and use it in function
        var Mem = getQuerystring('Mem');
        var CPU = getQuerystring('CPU');
        var Network = getQuerystring('Network');

        // Create and populate the data table.
        var data = new google.visualization.DataTable();
        data.addColumn('string', 'Label');
        data.addColumn('number', 'Value');
        data.addRows(3);
        data.setValue(0, 0, 'Memory');
        data.setValue(0, 1, parseInt(Mem));
        data.setValue(1, 0, 'CPU');
        data.setValue(1, 1, parseInt(CPU));
        data.setValue(2, 0, 'Network');
        data.setValue(2, 1, parseInt(Network));
```


(C) Copyright Nokia 2014. All rights reserved.

```
        // Create and draw the visualization.
        new google.visualization.Gauge(document.getElementById('visualization')).
            draw(data);
      }
    //drawVisualization();
     google.setOnLoadCallback(drawVisualization);

    </script>
  </head>
  <body style="font-family: Arial;border: 0 none;">
    <div id="visualization" style="width: 600px; height: 340px;"></div>
  </body>
</html>
```

Screenshot



Disclaimer

The Google Code is one service of Google Inc.

-- chintandave_er 05:38, 9 December 2010 (UTC)

(C) Copyright Nokia 2014. All rights reserved.