

How to write data to a file in Qt

This article shows how to use [QFile](#) to write data to a file.

Overview

This application does not use a [QCoreApplication](#) object, as `QFile` does not need the event loop – our example is finished after sequentially working through the source code in `main()`. First, the example creates a file then open the file in write mode. If the file was opened correctly, a [QTextStream](#) is constructed using the `QFile` object (based on [QIODevice](#)). Then we write the data to the file and finally close the file.

Source File

```
#include <QFile>
#include <QCoreApplication>
#include <QTextStream>

int main(int argc, char *argv[])
{
    //QCoreApplication app(argc, argv);  //(we don't use these)

    QFile file("c://out.txt");
    file.open(QIODevice::WriteOnly | QIODevice::Text);
    QTextStream out(&file);
    out << "This file is generated by Qt\n";

    // optional, as QFile destructor will already do it:
    file.close();

    //this would normally start the event loop, but is not needed for this
    //minimal example:
    //return app.exec();

    return 0;
}
```

- Above code will generate the file **out.txt** into **C:**.
- It is also important to notice that the default location for files on Symbian platform is `"/private/<SID>".` The driver folder is located depends on the driver the application is installed. So, a file named 'out.txt' will be located in folder `'/private/<SID>/out.txt'`

```
#include <QFile>
#include <QCoreApplication>
#include <QTextStream>

int main(int argc, char *argv[])
{
    //QCoreApplication app(argc, argv);  //(we don't use these)

    QFile file("out.txt");
    file.open(QIODevice::WriteOnly | QIODevice::Text);
    QTextStream out(&file);
    out << "This file is generated by Qt\n";
}
```

```
// optional, as QFile destructor will already do it:
file.close();

//this would normally start the event loop, but is not needed for this
//minimal example:
//return app.exec();

return 0;
}
```

File Read/write in meego-harmattan

For reading/writing files on meego-harmattan, HOME (/home/user) directory should basically be used:

```
//you might want to keep files somewhere in a folder named after your application, so
create a directory in home path(let say :/local/share/YourAppName/somefolder/)
// using QDir::mkdir & then use the code below or if not then simply keep files in HOME
path

QString testbuf;
QString filename = "/home/user/local/share/YourAppName/somefolder/somefile.txt"
QFile file(filename);
if ( file.open(QIODevice::WriteOnly | QIODevice::Text))
    {
        QTextStream stream( &file );
        stream << testbuf << endl;
        file.close();
    }

//Similarly Read operation can also be done.
```