Portal:Java Code Examples

- Creating a Patient-Doctor Monitoring System for Asha Devices . . arunkam
- Creating Emergency alerting app ("Dead man switches") . . shai.i
- Building a health app for the developing world . . shai.i
- Building a communication system for visually impaired users on the Asha software platform . . jappit
- Adding a new calendar event in Java ME . . skalogir
- Notification API and location service for localized heath training . . adarsha_saraff
- JSR 172: XML Parsing Example . . grahamhughes
- Using the PIM API to create Medication Reminders . . igordsm
- Using Bluetooth Heart Rate monitor from Java ME . . oniongarlic
- Creating applications for multiple Nokia Java ME platforms . . spiretos
- How to use SoftNotification API in Java ME . . pavan.pareta
- Create a page flip effect in Java ME . . shai.i
- Using the proximity sensor in Java ME . . jappit
- Implementing an AM/FM radio in Java ME . . jappit
- Handling multitouch in Java ME . . pavan.pareta

- Nokia notifications on the Asha software platform
- Developing a 2D game in Java ME - Part 1
- Rapid game development for Series 40 with NetBeans Visual Designer and Game Builder
- How to send text SMS in Java ME
- How to write data to a file in Java ME
- Porting from BlackBerry to Series 40
- Developing a 2D game in Java ME - Part 2
- Making a phone call programmatically using platformRequest() in Java ME
- Listening asynchronously for incoming SMS messages in Java ME
- How to create a YouTube player with Java ME
- Developing a 2D game in Java ME - Part 3
- Reading a text file line by line in Java ME
- Audio mixing in Java ME
- Setting the Map language in the Maps API for Java ME
- How to list files and folders in Java ME

- Creating a Patient-Doctor Monitoring System for Asha Devices . . arunkam
- Creating Emergency alerting app ("Dead man switches") . . shai.i
- Building a communication system for visually impaired users on the Asha software platform . . jappit
- Building a health app for the developing world . . shai.i
- Notification API and location service for localized heath training . . adarsha_saraff
- Using the PIM API to create Medication Reminders . . igordsm
- Using Bluetooth Heart Rate monitor from Java ME . . oniongarlic
- Creating applications for multiple Nokia Java ME platforms . . spiretos
- Using the proximity sensor in Java ME . . jappit
- Implementing an AM/FM radio in Java ME . . jappit
- Handling multitouch in Java ME . . jappit
- Image processing showcase using the AMMS API in Java ME . . jappit
- HTTP digest access authentication in Java ME . . jappit
- HTTP basic access authentication in Java ME . . jappit
- MD5 hash in Java ME . . jappit

- Creating Emergency alerting app ("Dead man switches") . . shai.i
- Building a health app for the developing world . . shai.i
- Building a communication system for visually impaired users on the Asha software platform . . jappit
- Adding a new calendar event in Java ME . . skalogir
- JSR 172: XML Parsing Example . . grahamhughes

(C) Copyright Nokia 2014. All rights reserved.

- Using the PIM API to create Medication Reminders . . igordsm
- Using Bluetooth Heart Rate monitor from Java ME . . oniongarlic
- Creating applications for multiple Nokia Java ME platforms . . spiretos
- How to use SoftNotification API in Java ME . . pavan.pareta
- Using the proximity sensor in Java ME . . jappit
- Implementing an AM/FM radio in Java ME . . jappit
- Handling multitouch in Java ME . . pavan.pareta
- Image processing using Java ME . . skalogir
- Image processing showcase using the AMMS API in Java ME . . jappit
- Creating a Map Type Selector for the Maps API for Java ME . . ashraf fawzy

Articles

A

- A Java ME Canvas Qwerty Keyboard for Touch Devices
- A stopwatch in Java ME
- Accessing native code from Java ME on Symbian
- Adding Markers to the Map with Maps API for Java ME
- Adding a contact to Phonebook in Java ME
- Adding a new calendar event in Java ME
- Adding and updating a PIM contact using Java ME
- Advanced Routing with Java ME
- Advertising a Bluetooth service in Java ME
- Audio mixing in Java ME

B

- Balsamiq stencils for Series 40 UI Design
- Become an Series 40 application developer - Part 2
- Bluetooth chat between two or more devices using J2ME
- Building a communication system for visually impaired users on the Asha software platform
- Building a health app for the developing world

C

- Changing Bluetooth discoverability in Java ME
- Checking battery level in Java ME
- Checking memory card in Java ME
- Checking network strength in Java ME
- Choice vector is missing from Series 40 6th Edition v0.9 SDK (Known Issue)
- Collision detection in Java ME
- Content Handling with Maps API for Java ME
- Controlling Light settings in Java ME
- Controlling vibra settings in Java ME
- Converting time zones in Java ME
- Create a page flip effect in Java ME
- Create more flexible table in Java ME
- Creating Emergency alerting app ("Dead man

G cont.

- Getting Started with Nokia Asha SDK Templates
- Getting System properties in MIDP
- Getting started with the Gesture API & FrameAnimator API

H

- HTTP basic access authentication in Java ME
- HTTP digest access authentication in Java ME
- Handling (releasing) camera resource in Java ME
- Handling map events with Maps API for Java ME
- Handling multitouch in Java ME
- How to Draw a circle in Java ME
- How to access a synchronized method with multithreading
- How to access the RecordStore from different MIDlet Suites for read and write operations
- How to add animation to Maps API for Java ME
- How to calculate and show a route with Maps API for Java ME
- How to check if a specific API is supported in Java ME
- How to create a YouTube player with Java ME
- How to create a color fading text in Java ME
- How to create a draggable marker with Maps API for Java ME
- How to create a high score database in Java ME
- How to create an LCDUI Splash Screen
- How to create custom Map View in Java ME

L cont.

- Listing calendar events in Java ME
- Listing contacts in Java ME
- Localising app attributes in Java ME
- Localising resource bundles in Java ME
- Localising text files in Java ME
- Localising timestamp in Java ME
- Localizing a Java app on the Asha software platform
- Logging with Microlog in Java ME

M

- MD5 hash in Java ME
- MIDP Networking - web server and MIDlet interaction with example
- MIDlet volume control in Series 40 and S60 devices
- MPEG decoder in Java ME
- Making a phone call programmatically using platformRequest() in Java ME
- Making a phone call using TextField in Java ME
- Map Marker Clustering Strategies for the Maps API for Java ME
- Mapping points of interest using Java ME
- Modifying a contact in Java ME
- Modifying an existing calendar event in Java ME

N

- NFC PushRegistryWriter
- NFC Secure Element Example
- NFC Secure Element Example External Reader
- NFC Secure Element Example Java Card for Emulator
- NFC Secure Element Example

(C) Copyright Nokia 2014. All rights reserved.

switches")
- Creating LCDUI Custom Components: CategoryBar
- Creating Simple Animations with Java ME
- Creating a Map Type Selector for the Maps API for Java ME
- Creating a Patient-Doctor Monitoring System for Asha Devices
- Creating a custom Map Item with Maps API for Java ME
- Creating an Ad component in LWUIT
- Creating applications for multiple Nokia Java ME platforms
- Creating effects in Java ME
- Creating threads in Java ME

D

- Deleting a contact in Java ME
- Deleting calendar event in Java ME
- Detect external ISO14443 card
- Determining Current Location via Cell ID
- Determining the number of cameras in Java ME
- Developing a 2D game in Java ME - Part 1
- Developing a 2D game in Java ME - Part 2
- Developing a 2D game in Java ME - Part 3
- Developing a 2D game in Java ME - Part 4
- Developing a 2D game in Java ME - Part 5
- Developing a 2D game in Java ME - Part 6
- Developing a 2D game in Java ME - Part 7
- Difference in SMS and PushRegistry behavior in Series 40 and S60
- Discovering Bluetooth device in Java ME
- Discovering Bluetooth services in Java ME
- Displaying Nokia Maps in a Form in Java ME
- Drawing a line on canvas in Java ME

E

- Enabling pauseApp() method calls in Java ME
- Example app stubs with logging framework
- Examples for Maps API for Java ME
- Explode effect for Java ME Images
- Exporting a calendar event in Java ME
- Exporting phonebook contact in vCard format in Java ME

F

- Fetching data from server using Java ME
- File size using RecordControl.setRecordSizeLimit(Integer.MAX VALUE) not set accordingly in Series 40 (Known Issue)
- Finding and viewing contacts in Java ME
- Finding audio and video formats supported by the phone in Java ME
- Finding position in Java ME
- How to determine phone's vendor
- How to display an Address or a Point of Interest on a Map with Java ME
- How to drive radio-controlled car with Nokia N97 or Nokia 6260 Slide devices
- How to find out the total memory in Java ME
- How to get Location Using Location API JSR 179
- How to get System.out output from a MIDlet and save it to a file in S60 devices
- How to get accelerometer sensor values in Java ME
- How to get information about sensors in Java ME
- How to get the last-used Access Point in Java ME
- How to handle multiple sounds in Java ME
- How to implement a compass in Java ME
- How to implement purchase and restoration of multiple items with In-App Purchase and Java ME
- How to launch a MIDlet remotely via SMS or locally via an Alarm with PushRegistry in Java ME
- How to list files and folders in Java ME
- How to listen to radio in Java ME
- How to make a network connection using a selected Access Point in Java ME
- How to make a network connection using a selected Destination Network in J2me
- How to make an animation loop in Java ME
- How to play music on the background while running a MIDlet
- How to read system properties in Java ME
- How to receive input from the double tap sensor in the context of a game with Java ME
- How to retrieve version number of Java Runtime for S60
- How to send a message to a given port as SMS with Java ME
- How to send text SMS in Java ME
- How to set video playback rate in Java Card for Nokia6131
- NFC Send UID from a tag to a Server
- NFC UIDReader using Java ME
- NFC URL Writer
- Network State API for Java ME
- Network indicator not shown in S60 5th Edition devices (Known Issue)
- Nokia notifications on the Asha software platform
- Notification API and location service for localized heath training

P

- Parsing XML files with NanoXML
- Playback with 3GPP audio files not working correctly with JSR-135 player in Nokia 5800 XpressMusic (Known Issue)
- Porting from BlackBerry to Series 40

R

- RIPEMD160 encryption in JavaME
- RMS complete reference
- RSS Parser with KXML in Java ME
- Rapid game development for Series 40 with NetBeans Visual Designer and Game Builder
- Reading XML Map Marker data with the Maps API for Java ME
- Reading a text file line by line in Java ME
- Retrieving name and address of local Bluetooth device in Java ME
- Reverse Geocoding an address with Nokia Maps API for JavaME
- Rotating images in Java ME

S

- Saving a captured image in Java ME
- Saving and reading DRM-protected files using FileConnection API and Mobile Media API
- Scrollable Text in Java ME
- Sending a multipart MMS using Java ME
- Series 40 communicating with Arduino using Bluetooth
- Series 40: SVG resources localization
- Setting the Map language in the Maps API for Java ME

(C) Copyright Nokia 2014. All rights reserved.

- Flashing the backlight using Java ME
- Floggy Framework: RMS no more!

G

- Game development for Series 40: Main menu implementation
- Geocoding an address with Maps API for Java ME
- Gesture Recognizer for Java ME
- Getting Cell ID in Java ME
- Java ME for Series 40
- How to store and fetch images from RMS
- How to take pictures, record videos and play music using MMAPI
- How to use HTTP GET request in Java ME
- How to use ProximityListener in Java ME
- How to use SoftNotification API in Java ME
- How to use USB cable connection in Java ME
- How to use basic image processing features of AMMS (JSR-234)
- How to use freely resizable font in in Java ME
- How to use sensors in Java ME
- How to utilize different keyboards in Java ME
- How to write data to a file in Java ME

I

- Image processing showcase using the AMMS API in Java ME
- Image processing using Java ME
- Implementing Kinetic panning with Maps API for Java ME
- Implementing an AM/FM radio in Java ME
- Importing a Phonebook contact in vCard format in Java ME
- Importing calendar event in Java ME
- Installing Java apps and WRT widgets using sis files
- Integrating HERE Maps in LWUIT application
- Integrating Inneractive advertising in a LWUIT application
- Integrating your social presence with the Digital Marketing Toolkit website

J

- JSR 172: Accessing a .NET Web Service
- JSR 172: XML Parsing Example

L

- Listening asynchronously for incoming SMS messages in Java ME
- Showing calendar events in Java ME
- Simple NFC PushRegistry example
- Softkey codes are not reported on a normal Canvas (Known Issue)
- Storing application settings in Java ME
- Synchronising resource access in Java ME

T

- Taking a picture in Java ME
- Title of purchasable item cannot be retrieved with In-App Purchase API in Series 40

U

- Using Bluetooth Heart Rate monitor from Java ME
- Using Bluetooth OBEX Client in Java ME
- Using M3G Animation in Java ME
- Using M3G to draw in Java ME
- Using Twitter API ME for PIN-based authorization from Java ME
- Using a JSR-179 Location Provider and displaying the result on a Map
- Using double buffering in Java ME
- Using eSWT Browser in Java ME
- Using localised images in Java ME
- Using the Java ME PureMVC Framework
- Using the PIM API to create Medication Reminders
- Using the RESTful Map API with Java ME
- Using the proximity sensor in Java ME

V

- Video recorder and player in Java ME (complete project)
- Playing whacking game with Accelerometer Sensor

(C) Copyright Nokia 2014. All rights reserved.

- Listening synchronously for incoming SMS messages in Java ME
- Listing PIM databases using JSR-75

A

- Arquitetura MVC - Model-View-Controller

C

- Como capturar a saída de System.out de um MIDlet e salvá-lo em um arquivo em dispositivos S60
- Como capturar os valores do acelerômetro, em Java ME
- Como criar um rádio-controlador para um carro, com os aparelhos Nokia N97 ou Nokia 6260 slide
- Como criar um sistema de 'High score' com Java ME
- Como criar uma URL usando NFC
- Como desenhar um circulo em Java ME
- Como desenvolver um jogo em Java ME - Parte 1
- Como desenvolver um jogo em Java ME - Parte 2
- Como desenvolver um jogo em Java ME - Parte 3
- Como desenvolver um jogo em Java ME - Parte 4
- Como desenvolver um jogo em Java ME - Parte 6

C cont.

- Como desenvolver um jogo em Java ME - Parte 7
- Como enviar dados de POST para um servidor web
- Como gravar dados em um arquivo em Java ME
- Como recuperar informações de sensores em Java ME
- Como recuperar o número da versão do Java Runtime para S60
- Como tocar um sinal sonoro ("beep") no MIDP 1.0 sem APIs extras
- Como usar Web Services em Java ME
- Como usar a API Soft Notification em Java ME
- Como usar sensores em Java ME
- Como utilizar conexões via USB em JavaME
- Como utilizar fontes redimensionáveis livremente em Java ME
- Cronômetro em Java ME

C cont.

- Cálculo de IMC em Java ME

D

- Detecção de colisão em Java ME
- Determinando a posição atual do dispositivo em JavaME

E

- Efeito de explosão para imagens em Java ME

G

- Gravador e tocador de video em Java ME (Projeto completo)

H

- HelloWorld Bluetooth (Português)

L

- Leitor de RSS, usando KXml, em Java ME

M

- Manipulando arquivos XML com a API NanoXML

P

- Processando eventos de teclas independente de plataforma

U

- Utilizando Bluetooth GPS diretamente em Java ME

V

- Visualizando Eventos de Calendário em Java ME

C

- Contactless Communication API(JSR-257)介绍

M

- MIDP：系統屬性

S

- Series 40 On-Device Debugger指南
- Series 40 Touch API - Frame Animator API (Chinese)
- Series 40 Touch API - Gesture API (Chinese)

使

- 使用BouncyCastal进行RSA加解密算法处理
- 使用NanoXml解析xml

如

- 如何利用MMAPI实现照相功能

模

- 模型一視圖一控制器架構

横

- 横屏键盘40手机开发

获

- 获取Series40双SIM卡手机属性

觸

- 觸控設備的Qwerty鍵盤畫布

通

- 通过Cell-ID获取位置信息

(C) Copyright Nokia 2014. All rights reserved.

B

- Bluetooth GPSから位置情報を読む方法

C

- Certain Arabic characters are not properly displayed in Java ME applications that utilize LCDUI Forms on Symbian devices

D

- Descargando datos desde un servidor usando Java ME

J

- Java ME Location API(日本語)

U

- Usando Twitter API ME para autorización basada en PIN desde Java ME

A

- A long Form takes a long time on the Nokia E61, E61i, E62 (Known Issue)
- Como conectar o Flash Lite e o Java ME
- Como usar caixas de diálogo eSWT em Java ME
- Google Static Maps API in Java ME
- How to create a Splash Screen in eSWT
- Identifying Java ME platform version
- J2ME Google Maps API (Português)

A cont.

- Key press events on the Nokia E61 fire wrong key codes (Known Issue)
- RTSP-streamed video has incorrect display size using Java ME on S60 3rd Edition (Known Issue)
- Retrieving the Bluetooth friendly name of a remote device using Java ME (Known Issue)
- Search with Maps API for Java ME
- Using eSWT FileDialog in Java ME
- Using eSWT and MMAPI together to take a picture in Java ME

C

- Creating Touchable Custom Map Components for the Maps API for Java ME

H

- How to create a marker tooltip with Maps API for Java ME

I

- Implementing Pinch zooming with Gesture API for Maps in Java ME
- Implementing Pinch zooming with Maps API for Java ME

N

- Nokia Maps API for Java ME cannot be used on Nokia C2-03 (Known Issue)

U

- Using the PositioningManager from Maps API for Java ME

(C) Copyright Nokia 2014. All rights reserved.