# Portal:Java ME (Chinese)

- 诺基亚Java技术专题
- 诺基亚移动Java开发介绍
- 開始使用Java ME

## 开发环境

- Nokia SDK 2.0 开发环境搭建
- 搭建Eclipse开发环境
- 中文 Eclipse开发环境
- 使用MTJ建立第一支MIDlet
- 搭建NetBeans开发环境
- 中文 NetBeans移动开发包
- 中文 Netbeans预处理器
- 搭建Ant开发环境
- ProGuard简介
- Series 40 On-Device Debugger指南
- 如何在手機裡安裝Java ME應用程式
- 无法卸载 Nokia Connectivity Framework 的解决办法
- Nokia Java 模拟器启动时NCF出错解决

## S60

- 下载S60集成 SDKs
- S60的Java運行名稱及版本
- S60第三版SDK和手机对SVG的支持
- S60第三版中有时使用逗号作为小数点分隔符号
- 在S60第五版機器的MIDlet裡使用螢幕鍵盤
- 安裝S60的Java ME開發工具
- 觸控設備的Qwerty鍵盤畫布
- 如何利用MMAPI实现照相功能

## 安全与认证

- JavaVerified认证测试已在中国落地
- Java Verified ™ 官方网站
- 诺基亚应用测试
- 诺基亚JavaME应用测试标准
- 诺基亚Java安全策略
- Java Verified流程
- 如何获得Publisher ID
- 中文 J2ME安全域
- TPO项目中的Java签名
- Ovi上的Java签名
- 如何使用OpenSSL创建证书
- 签名/认证

## NFC

- NFC主页（英文）
- NFC 讨论区
- NFC介绍
- Contactless Communication API(JSR-257)介绍
- 诺基亚6136的近距离通信
- Introduction to NFC（英文PDF文档）
- Inside NFC: Usages and Working Principles（英文）
- NFC Interactor（示例代码）

## S40 Touch and Type UI

- Series 40 触摸和键盘手机开发介绍
- Series 40 触摸和键盘手机特性
- Series 40 Touch API - Gesture API (Chinese)
- Series 40 Touch API - Frame Animator API (Chinese)
- Series 40 Touch API - Text Editor API (Chinese)
- Series 40 Touch的移植
- S40触摸和键盘手机开发视频
- 通过Cell-ID获取位置信息
- 获取S40双SIM卡手机属性

## S40

- 下载Series 40 Platform SDKs
- Series 40 platform英文
- 诺基亚支持的Java移动版API
- 横屏键盘40手机开发

## 开发技巧


(C) Copyright Nokia 2014. All rights reserved.

## 示例

- J2ME Google 地圖 API
- Java ME Location API(中文)
- Java ME的Hello World
- Talk:Java ME Canvas基礎應用程式的設計樣式
- 使用J2ME的HTTP Post方式之多段文件上傳
- 全螢幕的版權宣告畫面
- 在Java ME中取得Cell ID
- 网络图片资源处理
- 藍芽聊天HelloWorld
- S40 应用开发视频教程集

## 移植与本地化

- Java移植
- 中文 J2ME中文编码问题

## IAP

- IAP介绍
- 程序内支付(IAP)-Midlet例子解析
- 程序内支付-Java程序实现流程
- 使用Nokia s40模拟器模拟IAP支付
- Nokia本地支付Java API使用介绍

## 开发技巧

- TSJ000306 - MIDP：系統屬性
- 中文 J2ME中的XML解析器
- 中文 JAD
- 中文 Web服务API
- 如何实现打电话功能
- 中文 如何在电话接入时处理音频播放
- 中文 如何播放S40v3文件系统中的中文名mp3
- 中文 理解MIDP中的UI事件处理
- 如何动态检查功能类或功能包的存在
- 如何在Java ME平台上获取手机串号
- Ovi地图JavaME Location API开发介绍
- 如何在手機應用程式中使用Google地圖資料
- 模型一視圖一控制器架構
- 無線通訊API
- 藍芽API
- Nokia SDK 2.0 for Java: 如何实现横竖屏切换

## Nokia SDK 2.0 for Java

- Nokia SDK 2.0 for Java: 新UI介绍及实例演示
- Series 40 设备可用JAD 以及 JAR manifest 属性列表
- Series40 设备上多点触摸交互的处理
- 如何保持屏幕常亮
- Nokia SDK 2.0 for Java: 移植向导
- 使用NanoXml解析xml
- 制作程序启动画面
- 为Canvas和CustomItem调用虚拟键盘
- 传感器API的介绍以及使用

## 全新Asha平台

- Asha平台设备物理Back按键的使用
- Nokia Asha 平台硬件调试使用向导
- Tantalum跨平台库介绍

## 其他资源

诺基亚终端

- 開始使用Java ME . . 677874
- 模型一視圖一控制器架構 . . hamishwillee
- Tantalum跨平台库介绍 . . Amazing1100
- Nokia Asha 平台硬件调试使用向导 . . Amazing1100
- 网络图片资源处理 . . r60600
- 使用BouncyCastal进行RSA加解密算法处理 . . Amazing1100
- Nokia SDK 2.0 开发环境搭建 . . Amazing1100
- 传感器API的介绍以及使用 . . Amazing1100
- 为Canvas和CustomItem调用虚拟键盘 . . Amazing1100
- Contactless Communication API(JSR-257)介绍 . . renlin
- 使用NanoXml解析xml . . hamishwillee
- Nokia SDK 2.0 for Java: 移植向导 . . Amazing1100


(C) Copyright Nokia 2014. All rights reserved.

- 如何保持屏幕常亮 . . Amazing1100
- Series40 设备上多点触摸交互的处理 . . Amazing1100
- 诺基亚移动Java开发介绍
- 诺基亚Java安全策略
- 如何动态检查功能类或功能包的存在
- Series 40 On-Device Debugger指南
- 中文 理解MIDP中的UI事件处理
- ProGuard简介
- IAP介绍
- 传感器API的介绍以及使用
- Nokia Asha 应用开发视频教程集
- Contactless Communication API(JSR-257)介绍
- 中文 如何播放 Series 40v3 文件系统中的中文名mp3
- 中文 J2ME中的XML解析器
- 開始使用Java ME
- MIDP：系統屬性
- Tantalum跨平台库介绍 . . Amazing1100
- Nokia Asha 平台硬件调试使用向导 . . Amazing1100
- 使用BouncyCastal进行RSA加解密算法处理 . . Amazing1100
- 传感器API的介绍以及使用 . . Amazing1100
- 为Canvas和CustomItem调用虚拟键盘 . . Amazing1100
- 使用NanoXml解析xml . . Amazing1100
- Nokia SDK 2.0 for Java: 移植向导 . . Amazing1100
- 如何保持屏幕常亮 . . Amazing1100
- Series40 设备上多点触摸交互的处理 . . Amazing1100
- Series 40 设备可用JAD 以及 JAR manifest 属性列表 . . Amazing110
- Nokia SDK 2.0 for Java: 新UI介绍及实例演示 . . Amazing110
- Nokia SDK 2.0 for Java: 如何实现横竖屏切换 . . Amazing110
- Nokia SDK 2.0 开发环境搭建 . . Amazing110
- Nokia Java 模拟器启动时NCF出错解决 . . Amazing110
- 无法卸载 Nokia Connectivity Framework 的解决办法 . . Amazing110

## 文章

### C

- Contactless Communication API(JSR-257)介绍

### I

- IAP介绍

### J

- Java ME Location API(中文)
- Java ME的Hello World
- Java Verified流程
- Java移植

### M

- MIDP：系統屬性

### N

- Nokia Asha 平台硬件调试使用向导
- Nokia Asha 应用开发视频教程集

### S cont.

- Series 40 设备可用JAD 以及 JAR manifest 属性列表
- Series40 设备上多点触摸交互的处理

### T

- TPO项目中的Java签名
- Tantalum跨平台库介绍

### 中

- 中文 J2ME中文编码问题
- 中文 J2ME中的XML解析器
- 中文 J2ME安全域
- 中文 JAD
- 中文 Web服务API
- 中文 如何在电话接入时处理音频播放
- 中文 如何播放 Series 40v3 文件系统中的中文名mp3
- 中文 理解MIDP中的UI事件处理

### 如 cont.

- 如何在Java ME平台上获取手机串号
- 如何在手機裡安裝Java ME應用程式
- 如何实现打电话功能
- 如何用Java ME取得IMEI
- 如何获得Publisher ID

### 安

- 安装S60的Java ME開發工具

### 无

- 无法卸载 Nokia Connectivity Framework 的解决办法

### 模

- 模型一視圖一控制器架構

### 横

- 横屏键盘40手机开发


(C) Copyright Nokia 2014. All rights reserved.

- Nokia Java 模拟器启动时NCP出错解决
- Nokia SDK 2.0 for Java: 如何实现横竖屏切换
- Nokia SDK 2.0 for Java: 新UI介绍及实例演示
- Nokia SDK 2.0 for Java: 移植向导
- Nokia SDK 2.0 开发环境搭建
- Nokia本地支付Java API使用介绍

## O

- Ovi上的Java签名
- Ovi商店QA审核常见错误及其原因汇总

## P

- ProGuard简介

## S

- S60的Java運行名稱及版本
- Series 40 On-Device Debugger指南
- Series 40 Touch API - Frame Animator API (Chinese)
- Series 40 Touch API - Gesture API (Chinese)
- Series 40 Touch API - Text Editor API (Chinese)
- Series 40 Touch的移植
- Series 40 触摸和键盘手机开发介绍
- Series 40 触摸和键盘手机特性

## 为

- 为Canvas和CustomItem调用虚拟键盘

## 传

- 传感器API的介绍以及使用

## 使

- 使用BouncyCastal进行RSA加解密算法处理
- 使用J2ME的HTTP Post方式之多段文件上傳
- 使用MTJ建立第一支MIDlet
- 使用NanoXml解析xml
- 使用Nokia s40模拟器模拟IAP支付

## 全

- 全螢幕的版權宣告畫面

## 在

- 在Java ME中取得Cell ID
- 在S60第五版機器的MIDlet裡使用螢幕鍵盤

## 如

- 如何使用OpenSSL创建证书
- 如何保持屏幕常亮
- 如何利用MMAPI实现照相功能
- 如何动态检查功能类或功能包的存在

## 無

- 無線通訊API

## 程

- 程序内支付(IAP)-Midlet例子解析
- 程序内支付-Java程序实现流程

## 签

- 签名/认证

## 网

- 网络图片资源处理

## 获

- 获取Series40双SIM卡手机属性
- 获得MIDlet图标

## 藍

- 藍芽API
- 藍芽聊天HelloWorld

## 觸

- 觸控設備的Qwerty鍵盤畫布

## 诺

- 诺基亚Java安全策略
- 诺基亚支持的Java移动版API
- 诺基亚移动Java开发介绍

## 通

- 通过Cell-ID获取位置信息

## 開

- 開始使用Java ME

- 開始使用Java ME . . Categories: Getting Started on Java ME | Lang-Chinese
- 模型一視圖一控制器架構 . . Categories: Application Framework on Java ME | Code Examples | Lang-Chinese | S60 5th Edition | Symbian | Tools for Java ME
- Tantalum跨平台库介绍 . . Categories: Lang-Chinese | Networking on Java ME | Nokia Asha | Nokia Asha Platform 1.0 | Threading on Java ME
- Nokia Asha 平台硬件调试使用向导 . . Categories: Debugging on Java ME | Lang-Chinese | Nokia Asha
- 中文 JAD . . Categories: Deployment/Installation on Java ME | Glossary for Java ME | Lang-Chinese
- 中文 Web服务API . . Categories: Lang-Chinese | Web Services API (JSR-172) | Web Services on Java ME
- 中文 如何在电话接入时处理音频播放 . . Categories: Audio on Java ME | How To | Lang-Chinese | Series 40
- 中文 如何播放 Series 40v3 文件系统中的中文名mp3 . . Categories: Audio on Java ME | How To | Lang-Chinese | Series 40
- 中文 理解MIDP中的UI事件处理 . . Categories: Code Snippet | Lang-Chinese | UI on Java ME
- 如何动态检查功能类或功能包的存在 . . Categories: Code Snippet | General Programming on Java ME | How To | Lang-Chinese | System Information on Java ME
- 如何在Java ME平台上获取手机串号 . . Categories: Code Snippet | Lang-Chinese | System Information on Java ME
- 無線通訊API . . Categories: Lang-Chinese | Messaging on Java ME | WMA 1.0 (JSR-120) | WMA


(C) Copyright Nokia 2014. All rights reserved.

- 网络图片资源处理 . . Categories: Lang-Chinese | Networking on Java ME
- 使用BouncyCastal进行RSA加解密算法处理 . . Categories: Code Examples | Files/Data on Java ME | Lang-Chinese | Security on Java ME
- Nokia SDK 2.0 开发环境搭建 . . Categories: Lang-Chinese | Series 40 | Series 40 Developer Platform 2.0 | Tools for Java ME
- 传感器API的介绍以及使用 . . Categories: Lang-Chinese | Mobile Sensor API (JSR-256) | Sensor on Java ME | Series 40
- 为Canvas和CustomItem调用虚拟键盘 . . Categories: Lang-Chinese | Series 40 | Series 40 Developer Platform 2.0 | UI on Java ME
- Contactless Communication API(JSR-257)介绍 . . Categories: Code Examples | Lang-Chinese | NFC on Java ME
- 使用NanoXml解析xml . . Categories: Code Examples | Lang-Chinese | Series 40 | XML on Java ME
- Nokia SDK 2.0 for Java: 移植向导 . . Categories: Lang-Chinese | Series 40 | Series 40 Developer Platform 2.0 | UI on Java ME
- 如何保持屏幕常亮 . . Categories: Base/System on Java ME | Hardware | Lang-Chinese | Series 40
- Series40 设备上多点触摸交互的处理 . . Categories: Lang-Chinese | Series 40 | Touch UI | UI on Java ME
- Series 40 设备可用JAD 以及 JAR manifest 属性列表 . . Categories: Base/System on Java ME | Deployment/Installation on Java ME | Lang-Chinese | Series 40 | Series 40 3rd Edition (initial release) | Series 40 3rd Edition FP1 | Series 40 3rd Edition FP2 | Series 40 5th Edition (initial release) | Series 40 5th Edition FP1 | Series 40 6th Edition (initial release) | Series 40 6th Edition FP1
- Nokia SDK 2.0 for Java: 新UI介绍及实例演示 . . Categories: Lang-Chinese | Series 40 | Series 40 Developer Platform 2.0 | UI on Java ME
- Nokia SDK 2.0 for Java: 如何实现横竖屏切换 . . Categories: Lang-Chinese | Series 40 | Series 40 Developer Platform 2.0 | UI on Java ME
- Nokia Java 模拟器启动时NCF出错解决 . . Categories: Known Issue | Lang-Chinese | SDK | Tools for Java ME
- 无法卸载 Nokia Connectivity Framework 的解决办法 . . Categories: Connectivity on Java ME | Lang-Chinese | SDK | Series 40 6th Edition (initial release)
- Nokia Asha 应用开发视频教程集 . . Categories: Event for Java ME | Lang-Chinese | Nokia Asha Web Apps | Series 40 | Webinar
- 中文 J2ME中文编码问题 . . Categories: Lang-Chinese | Localization on Java ME
- Nokia本地支付Java API使用介绍 . . Categories: In-App Purchasing on Java ME | Lang-Chinese
- 使用Nokia s40模拟器模拟IAP支付 . . Categories: Emulator for Java ME | In-App Purchasing on Java ME | Lang-Chinese
- 程序内支付(IAP)-Midlet例子解析 . . Categories: DRM | In-App Purchasing on Java ME | Lang-Chinese
- 程序内支付-Java程序实现流程 . . Categories: DRM | In-App Purchasing on Java ME | Lang-Chinese
- IAP介绍 . . Categories: In-App Purchasing on Java ME | Lang-Chinese | Series 40
- 通过Cell-ID获取位置信息 . . Categories: Code Examples | Lang-Chinese | Location API (JSR-179) | Location on Java ME | Series 40
- 获取Series40双SIM卡手机属性 . . Categories: Code Examples | Hardware | Lang-Chinese | Series 40 | Series 40 Developer Platform 1.0 | System Information on Java ME
- 如何实现打电话功能 . . Categories: Lang-Chinese | Platform Services | System Information on Java ME
- Series 40 On-Device Debugger指南 . . Categories: Code Examples | Debugging on Java ME | Lang-Chinese | Series 40 | Series 40 6th Edition (initial release) | Series 40 6th Edition FP1 | Series 40 6th Edition Lite

Messaging on Java ME | WMA 1.0 (JSR-120) | WMA 2.0 (JSR-205)

- 藍芽API . . Categories: Bluetooth API (JSR-82) | Bluetooth on Java ME | Lang-Chinese
- S60的Java運行名稱及版本 . . Categories: Java Runtimes and Versions | Lang-Chinese | Symbian
- 在S60第五版機器的MIDlet裡使用螢幕鍵盤 . . Categories: How To | Lang-Chinese | S60 5th Edition | UI on Java ME
- 安裝S60的Java ME開發工具 . . Categories: Lang-Chinese | Tools for Java ME
- 觸控設備的Qwerty鍵盤畫布 . . Categories: Code Examples | How To | Lang-Chinese | Symbian | UI on Java ME
- Java移植 . . Categories: Lang-Chinese | Porting on Java ME
- Series 40 触摸和键盘手机开发介绍 . . Categories: Getting Started on Java ME | Lang-Chinese | Series 40 | Series 40 6th Edition FP1 | UI on Java ME
- Series 40 触摸和键盘手机特性 . . Categories: Lang-Chinese | Series 40 | UI on Java ME
- Series 40 Touch API - Gesture API (Chinese) . . Categories: Code Examples | Lang-Chinese | Series 40 | Series 40 6th Edition FP1 | Touch UI | UI on Java ME
- Series 40 Touch API - Frame Animator API (Chinese) . . Categories: Animation on Java ME | Code Examples | Lang-Chinese | Series 40
- Series 40 Touch API - Text Editor API (Chinese) . . Categories: Lang-Chinese | Series 40 | Touch UI | UI on Java ME
- Series 40 Touch的移植 . . Categories: Lang-Chinese | Touch UI | UI on Java ME
- 诺基亚支持的Java移动版API . . Categories: General Programming on Java ME | Lang-Chinese | Nokia Java APIs and JSRs | Series 40 | Symbian
- 横屏键盘40手机开发 . . Categories: Code Examples | Lang-Chinese | Series 40 | Series 40 6th Edition (initial release) | UI on Java ME
- 诺基亚Java安全策略 . . Categories: Lang-Chinese | Security on Java ME
- Java Verified流程 . . Categories: Lang-Chinese | Signing and Certification on Java ME
- 如何获得Publisher ID . . Categories: Lang-Chinese | Signing and Certification on Java ME
- 中文 J2ME安全域 . . Categories: Lang-Chinese | Security Domains and API Access Rights on Java ME
- TPO项目中的Java签名 . . Categories: Lang-Chinese | Signing and Certification on Java ME
- Ovi上的Java签名 . . Categories: Lang-Chinese | Nokia Store | Signing and Certification on Java ME
- 如何使用OpenSSL创建证书 . . Categories: Code Snippet | How To | Lang-Chinese | Self Signed |


(C) Copyright Nokia 2014. All rights reserved.

- 藍芽聊天HelloWorld . . Categories: Bluetooth on Java ME | Code Snippet | Instant Messaging | Lang-Chinese
- 在Java ME中取得Cell ID . . Categories: Lang-Chinese | Location on Java ME | S60 3rd Edition FP2 | Series 40 3rd Edition FP1 | Telephony on Java ME
- 全螢幕的版權宣告畫面 . . Categories: Lang-Chinese | UI on Java ME
- 使用J2ME的HTTP Post方式之多段文件上傳 . . Categories: Code Snippet | HTTP | Lang-Chinese | Networking on Java ME
- Java ME的Hello World . . Categories: Code Snippet | Getting Started on Java ME | Lang-Chinese
- Java ME Location API(中文) . . Categories: Lang-Chinese | Location API (JSR-179) | Location on Java ME
- MIDP：系統屬性 . . Categories: Code Examples | Lang-Chinese | MIDP 1.0 | MIDP 2.0 | Series 40 | Symbian | System Information on Java ME
- 中文 J2ME中的XML解析器 . . Categories: Lang-Chinese | XML on Java ME

Signing and Certification on Java ME | Symbian C++ | Tools | Tools for Java ME

- 签名/认证 . . Categories: Lang-Chinese | Security on Java ME
- 使用MTJ建立第一支MIDlet . . Categories: Getting Started on Java ME | Lang-Chinese | Tools for Java ME
- ProGuard简介 . . Categories: Lang-Chinese | Security on Java ME | Tools for Java ME
- 如何在手機裡安裝Java ME應用程式 . . Categories: Deployment/Installation on Java ME | How To | Lang-Chinese
- 如何利用MMAPI实现照相功能 . . Categories: Camera on Java ME | Code Examples | Lang-Chinese | MMAPI (JSR-135) | Video on Java ME
- Ovi商店QA审核常见错误及其原因汇总 . . Categories: Lang-Chinese | Nokia Store | Signing and Certification on Java ME
- 如何用Java ME取得IMEI . . Categories: Code Snippet | How To | Lang-Chinese | S60 3rd Edition FP1 | S60 3rd Edition FP2 | Series 40 | Series 40 3rd Edition FP1 | Symbian | System Information on Java ME | Telephony on Java ME
- 获得MIDlet图标 . . Categories: Application Framework on Java ME | Lang-Chinese | S60 3rd Edition FP1 | S60 3rd Edition FP2 | Symbian C++
- 诺基亚移动Java开发介绍 . . Categories: Getting Started on Java ME | Lang-Chinese

## A

- J2ME Google 地圖 API
- S60第三版SDK和手机对SVG的支持
- S60第三版中在某些区域设置下使用了逗号而不是圆点作为小数点分隔符号
- 如何在手機應用程式中使用Google地圖資料
- 如何用Symbian C++代码启动midlet
- 开始诺基亚移动应用开发


(C) Copyright Nokia 2014. All rights reserved.