Sandbox/Hamishwillee/ArticlesRequiringReview/Java ME

This sandbox lists Windows Phone articles that may need review or updating. Please do not edit.

Articles which use ArticleNeedsUpdate template

Article	Type	Timestamp	User	Reason
Using AT commands to send and read SMS	update	20130620014509	hamishwillee	This is a very old article which explains ow to send AT commands. However it does not cover what devices where it is known to work. These need to be specified so that it is possible to respond to questions at the end.
OVI Certificates	update	20120418200759	lpvalente	This article contains current information as of 2010.
Using jQuery Mobile in Nokia Asha Web Apps	update	20120911012313	hamishwillee	This code does not run in Cloud Preview due to unsupported elements in JQuery (e.g. `data_role` does not work). It should be updated to use supported elements.
Developing Google Reader client for Series 40 with Web Tools	update	20120911012237	hamishwillee	This code does not run in Cloud Preview due to unsupported elements in JQuery (e.g. `data_role` does not work). It should be updated to use supported elements.
How to send a jar file from a Java ME app using Bluetooth	update	20120831010912	hamishwillee	The attached zip file with source is corrupted. Needs to be recreated.
Creating CustomItem in Java ME	update	20120810095816	trashedDev	The full potential of this article isn't available on full-touch devices since this article needs to have a physical number pad.
How to play video streaming in Java ME	update	20130729105012	hamishwillee (talk)	There are many reported errors in the comments.
Developing a 2D game in Java ME - Part 7	update	20130618055116	hamishwillee	Original comment by r2j7 in Sept 2008 still valid - server side implementation required. On 20130618 Mishrapk12 - posted that the pads are not moving in SDK1.0 nor sdk 2.0
Java Application Descriptor (JAD) essentials	update	20130327010821	hamishwillee	This article should be merged with articles containing similar material: JAD, JAR, Java Application Descriptor (JAD) essentials, MIDlet JAR Manifest essentials
Using Nokia SDKs and Tools on Windows Vista	update	20120820004835	hamishwillee	bcdedit is mentioned once but not explained - can possibly get information from here: Archived:Possible workarounds to Emulator startup issues on Vista in S60 3rd Edition.
Developing a 2D game in Java ME - Part 6	update		-	Image capture code doesn't work on Nokia Asha 305.
JAD	update	20130327010849	hamishwillee	This article should be merged with articles containing similar material: JAD, JAR, Java Application Descriptor (JAD) essentials, MIDlet JAR Manifest essentials
Unit testing with JMUnit and NetBeans IDE	update	20130724005637	hamishwillee (talk)	Instructions are not clear and it is not obvious what versions of Netbeans and JMUnit and what devices have been tested on. It is likely that this is very out of date.
MIDlet JAR Manifest essentials	update	20130327010829	hamishwillee	This article should be merged with articles containing similar material: JAD, JAR, Java Application Descriptor (JAD) essentials, MIDlet JAR Manifest essentials
JAR	update	20130327011019	hamishwillee	This article should be merged with articles containing similar material: JAD, JAR, Java Application Descriptor (JAD) essentials, MIDlet JAR Manifest essentials
MiB With			hamishwillee	Inneractive now work with Nokia developers directly. This article

(C) Copyright Nokia 2014. All rights reserved.

MIDlet with Inneractive	update	20131122002952	hamishwillee (talk)	needs to be retested. All references to NAX should be removed as part of testing/update.
Como descobrir o total de memória do celular com Java ME	update	20130630124508	lpvalente	O artigo fala sobre uma versão antiga do Symbian, mas não fala sobre as plataformas atuais, como Asha
Blocks game Series 40 Web App	update	20120911012313	hamishwillee	This awesome app code does not run in Cloud Preview due to unsupported CSS2 position property. It should be updated to use supported elements.
Integrating Inneractive advertising in a LWUIT application	update	20131122002836	hamishwillee (talk)	Inneractive now work with Nokia developers directly. This article needs to be retested. All references to NAX should be removed as part of testing/update.
Model-View-Controller application architecture	update	20130816064609	hamishwillee (talk)	Overlap with MVC in Java ME - the articles should be merged.
How to vibrate phones from Java ME	update	20130911022339	hamishwillee (talk)	I recommend the relevant parts of this article be merged into Controlling vibra settings in Java ME - specifically the MDP1.0 information. This article should then be deleted/redirected to the other article.
Como desenvolver uma aplicação para Series 40	update	20130707123010	lpvalente (talk)	O artigo está desatualizado
How to find out the total memory in Java ME	update	20130630123741	lpvalente	The article discusses previous Symbian editions, but does not discusses current Asha platforms
Introduction to Lightweight User Interface Toolkit	update	20120705071313	hamishwillee	LWUIT now "properly" supported on Series 40 - see https://github.com/nokia-developer/lwuit-for-series-40.The article needs to be updated in line with this - and possible all content removed except pointer to current LWUIT resources.
Controlling vibra settings in Java ME	update		-	Code doesn't seem to work on Nokia 701 or Nokia Asha 305
JSR 135	update	20130816064916	hamishwillee (talk)	Article not really to wiki standards in terms of content and layout. Happy enough to have a quality overview, but would prefer this linked to other definition information elsewhere, with only very high level information here.
How to play multiple sound fx in Java ME	update	20120928043825	hamishwillee	An article with relatively complicated code like this should deliver the sound manager in an assembly, along with test code. Ideally it should also state what platforms it has been tested on, and also provide links to other Sound managers, and explanation of why it is better.
Signed to Either Operator or Manufacturer Domain	update	20120719065237	hamishwillee	Moderators note:- There is a need for cross reference and citation for example to the article How to get IMEI in Java ME and therefore this text could have been better by being added to the original article. - added to template by HamishW
Generic Connection Framework (GCF) in Java ME.	update	20111122043936	hamishwillee	Article doesn't appear to have been fully reviewed. Needs to be checked by technical expert. Formatting of code samples needs to be improved.
Another Prototype Java ME payment API using HTTP	update	20110826001515	hamishwillee	JSR-229 is not supported on Nokia phones. It is not clear whether this payment API would work and whether there are alternatives on Nokia platforms now. I'm not an expert on Java ME though, so if a java me expert could comment on an appropriate title for the article

(C) Copyright Nokia 2014. All rights reserved.

API using HTTP				and whether the code is "good", that would be helpful we can update this article appropriately
No more portings-designing scalable games	update	20120809052623	hamishwillee	The article suggests a pattern for allowing you to determine at runtime what code to run, allowing a single JAR to support multiple device configurations. However it is not very clearly described. If this has value it needs to be described better. Ideally with links to other documents on this pattern, and other patterns which can be used to achieve similar results. Title needs to be better too. Something similar to this is covered in Creating a Map Type Selector for the Maps API for Java ME does something similar by detecting the presence of a particular class needed.
Internationalization for JavaME	update	20130723064644	hamishwillee (talk)	Name doesn't match content, and in any case this is extremely minimal "article". Suggest this can probably be removed, or renamed "How to get the current locale"
How to get KeyCode , Screen Size & Device platform in Java ME ?	update	20120927060920	hamishwillee	This is a code dump, not an article. Explanation required of the key parts, and ideally a buildable example and links to associated reference material.
How to write unit test case using J2ME unit ?	update	20120927061138	hamishwillee	This is a code dump, not an article. Ideally this should have some explanation added along with a downloadable zip file example, and a link to reference material on J2ME unit.

Articles which use Template:NeedsMoreWork

Articles that have been Template:NeedsMoreWork for over a month should be chased up

Article	Timestamp	User	Reason	
Java domínios de segurança	20111014003336	lpvalente	A tradução parece que foi feita com uma ferramenta de tradução automática. O artigo precisa ser reescrito.	Lang-Portuguese
Reading Unicode files in JavaME		-	-	-

Articles using Template:UnderConstruction

Articles that have been Template:UnderConstruction for over a month should be chased up. Note list depends on Template:UnderConstruction.dpl

Article	Timestamp
Portal:Java Architecture/Design Articles	

Articles in DRAFT

Articles that have been in draft for over a month should be chased up. These articles potentially may need to be reviewed to see if the tagging is appropriate - older articles may need to be deleted.

- 13:42, 7 February 2007: Java
- 12:37, 16 February 2007: Series 40: Editions and Feature Packs
- 14:36, 21 February 2007: Java Games
- 13:49, 27 February 2007: Java Verified
- 16:28, 9 March 2007: Java Runtime Environment
- 18:02, 14 March 2007: WMA 2.0 (JSR-205)
- 12:56, 15 March 2007: MIDP 1.0
- 13:02, 15 March 2007: MIDP 2.0
- 13:33, 15 March 2007: Nokia UI API
- 20:00, 15 March 2007: Mobile 3D Graphics API (JSR-184)

(C) Copyright Nokia 2014. All rights reserved.

- 20:49, 15 March 2007: Mobile Internationalization API
- 21:03, 15 March 2007: Web Services Specification (JSR-172)
- 21:14, 16 March 2007: PushRegistry
- 21:15, 16 March 2007: Signing
- 12:33, 18 March 2007: Eclipse
- 18:47, 19 March 2007: Nokia Connectivity Framework
- 21:27, 19 March 2007: How to vibrate phones from Java ME
- 21:37, 19 March 2007: How to create thumbnail in Java ME
- 21:44, 19 March 2007: File Connection API (JSR 75)
- 13:10, 20 March 2007: How to close a network connection in Java ME
- 16:01, 20 March 2007: Programming Java 2 Micro Edition for Symbian OS: A developer's guide to MIDP 2.0
- 16:05, 20 March 2007: Wireless Java for Symbian Devices
- 20:01, 20 March 2007: How to play mp3 from server in Java ME
- 20:09, 20 March 2007: How to play sound in Java ME
- 20:17, 20 March 2007: How to display the camera & take snapshots in Java ME
- 03:04, 21 March 2007: 签名/认证
- 20:12, 21 March 2007: How to send Binary SMS in Java ME
- 20:25, 21 March 2007: Jad & manifest entries/attributes
- 20:37, 21 March 2007: How to retrieve Midlet attribute value from jad
- 19:41, 22 March 2007: How to invoke web browser from Java ME
- 19:46, 22 March 2007: Java ME UI Frameworks
- 20:07, 22 March 2007: Java ME Books
- 20:59, 22 March 2007: Java ME System Properties
- 21:08, 22 March 2007: Java ME Sites
- 17:07, 23 March 2007: Create a certificate using OpenSSL
- 20:44, 23 March 2007: Obfuscation
- 13:09, 24 March 2007: Preprocessing
- 13:27, 24 March 2007: How to get IMEI in Java ME
- 13:40, 24 March 2007: How to know the phone supports the FileConnection API (JSR-75)
- 13:52, 24 March 2007: How to find the supported media content types from Java ME
- 14:02, 24 March 2007: How to install Java ME application in mobile phone
- 11:35, 26 March 2007: What to do if installation of a signed MIDlet fails
- 20:25, 26 March 2007: MIDP 3.0
- 22:39, 29 March 2007: Java ME Tips
- 22:57, 29 March 2007: How to get phone software version in Java ME
- 23:01, 29 March 2007: How to check whether the phone supports camera from Java ME
- 23:05, 29 March 2007: How to get the path of images folder in Java ME
- 23:25, 29 March 2007: How to draw an ARC in canvas in Java ME
- 23:39, 29 March 2007: How to get the screensize of a mobile in Java ME
- 23:43, 29 March 2007: How to get the free RAM in Java ME
- 23:45, 29 March 2007: How to find out the total memory in Java ME
- 01:44, 31 March 2007: Java Security Domains
- 02:08, 31 March 2007: MIDP 2.0 API access rights
- 02:29, 31 March 2007: T-Mobile U.S. Java security domains
- 03:27, 31 March 2007: AT&T Java security domains
- 10:25, 31 March 2007: 中文 J2ME安全域
- 23:47, 31 March 2007: NetBeans
- 05:36, 1 April 2007: Java ME
- 05:39, 1 April 2007: J2ME
- 05:55, 1 April 2007: CLDC
- 05:57, 1 April 2007: JSR
- 06:09, 1 April 2007: MicroFloat for floating point numbers in CLDC 1.0
- 08:01, 1 April 2007: 中文 J2ME中文编码问题
- 12:40, 1 April 2007: 如何在Java ME平台上获取手机串号

(C) Copyright Nokia 2014. All rights reserved.

- 20:07, 1 April 2007: Series 40 network configuration
- 22:57, 2 April 2007: KXml XML Parser in Java ME
- 01:27, 3 April 2007: Java ME API support on Nokia devices
- 03:37, 3 April 2007: OMA DRM
- 05:15, 3 April 2007: 中文 J2ME中的XML解析器
- 08:59, 3 April 2007: 诺基亚支持的Java移动版API
- 21:39, 3 April 2007: How to use Commands in Java ME
- 22:20, 3 April 2007: How to send MIDlet to background on Symbian
- 20:52, 4 April 2007: AT&T API access rights v3
- 21:07, 4 April 2007: AT&T branded 6085 API Access Rights
- 02:12, 5 April 2007: Web Services
- 23:07, 7 April 2007: CDC
- 23:09, 7 April 2007: Java Community Process (JCP)
- 23:22, 7 April 2007: MIDP
- 23:26, 7 April 2007: MIDlet
- 19:27, 9 April 2007: JTWI
- 19:37, 9 April 2007: MMAPI
- 19:45, 9 April 2007: JAR
- 19:52, 9 April 2007: JAD
- 05:33, 11 April 2007: 中文 JAD
- 13:28, 11 April 2007: Creating a Bluetooth server running OBject EXhange (OBEX) protocol
- 19:56, 14 April 2007: Additional APIs available for Java ME
- 20:14, 14 April 2007: Mobile Service Architecture (MSA)
- 20:26, 14 April 2007: Wireless Messaging API
- 20:46, 14 April 2007: Bluetooth API in Java ME
- 21:02, 14 April 2007: Scalable 2D Vector Graphics API
- 21:05, 14 April 2007: Security and Trust Services API (JSR-177)
- 21:22, 14 April 2007: Web Services APIs on Symbian
- 21:28, 14 April 2007: Location API
- 21:41, 14 April 2007: Content Handler API
- 21:45, 14 April 2007: Prototype Java ME payment API using HTTP
- 21:49, 14 April 2007: Advanced Multimedia Supplements
- 00:12, 15 April 2007: Contactless Communication API (JSR 257)
- 00:55, 15 April 2007: Development options for Series 40
- 01:13, 15 April 2007: OpenLaszlo
- 05:06, 15 April 2007: How to install an application on the Game phone's menu
- 05:11, 15 April 2007: How to read an image file from the JAR
- 05:17, 15 April 2007: How to play a beep in MIDP 1.0 without other API
- 05:23, 15 April 2007: How to create a quick Options Menu in Java ME
- 06:01, 15 April 2007: How to use custom fonts in Java ME
- 06:08, 15 April 2007: How to read a text file from JAR
- 06:09, 15 April 2007: How to read a binary file from JAR
- 20:53, 15 April 2007: How to create a high score database in Java ME
- 20:59, 15 April 2007: How to send POST data to a web server
- 22:19, 15 April 2007: How to execute a repeated scheduled task
- 22:22, 15 April 2007: How to get a random number from range
- 22:26, 15 April 2007: How to make an animation loop in Java ME
- 22:31, 15 April 2007: How to detect if a Class/Package is available on the phone
- 22:38, 15 April 2007: How to detect bottlenecks in the code to optimize it
- 10:48, 16 April 2007: 如何动态检查功能类或功能包的存在
- 10:04, 17 April 2007: 中文 Web服务API
- 06:33, 18 April 2007: Bluetooth Chat HelloWorld
- 15:35, 24 April 2007: 中文 如何播放 Series 40v3 文件系统中的中文名mp3
- 16:41, 24 April 2007: 中文 如何在电话接入时处理音频播放

(C) Copyright Nokia 2014. All rights reserved.

- 09:15, 25 April 2007: 中文 理解MIDP中的UI事件处理
- 16:26, 25 April 2007: Why Choose Java For Mobile Game Development?
- 10:21, 7 May 2007: SDK Help
- 15:20, 9 May 2007: Update Midlet
- 15:45, 9 May 2007: Java FX
- 14:25, 10 May 2007: JavaFX Mobile
- 07:50, 12 May 2007: AT Commands
- 21:18, 13 May 2007: Phoneme
- 15:01, 14 May 2007: M3G
- 08:56, 15 May 2007: Generate JAD from JAR file
- 18:26, 19 May 2007: Series 40 Filesystem
- 14:35, 20 May 2007: How to install a Java ME application on a mobile device
- 15:00, 20 May 2007: How to manipulate a data buffer
- 20:42, 21 May 2007: How to use fixed point maths in Java ME
- 07:59, 23 May 2007: How to swap variable values in Java ME using bitwise operations
- 15:35, 23 May 2007: Midlet basic lifecycle and states
- 18:48, 23 May 2007: ESWT
- 08:55, 24 May 2007: How to listen to radio in Java ME
- 09:32, 24 May 2007: Cache images in RMS (Java ME)
- 10:04, 24 May 2007: Reduce JAR Size
- 10:15, 24 May 2007: Reduce JAR Size: Replacing classes with arrays
- 10:33, 24 May 2007: Record Management System (RMS)
- 19:33, 24 May 2007: How to read serial number of NDEF (NFC) tag
- 20:04, 24 May 2007: Displaying the correct MIDlet version in an About dialog
- 23:23, 24 May 2007: Platform independent key events processing in Java ME
- 23:44, 24 May 2007: How to determine phone's vendor
- 01:52, 25 May 2007: No more portings-designing scalable games
- 11:16, 25 May 2007: MIDlet JAR Manifest essentials
- 11:33, 25 May 2007: Java Application Descriptor (JAD) essentials
- 14:39, 26 May 2007: How to optimize PNGs to reduce JAR size
- 12:59, 29 May 2007: Accessing native code from Java ME on Symbian
- 20:07, 29 May 2007: How to provide Multi-language support
- 00:02, 30 May 2007: Simple MIDP2 screen design pattern
- 20:06, 30 May 2007: How to handle multiple sounds in Java ME
- 06:53, 1 June 2007: How to disable the screen saver on Java ME
- 12:49, 1 June 2007: Designing your MIDlet for JavaVerified
- 13:04, 1 June 2007: Porting considerations while using PIM
- 03:40, 4 June 2007: Java ME - Português
- 08:47, 7 June 2007: Mobile Information Device Profile (MIDP)
- 01:17, 8 June 2007: Enterprise JavaBeans
- 01:19, 8 June 2007: EJB
- 01:26, 8 June 2007: Java ME Mindmap
- 01:51, 8 June 2007: Hello World in Java ME
- 03:06, 8 June 2007: How to make an EJB client in Java ME
- 04:31, 8 June 2007: PIM
- 09:44, 8 June 2007: Bit Input/Output Stream utility classes for efficient data transfer
- 14:33, 14 June 2007: Simple NFC PushRegistry example
- 08:28, 15 June 2007: NFC PushRegistry launch and detect example
- 13:06, 15 June 2007: Utilizing Alert in viewing output data
- 13:31, 15 June 2007: How to list the supported fields in a PIMList
- 04:44, 16 June 2007: MIDP 2.0.1 API access rights
- 04:45, 16 June 2007: MIDP 2.1 API access rights
- 04:45, 16 June 2007: JTWI API access rights
- 06:19, 16 June 2007: AT&T API access rights v1

(C) Copyright Nokia 2014. All rights reserved.

- 06:35, 16 June 2007: T-Mobile U.S. API access rights
- 06:44, 16 June 2007: Hutchinson 3G security domains
- 06:47, 16 June 2007: Hutchinson 3G API access rights
- 05:17, 23 June 2007: API access rights on phones, Series 40 3rd FP2
- 05:42, 23 June 2007: How to handle MIDlet sent to the background
- 10:01, 27 June 2007: Detect external ISO14443 card
- 10:55, 27 June 2007: Detect secure element activity
- 12:19, 27 June 2007: Hoe to write an image to a NDEF tag
- 01:58, 29 June 2007: Edições da plataforma Series 40
- 21:07, 29 June 2007: Plataforma Series 40
- 23:43, 29 June 2007: Como desenvolver uma aplicação para Series 40
- 00:35, 30 June 2007: Projetando jogos em Java ME que se adaptem a circunstâncias diversas
- 06:27, 30 June 2007: Processando eventos de teclas independente de plataforma
- 07:54, 30 June 2007: WMA 1.0(JSR-120) - Português
- 13:33, 30 June 2007: How to take snapshot using JSR234
- 13:39, 30 June 2007: How to use auto focus
- 13:44, 30 June 2007: How to take continuous camera snapshot using Java ME
- 13:49, 30 June 2007: How to set image format in JSR 234
- 13:55, 30 June 2007: How to set image quality of camera snapshot in Java ME
- 14:05, 30 June 2007: How to set the resolution of a camera snapshot
- 14:20, 30 June 2007: How to get full filename of the snapshot taken in JSR 234
- 22:13, 30 June 2007: API Bluetooth
- 22:33, 30 June 2007: MIDP 1.0 (Português)
- 22:45, 30 June 2007: MIDP 2.0 (Português)
- 22:52, 30 June 2007: MIDP (Português)
- 00:17, 1 July 2007: Hello World no Java ME
- 00:37, 1 July 2007: Como criar um menu em Java ME
- 01:09, 1 July 2007: Como criar um rápido menu de opções no Java ME
- 01:33, 1 July 2007: Como fazer um loop de animação
- 01:44, 1 July 2007: Como instalar uma aplicação no menu Jogos
- 01:57, 1 July 2007: Como mandar um MIDlet para o segundo plano
- 09:54, 6 July 2007: How to install MIDlets on RDA devices
- 23:06, 13 July 2007: How to change the Java API access settings on Symbian phones
- 23:11, 13 July 2007: How to change the Java API access settings on Series 40 phones
- 18:46, 15 July 2007: Using Nokia SDKs and Tools on Windows Vista
- 04:32, 20 July 2007: Sprint Java security domains
- 05:04, 20 July 2007: China Unicom Java security domains
- 03:05, 21 July 2007: Getting started with Java ME
- 00:47, 3 August 2007: API access rights on phones, Series 40 3rd FP1
- 01:08, 3 August 2007: API access rights on phones, S60 2nd FP2
- 01:12, 3 August 2007: API access rights on phones, S60 2nd FP2 ver2
- 01:36, 3 August 2007: API access rights on phones, S60 2nd FP3
- 22:15, 7 August 2007: Java (RU)
- 12:14, 17 August 2007: Controlling screen saver in MIDlets on Symbian
- 12:32, 17 August 2007: RTSP streaming not supported in the Series 40 device MIDP implementations
- 13:31, 17 August 2007: Customizing the look and feel of Command menu items using Java ME
- 13:38, 17 August 2007: Defining the installation folder for a MIDlet
- 13:54, 17 August 2007: Difference in SMS and PushRegistry behavior in Series 40 and S60
- 12:12, 20 August 2007: Installing MIDlets is denied on Series 80 2nd Edition (Known Issue)
- 13:06, 20 August 2007: Removing the persistent storage (RMS) during application update
- 13:18, 20 August 2007: Restricting a Java application to Nokia devices only
- 13:42, 20 August 2007: JSR-226 (focusable items) implementation bug in Series 40 and S60 emulators (Known Issue)
- 13:49, 20 August 2007: Loader fails to load compressed M3G files produced with HI's exporter (Known Issue)
- 13:53, 20 August 2007: Telephone number string length in platformRequest is limited on Series 40 (Known Issue)

(C) Copyright Nokia 2014. All rights reserved.

- 14:28, 20 August 2007: Saving and reading DRM-protected files using FileConnection API and Mobile Media API
- 15:03, 20 August 2007: Using HTTP proxy with Java MIDlets in Nokia Series 40 devices (from 2nd Edition onwards)
- 06:45, 21 August 2007: Snapshot is taken before security dialog is displayed in S60 MIDlet (Known Issue)
- 08:34, 21 August 2007: Use WAP Push to deliver the rights object when OMA DRM v1.0 separate delivery is used (Known Issue)
- 09:00, 21 August 2007: WAP Push to deliver the rights object when OMA DRM v1.0 separate delivery is used (Known Issue)
- 12:29, 21 August 2007: Slashes are not drawn on Canvas when using Arabic and Hebrew languages of the Series 40 5th Edition SDK World Languages pack (Known Issue)
- 14:58, 27 August 2007: How to write and read Bluetooth NDEF tag
- 00:35, 30 August 2007: API access rights on phones, Series 40 5th FP1
- 11:29, 3 September 2007: High level components in LCDUI
- 23:58, 3 September 2007: Utilizando Soft Key e Fire nos Nokia S40
- 21:40, 4 September 2007: Como utilizar um RMS
- 12:00, 5 September 2007: Sending an SMS message from a Java ME application fails on Dual-SIM device
- 03:23, 6 September 2007: Keycodes on canvas
- 15:06, 11 September 2007: Game API
- 08:18, 12 September 2007: Simple NFCIP peer to peer chat
- 22:05, 14 October 2007: LCDUI
- 00:07, 19 October 2007: Livros sobre Java ME
- 01:34, 20 October 2007: Como usar Web Services em Java ME
- 02:55, 20 October 2007: Como gravar videos em Java ME
- 03:01, 20 October 2007: How to record video in Java ME
- 19:13, 30 October 2007: Java ME FAQ (Português)
- 19:26, 30 October 2007: Java ME FAQ
- 13:41, 31 October 2007: Como usar video streaming em Java ME
- 13:43, 31 October 2007: How to play video streaming in Java ME
- 14:48, 3 November 2007: Get the bounding box of a jsr 184 mesh
- 12:34, 5 November 2007: Java Verified (Português)
- 13:10, 6 November 2007: Como fazer uma chamada telefônica em Java ME
- 13:15, 6 November 2007: Como acionar o browser a partir do Java ME
- 13:37, 6 November 2007: RDA (Português)
- 15:40, 8 November 2007: Gravador e tocador de video em Java ME (Projeto completo)
- 15:43, 8 November 2007: Video recorder and player in Java ME (complete project)
- 09:49, 9 November 2007: M2G
- 14:31, 13 November 2007: Recorded video data cannot be streamed before RecordControl.commit() method has been called in Java ME
- 14:23, 15 November 2007: How to send text SMS in Java ME
- 14:27, 15 November 2007: EclipseME
- 01:06, 19 November 2007: How to make video splashscreen in Java ME
- 10:48, 19 November 2007: Supported AMMS API (JSR-234) classes/interfaces
- 21:18, 19 November 2007: How to Draw a circle in Java ME
- 20:44, 20 November 2007: Version Control Systems
- 20:59, 20 November 2007: How to use preprocessor symbols?
- 05:06, 21 November 2007: Controle de versão
- 12:32, 21 November 2007: Developing a 2D game in Java ME - Part 1
- 13:42, 21 November 2007: Sprite
- 14:04, 21 November 2007: Portal:Java Code Examples
- 15:08, 21 November 2007: Developing a 2D game in Java ME - Part 2
- 15:31, 21 November 2007: How to add a video clip to a contact in Java ME
- 16:17, 21 November 2007: Developing a 2D game in Java ME - Part 3
- 16:35, 21 November 2007: SMS handling in Java ME
- 21:06, 21 November 2007: Permissions
- 22:55, 21 November 2007: Developing a 2D game in Java ME - Part 4
- 00:02, 22 November 2007: Developing a 2D game in Java ME - Part 5

(C) Copyright Nokia 2014. All rights reserved.

- 17:57, 25 November 2007: How to read Location from Bluetooth GPS
- 18:19, 25 November 2007: How to search for Bluetooth devices and services
- 18:45, 26 November 2007: Como bloquear o screen saver em Java ME
- 18:55, 26 November 2007: Como criar thumbnails em Java ME
- 20:25, 26 November 2007: Como desenvolver um jogo em Java ME - Parte 1
- 06:54, 27 November 2007: Portal:Java UI Articles
- 06:57, 27 November 2007: Portal:Java Graphics Articles
- 06:59, 27 November 2007: Portal:Java Multimedia Articles
- 07:06, 27 November 2007: Portal:Java Messaging Articles
- 07:10, 27 November 2007: Portal:Java Networking Articles
- 07:12, 27 November 2007: Portal:Java Connectivity Articles
- 07:20, 27 November 2007: Portal:Java Security/Certification Articles
- 08:08, 27 November 2007: Portal:Java Testing/Debugging Articles
- 08:13, 27 November 2007: Portal:Java Optimization Articles
- 08:14, 27 November 2007: Portal:Java Localization Articles
- 08:18, 27 November 2007: Portal:Java ME Tools and SDK Articles
- 08:40, 27 November 2007: Portal:Java Games Articles
- 10:20, 27 November 2007: Nokia S60 VoIP Client documentation
- 11:10, 27 November 2007: Portal:Java Base/System Articles
- 13:36, 27 November 2007: The Factory pattern in MIDP 2.0
- 14:13, 27 November 2007: Java ME Porting using preprocessor directives
- 17:16, 27 November 2007: How to optimize in Java ME
- 10:26, 28 November 2007: Inconsistency in displaying text which contains mixed Latin and Arabic characters on Series 40 (Known Issue)
- 10:31, 28 November 2007: Portal:Java ME Resources/Services/Books
- 15:40, 28 November 2007: FileConnection & PIM API
- 16:07, 28 November 2007: WMA 1.0 (JSR-120)
- 16:40, 28 November 2007: Not Supported - SIP API (JSR-180)
- 19:54, 29 November 2007: Developing a 2D game in Java ME - Part 6
- 21:19, 29 November 2007: Como desenvolver um jogo em Java ME - Parte 2
- 18:25, 30 November 2007: Como desenvolver um jogo em Java ME - Parte 3
- 19:07, 30 November 2007: Como desenvolver um jogo em Java ME - Parte 4
- 19:58, 30 November 2007: Como desenvolver um jogo em Java ME - Parte 5
- 14:37, 2 December 2007: Como desenvolver um jogo em Java ME
- 14:41, 2 December 2007: How to develop a Java ME game
- 09:03, 7 December 2007: Getting System properties in MIDP
- 14:59, 11 December 2007: Como desenvolver um jogo em Java ME - Parte 6
- 16:05, 11 December 2007: Como encontrar dispositivos e serviços Bluetooth
- 18:38, 11 December 2007: Utilizando Bluetooth GPS diretamente em Java ME
- 12:03, 12 December 2007: JavaDoc
- 13:08, 12 December 2007: Generic Connection Framework (GCF) in Java ME.
- 13:44, 13 December 2007: How to add contacts using JSR 75
- 13:57, 13 December 2007: How to read contacts using JSR 75
- 02:23, 14 December 2007: Como acessar o IMEI usando Java ME
- 16:54, 15 December 2007: Sun Java Wireless Toolkit for CLDC
- 18:10, 15 December 2007: Java ME (Español)
- 18:51, 15 December 2007: MIDP (Español)
- 19:00, 15 December 2007: CLDC (Español)
- 19:08, 15 December 2007: MIDP 1.0 (Español)
- 19:16, 15 December 2007: MIDP 2.0 (Español)
- 19:20, 15 December 2007: CDC (Español)
- 19:23, 15 December 2007: MIDlet (Español)
- 19:31, 15 December 2007: APIs adicionales en Java ME
- 12:58, 17 December 2007: Portal:Most Recent Java Articles

(C) Copyright Nokia 2014. All rights reserved.

- 13:02, 17 December 2007: Portal:Most Viewed Java Articles
- 15:33, 17 December 2007: An A to Z preliminary guide for a game developer
- 03:24, 18 December 2007: The Nokia Series 40 browser does not seem to take into account the domain of the cookie (Known Issue)
- 20:33, 18 December 2007: How to get Location Using Location API JSR 179
- 20:40, 18 December 2007: How to use HTTP GET request in Java ME
- 20:42, 18 December 2007: How to use HTTP POST request in Java ME
- 21:06, 18 December 2007: RFID in Java ME
- 21:23, 18 December 2007: How to store Data in RMS
- 09:31, 19 December 2007: Updating MIDlets on Series 40 phones (Known Issue)
- 09:39, 19 December 2007: How to play music files using JSR 135
- 09:52, 19 December 2007: JSR 75 File connection API
- 08:10, 20 December 2007: Text wrapping in Java ME
- 08:22, 20 December 2007: A simple ordered Hashtable in Java ME
- 08:58, 20 December 2007: Session management in Java ME
- 09:12, 20 December 2007: Record sorting in RMS
- 09:27, 20 December 2007: How to set alarm in Java ME
- 09:41, 20 December 2007: ServiceRecord.getConnectionURL() returns null instead of connection string. How to retrieve the string value?
- 19:59, 20 December 2007: Using HTTP and HTTPS in Java ME
- 13:28, 21 December 2007: Signing process in Java ME
- 11:24, 24 December 2007: Java ME Porting Guidelines
- 14:47, 24 December 2007: Model-View-Controller application architecture
- 14:57, 24 December 2007: JSR 135
- 09:33, 26 December 2007: Delivery and Installation of MIDlets
- 15:57, 26 December 2007: How to store and fetch images from RMS
- 17:06, 26 December 2007: How to get KeyCode , Screen Size & Device platform in Java ME ?
- 17:18, 26 December 2007: How to write unit test case using J2ME unit ?
- 15:40, 27 December 2007: Reading Unicode files in JavaME
- 10:04, 28 December 2007: How to use ResourceBundle for localization in Java ME
- 13:27, 28 December 2007: How to encode URL in Java ME
- 14:38, 28 December 2007: Audio/Video streaming Codecs and Protocols
- 14:30, 29 December 2007: TextWrapUtil to draw Multiple line text in Java ME
- 15:44, 29 December 2007: Java ME Frequently asked Questions
- 11:00, 3 January 2008: Reading UID from embedded Mifare tag
- 18:48, 9 January 2008: How to find the Java signing certificates on the phones
- 11:59, 14 January 2008: 网络图片资源处理
- 14:52, 24 January 2008: How to list extended fields of ContactList
- 10:26, 25 January 2008: Internationalization for JavaME
- 11:23, 29 January 2008: Image Optimization for JavaME
- 11:24, 29 January 2008: PNG Image Crushers
- 11:44, 29 January 2008: Code Optimization - Java ME
- 13:19, 29 January 2008: Verisign signing - Java ME
- 02:25, 30 January 2008: Installing Java ME development tools for Symbian
- 02:42, 30 January 2008: JDK
- 02:44, 30 January 2008: Java SE
- 09:19, 30 January 2008: Double Buffering
- 02:09, 31 January 2008: Creating your first MIDlet using EclipseME
- 15:16, 12 February 2008: Developing a 2D game in Java ME - Part 7
- 14:03, 15 February 2008: How to list root file systems in Java ME
- 14:09, 15 February 2008: How to list files and folders in Java ME
- 14:14, 15 February 2008: How to read an image from Gallery in Java ME
- 14:20, 15 February 2008: How to write data to a file in Java ME
- 04:28, 19 February 2008: Signed HelloWorld example MIDlet

(C) Copyright Nokia 2014. All rights reserved.

- 08:19, 5 March 2008: Softkey codes are not reported on a normal Canvas (Known Issue)
- 00:09, 22 March 2008: Introduction to Java ME
- 00:15, 23 March 2008: Fetching data from server using Java ME
- 10:29, 25 March 2008: Multiple HTTP headers of the same type cannot be handled (Known Issue)
- 17:29, 30 March 2008: Encryption of data using JSR-177
- 11:44, 2 April 2008: TextBox does not display Ticker in Series 40 (Known Issue)
- 11:57, 2 April 2008: Value of TextField.NUMERIC is limited to 10 digits in Series 40 (Known Issue)
- 11:31, 10 April 2008: Scrollable Text in Java ME
- 20:08, 11 April 2008: Draw Gradient in Java ME
- 11:57, 14 April 2008: J2ME Customizing Game Sprites Color
- 15:33, 16 April 2008: Series 40: Considerations regarding MIDlet startup and runtime execution
- 11:18, 21 April 2008: MIDlet volume control in Series 40 and S60 devices
- 16:09, 23 April 2008: J2ME Fisheye Menu with JSR 226
- 18:02, 1 May 2008: NFC UIDReader using Java ME
- 18:06, 1 May 2008: NFC URL Writer
- 18:10, 1 May 2008: NFC PushRegistryWriter
- 18:14, 1 May 2008: NFC Secure Element Example
- 18:16, 1 May 2008: NFC Secure Element Example Java Card for Emulator
- 18:19, 1 May 2008: NFC Secure Element Example Java Card for Nokia6131
- 18:23, 1 May 2008: NFC Secure Element Example External Reader
- 10:50, 3 May 2008: Simple file manager in Java ME
- 16:55, 6 May 2008: Normalize string whitespaces with J2ME
- 12:17, 7 May 2008: Making a phone call using TextField in Java ME
- 12:21, 7 May 2008: Making a phone call programmatically using platformRequest() in Java ME
- 13:51, 7 May 2008: Flashing the backlight using Java ME
- 11:11, 8 May 2008: Adding an icon to a MIDlet
- 12:03, 9 May 2008: Collision detection in Java ME
- 12:04, 9 May 2008: Portal:Recently Edited Java Articles
- 12:44, 9 May 2008: RSS Parser with KXML in Java ME
- 13:06, 9 May 2008: How to check if a specific API is supported in Java ME
- 08:42, 12 May 2008: Listing PIM databases using JSR-75
- 12:16, 12 May 2008: Navigating between Screens using Java ME
- 15:54, 12 May 2008: HTTP Post multipart file upload in Java ME
- 12:08, 13 May 2008: Getting Cell ID in Java ME
- 16:18, 13 May 2008: Portal:Most Viewed Java Code Examples
- 14:24, 14 May 2008: How to parse an XML file in Java ME with kXML
- 11:52, 16 May 2008: Series 40: System Properties in Operator and Manufacturer domain
- 14:24, 16 May 2008: Building a Java ME Canvas based calendar/date picker
- 22:54, 16 May 2008: MPEG decoder in Java ME
- 04:31, 19 May 2008: Using the Java ME PureMVC Framework
- 11:21, 19 May 2008: Rotate an image in Java ME
- 09:47, 20 May 2008: Using eSWT Browser in Java ME
- 12:11, 20 May 2008: Explode effect for Java ME Images
- 10:57, 21 May 2008: Enabling pauseApp() method calls in Java ME
- 11:45, 21 May 2008: Sending a multipart MMS using Java ME
- 13:38, 21 May 2008: Converting a resource into a byte array in Java ME
- 11:50, 23 May 2008: Listening synchronously for incoming SMS messages in Java ME
- 11:52, 23 May 2008: Listening asynchronously for incoming SMS messages in Java ME
- 09:28, 27 May 2008: Using hot keys for browsing
- 11:34, 28 May 2008: Get location coordinates along route in Java ME
- 10:00, 29 May 2008: Limitation on using ':' character in Series 40 (Known Issue)
- 11:09, 29 May 2008: Record store vulnerability in Series 40 (Known Issue)
- 11:19, 29 May 2008: Predefined UID attribute must be present in both JAD and JAR files
- 15:21, 30 May 2008: Reading a text file line by line in Java ME

(C) Copyright Nokia 2014. All rights reserved.

- 18:24, 30 May 2008: Create more flexible table in Java ME
- 14:16, 2 June 2008: How to create birthday alarm in Java ME
- 16:50, 3 June 2008: Crie tabelas mais flexíveis com o Java ME
- 07:21, 4 June 2008: A simple card game in Java ME
- 12:36, 5 June 2008: 旧ドキュメント - Series 40
- 07:56, 8 June 2008: Como criar um alarme de aniversário no Java ME
- 14:04, 18 June 2008: How to create a color fading text in Java ME
- 04:21, 25 June 2008: 如何使用OpenSSL创建证书
- 00:40, 9 July 2008: Java ME signing for dummies
- 16:52, 11 July 2008: Sending post-dial DTMF with Java ME
- 16:51, 14 July 2008: NFC Send UID from a tag to a Server
- 14:14, 16 July 2008: Another Prototype Java ME payment API using HTTP
- 07:39, 7 August 2008: Java ME Location API(日本語)
- 14:16, 7 August 2008: Bluetooth GPSから位置情報を読む方法
- 07:21, 20 August 2008: Location API(Java, 日本語)
- 15:04, 21 August 2008: Record update with RecordStore.setRecord() fails in Series 40 (Known Issue)
- 13:24, 27 August 2008: Localising app attributes in Java ME
- 13:24, 27 August 2008: Localising text files in Java ME
- 13:24, 27 August 2008: Localising resource bundles in Java ME
- 18:19, 28 August 2008: How to scale an Image to the screen size in Java ME
- 00:40, 5 September 2008: How to display rotated text in Java ME
- 10:43, 5 September 2008: 诺基亚移动Java开发介绍
- 00:34, 6 September 2008: Using AT commands to send and read SMS
- 20:05, 8 September 2008: Data Storage in Java ME
- 15:43, 11 September 2008: A stopwatch in Java ME
- 07:50, 19 September 2008: Canvas Vs Game Canvas
- 21:51, 24 September 2008: Introduction to Lightweight User Interface Toolkit
- 10:52, 26 September 2008: Determining If PIM Optional Package Is Available
- 12:16, 26 September 2008: PIM API on Java ME
- 12:00, 29 September 2008: Recieving Cell Broadcasting Services (CBS) Messages on Java ME
- 00:24, 1 October 2008: Fragmenting a binary message for sending over SMS using Java ME
- 16:31, 4 October 2008: How to implement touch image scrolling in Java ME
- 15:39, 9 October 2008: RDA troubleshooting
- 15:00, 14 October 2008: Example app stubs with logging framework
- 21:24, 22 October 2008: API access rights on phones, S60 5th
- 10:20, 29 October 2008: Using on-screen keypad in MIDlets in S60 5th Edition devices
- 11:59, 29 October 2008: MIDlet scaling in S60 5th Edition devices
- 09:36, 11 November 2008: File size using RecordControl.setRecordSizeLimit(Integer.MAX VALUE) not set accordingly in Series 40 (Known Issue)
- 14:59, 11 November 2008: Code snippets table for common use cases
- 14:31, 12 November 2008: Showing calendar events in Java ME
- 14:40, 12 November 2008: Storing application settings in Java ME
- 15:28, 12 November 2008: Scaling bitmaps in Java ME
- 02:27, 13 November 2008: Como saber se o dispositivo permite o uso da FileConnection API (JSR-75)
- 16:04, 18 November 2008: Sending mail from applications in Java ME
- 16:21, 20 November 2008: How to get System.out output from a MIDlet and save it to a file in S60 devices
- 14:06, 25 November 2008: Series 40 6th Edition: Developing Java ME applications with force-sensitive joystick and Force Sensitive Joystick API
- 16:52, 27 November 2008: Adding a contact to Phonebook in Java ME
- 16:56, 27 November 2008: Checking battery level in Java ME
- 17:02, 27 November 2008: Checking network strength in Java ME
- 17:04, 27 November 2008: Converting time zones in Java ME
- 17:13, 27 November 2008: Creating CustomItem in Java ME
- 17:16, 27 November 2008: Using double buffering in Java ME

(C) Copyright Nokia 2014. All rights reserved.

- 17:20, 27 November 2008: Finding and viewing contacts in Java ME
- 17:22, 27 November 2008: Finding audio and video formats supported by the phone in Java ME
- 17:24, 27 November 2008: Modifying a contact in Java ME
- 17:30, 27 November 2008: Using Bluetooth obex server in Java ME
- 17:31, 27 November 2008: Using Bluetooth Obex server authentication in Java ME
- 17:49, 27 November 2008: Checking memory card in Java ME
- 18:00, 27 November 2008: Discovering Bluetooth device in Java ME
- 18:03, 27 November 2008: Advertising a Bluetooth service in Java ME
- 18:05, 27 November 2008: Using List in Java ME
- 18:20, 27 November 2008: Adding a new calendar event in Java ME
- 18:25, 27 November 2008: Saving a captured image in Java ME
- 18:28, 27 November 2008: Exporting a calendar event in Java ME

Very small articles

This shows articles ordered by size. A very small article **may** have an issue. Note that articles with Templates Stub, UnderConstruction, NeedsMoreWork, Archived, or Category:Draft, FNWiki or Glossary are not shown.

- Portal:Most Viewed Java Articles [131 B]
- IAP介绍 [147 B]
- Portal:Java ME (Arabic) [316 B]
- Portal:Java Games Articles [513 B]
- Portal:Java ME Telephony Articles [585 B]
- Portal:Java ME Sensor Articles [611 B]
- Portal:Java ME Tools and SDK Articles [931 B]
- Portal:Java Graphics Articles [957 B]
- Not Supported - Java Speech API 2.0 (JSR 113) [1 kB]
- Portal:Most Recent Java Articles [1 kB]
- Launching a midlet from Symbian C++ code [1 kB]
- Java ME - Mapa Mental [1 kB]
- How to get the last-used Access Point in Java ME [1 kB]
- Programming Java 2 Micro Edition for Symbian OS: A developer's guide to MIDP 2.0 [1 kB]
- Como verificar os formatos de mídia compatíveis com o seu celular utilizando Java ME [1 kB]
- Gravador e tocador de video em Java ME (Projeto completo) [1 kB]
- Portal:Recently Edited Java Articles [1 kB]
- Portal:Most Viewed Java Code Examples [1 kB]
- EJB [1 kB]
- How to get the screensize of a mobile in Java ME [1 kB]
- Signed HelloWorld example MIDlet [1 kB]
- How to find the supported media content types from Java ME [1 kB]
- Como obter o tamanho da tela de um celular em Java ME [1 kB]
- Record Management System (RMS) [1 kB]
- Como manipular um buffer de dados [1 kB]
- Java ME Tips [1 kB]
- How to determine phone's vendor [1 kB]
- How to draw an ARC in canvas in Java ME [1 kB]
- System info in Java ME [1 kB]
- Loader fails to load compressed M3G files produced with HI's exporter (Known Issue) [1 kB]
- How to get a random number from range [1 kB]
- Livros sobre Java ME [1 kB]
- How to manipulate a data buffer [1 kB]
- M3G [1 kB]
- Como definir a qualidade da imagem instantaneamente em Java ME [1 kB]
- JSR-226 (focusable items) implementation bug in Series 40 and S60 emulators (Known Issue) [1 kB]

(C) Copyright Nokia 2014. All rights reserved.

- How to set image quality of camera snapshot in Java ME [1 kB]
- LCDUI [1 kB]
- Drawing with eSWT API is slow on Nokia Belle (Known Issue) [1 kB]
- How to get the path of images folder in Java ME [1 kB]
- Como definir o formato da imagem no JSR 234 [1 kB]
- Portal:Java Networking Articles [1 kB]
- Internationalization for JavaME [1 kB]
- Como saber se o dispositivo permite o uso da FileConnection API (JSR-75) [1 kB]
- Wireless Java for Symbian Devices [1 kB]
- Nokia Asha 平台硬件调试使用向导 [1 kB]
- How to list other applications preferred access points in Java ME [1 kB]
- Java SE [1 kB]
- Slashes are not drawn on Canvas when using Arabic and Hebrew languages of the Series 40 5th Edition SDK World Languages pack (Known Issue) [1 kB]
- Java ME Books [1 kB]
- How to set image format in JSR 234 [1 kB]
- How to change the Java API access settings on Series 40 phones [1 kB]
- Java ME Sites [1 kB]
- Sun Java Wireless Toolkit for CLDC [1 kB]
- Como obter o endereço da pasta de imagens em Java ME [1 kB]
- M2G [1 kB]
- How to close a network connection in Java ME [1 kB]
- How to develop a Java ME game [1 kB]
- Como obter um número aleatório em Java ME [1 kB]
- MIDP (Português) [1 kB]
- Portal:Java Optimization Articles [1 kB]
- Removing the persistent storage (RMS) during application update [1 kB]
- How to check whether the phone supports camera from Java ME [1 kB]
- Como desenvolver um jogo em Java ME [1 kB]
- How to make a network connection using a selected Access Point in Java ME [1 kB]
- Hutchinson 3G security domains [1 kB]
- Como repetir a execução de uma tarefa agendada [1 kB]
- Game Development Guidelines for The First Time Programmers on Series 40 [1 kB]
- Como tocar um sinal sonoro ("beep") no MIDP 1.0 sem APIs extras [1 kB]
- China Unicom Java security domains [1 kB]
- Composing and sending WAP Push messages from Symbian device not possible (Known Issue) [1 kB]
- Nokia Java 模拟器启动时NCF出错解决 [1 kB]
- How to execute a repeated scheduled task [1 kB]
- Como usar fontes personalizadas em Java ME [1 kB]
- Java ME Mindmap [1 kB]
- How to use custom fonts in Java ME [1 kB]
- Como recuperar o valor atribuido ao Midlet do jad [1 kB]
- JDK [1 kB]
- MIDlet (Español) [1 kB]
- Portal:Java Testing/Debugging Articles [1 kB]
- Update Midlet [1 kB]
- How to retrieve Midlet attribute value from jad [1 kB]
- MIDP (Español) [1 kB]
- Application panics on exit after importing contact from phonebook on Nokia N97 mini (Known Issue) [1 kB]
- Como instalar uma aplicação no menu Jogos [1 kB]
- How to detect bottlenecks in the code to optimize it [1 kB]
- Cannot set VPN access point for MIDlet using S60 Application manager (Known Issue) [1 kB]
- Medindo tempo de execução no código, para poder otimizá-lo [1 kB]
- How to set the resolution of a camera snapshot [1 kB]

(C) Copyright Nokia 2014. All rights reserved.

- How to read a binary file from JAR [1 kB]
- How to make a network connection using a selected Destination Network in J2me [1 kB]
- ESWT package org.eclipse.swt.custom is missing from Symbian^3 and Symbian Belle SDKs (Known Issue) [1 kB]
- Portal:Java ME Files/Data Articles [1 kB]
- Determining If PIM Optional Package Is Available [1 kB]
- Como verificar se é possível usar a câmera do aparelho, em Java ME [1 kB]
- Displaying the correct MIDlet version in an About dialog [1 kB]
- Portal:Java ME Resources/Services/Books [1 kB]
- CDC (Español) [1 kB]
- How to read an image file from the JAR [1 kB]
- Double Buffering [1 kB]
- Como recuperar propriedades de sistema usando Java ME [1 kB]
- Signing [1 kB]
- Recorded video data cannot be streamed before RecordControl.commit() method has been called in Java ME [1 kB]
- Data Storage in Java ME [1 kB]
- Portal:Java Localization Articles [1 kB]
- MIDlet [1 kB]
- How to install an application on the Game phone's menu [1 kB]
- Choice vector is missing from Series 40 6th Edition v0.9 SDK (Known Issue) [2 kB]
- How to swap variable values in Java ME using bitwise operations [2 kB]
- J2ME [2 kB]
- CDC [2 kB]
- Limitation on using ':' character in Series 40 (Known Issue) [2 kB]
- How to get phone software version in Java ME [2 kB]
- MIDP [2 kB]
- T-Mobile U.S. Java security domains [2 kB]
- 无法卸载 Nokia Connectivity Framework 的解决办法 [2 kB]
- Como tirar foto usando JSR 234 [2 kB]
- Como ler um arquivo de imagem do JAR [2 kB]
- Permissions [2 kB]
- Como acionar o browser a partir do Java ME [2 kB]
- Keycodes on canvas [2 kB]
- Como invocar o navegador Web através do Java ME [2 kB]
- Content Handler API [2 kB]
- Java FX [2 kB]
- How to know the phone supports the FileConnection API (JSR-75) [2 kB]
- How to handle MIDlet sent to the background [2 kB]
- How to play a beep in MIDP 1.0 without other API [2 kB]
- Portal:Java Connectivity Articles [2 kB]
- Edições da plataforma Series 40 [2 kB]
- 网络图片资源处理 [2 kB]
- Como trocar os valores das variáveis utilizando operações bit a bit. [2 kB]
- How to read a text file from JAR [2 kB]
- Como mandar um MIDlet para o segundo plano [2 kB]
- How to invoke web browser from Java ME [2 kB]
- Portal:Java UI Articles [2 kB]
- Web Services [2 kB]
- Portal:Java Messaging Articles [2 kB]
- Preferences and Diagnostics Menu Options cannot be opened on a number of Symbian SDK Emulators (Known Issue) [2 kB]
- Interfaces de Usuario con Kuix [2 kB]
- Portal:Java Base/System Articles [2 kB]
- Mobile 3D Graphics API (JSR-184) [2 kB]
- JSR [2 kB]
- Java Community Process (JCP) [2 kB]

(C) Copyright Nokia 2014. All rights reserved.

- JavaFX Mobile [2 kB]
- How to take snapshot using JSR234 [2 kB]
- ESWT MIDlet may crash during MMAPI Player play on Symbian (Known Issue) [2 kB]
- Como obter a versão do software do telefone em Java ME [2 kB]
- How to detect if a Class/Package is available on the phone [2 kB]
- How to get all Access Points in Java ME [2 kB]
- Web Services Specification (JSR-172) [2 kB]
- Java ME System Properties [2 kB]
- Network indicator not shown in S60 5th Edition devices (Known Issue) [2 kB]
- Como capturar o nome do arquivos instantaneamente em Java ME [2 kB]
- Como receber uma imagem do servidor [2 kB]
- 中文 如何播放 Series 40v3 文件系统中的中文名mp3 [2 kB]
- MIDlet cannot be installed with extra whitespace characters in JAD file (Known Issue) [2 kB]
- Como fazer um aparelho vibrar usando Java ME [2 kB]
- Orientation switching performance for 2D and 3D Java applications is low in S60 5th Edition (Known Issue) [2 kB]
- Sending an SMS message from a Java ME application fails on Dual-SIM device [2 kB]
- Memory leak may occur when data is sent in large chunks in S60 (Known Issue) [2 kB]
- Advanced Multimedia Supplements [2 kB]
- Java Runtime Environment [2 kB]
- Como mostrar a câmera e tirar fotos em Java ME [2 kB]
- How to use preprocessor symbols? [2 kB]
- Como ler um arquivo de texto contido em um JAR [2 kB]
- Como normalizar uma String com espaços em branco, usando Java ME [2 kB]
- Como exibir um texto rotacionado em Java ME [2 kB]
- Portal:Nokia Asha Java Articles [2 kB]
- TextBox does not display Ticker in Series 40 (Known Issue) [2 kB]
- Nokia Asha Web App中存储问题的解决方法 [2 kB]
- Normalize string whitespaces with J2ME [2 kB]
- Inserting elements recursively to List fails in Series 40 6th Edition (Known Issue) [2 kB]
- Como usar símbolos pré-processadores [2 kB]
- JTWI [2 kB]
- MIDP 1.0 (Español) [2 kB]
- How to display rotated text in Java ME [2 kB]
- What to do if installation of a signed MIDlet fails [2 kB]
- How to use auto focus [2 kB]
- WMA 2.0 (JSR-205) [2 kB]
- Item label size limited to one line in Series 40 5th and 6th Editions (Known Issue) [2 kB]
- MIDP 2.0 (Español) [2 kB]
- OpenLaszlo [2 kB]
- Como definir a resolução da câmera em Java ME [2 kB]
- Como usar autofoco [2 kB]
- How to create a quick Options Menu in Java ME [2 kB]
- Selection key in Nokia N97 not available for selection and gaming actions in MIDlets (Known Issue) [2 kB]
- 全螢幕的版權宣告畫面 [2 kB]
- 藍芽API [2 kB]
- How to change the Java API access settings on Symbian phones [2 kB]
- Eclipse [2 kB]
- Encryption of data using JSR-177 [2 kB]
- Como enviar SMS Binário em Java ME [2 kB]
- JTWI API access rights [2 kB]
- Portal:Java Security/Certification Articles [2 kB]
- Mobile Internationalization API [2 kB]
- Telephone number string length in platformRequest is limited on Series 40 (Known Issue) [2 kB]
- Como criar um rápido menu de opções no Java ME [2 kB]

(C) Copyright Nokia 2014. All rights reserved.

- Como fazer um loop de animação [2 kB]
- Java [2 kB]
- Sending post-dial DTMF with Java ME [2 kB]
- Portal:Java Multimedia Articles [2 kB]
- The Nokia Series 40 browser does not seem to take into account the domain of the cookie (Known Issue) [2 kB]
- How to get the free RAM in Java ME [2 kB]
- Utilizando Soft Key e Fire nos Nokia S40 [2 kB]
- Bluetooth API in Java ME [2 kB]
- Como ler um arquivo binário do JAR [2 kB]
- How to take continuous camera snapshot using Java ME [2 kB]
- WMA 1.0(JSR-120) - Português [2 kB]
- How to send MIDlet to background on Symbian [2 kB]
- Restricting a Java application to Nokia devices only [2 kB]
- CLDC (Español) [2 kB]
- How to install a Java ME application on a mobile device [2 kB]
- Java ME (Español) [2 kB]
- How to send Binary SMS in Java ME [2 kB]
- Create a certificate using OpenSSL [2 kB]
- Playback with 3GPP audio files not working correctly with JSR-135 player in Nokia 5800 XpressMusic (Known Issue) [2 kB]
- How to create thumbnail in Java ME [2 kB]
- Como enviar dados de POST para um servidor web [2 kB]
- Customizing the look and feel of Command menu items using Java ME [2 kB]
- High level components in LCDUI [2 kB]
- How to send POST data to a web server [2 kB]
- 签名/认证 [2 kB]
- RTSP streaming not supported in the Series 40 device MIDP implementations [2 kB]
- Arabic glyphs for spacing forms not properly displayed with LCDUI in Java ME [2 kB]
- Java Games [2 kB]
- JAR [2 kB]
- 使用Nokia s40模拟器模拟IAP支付 [2 kB]
- Delivery and Installation of MIDlets [2 kB]
- Status code not sent when cancelling MIDlet download (Known Issue) [2 kB]
- Como criar thumbnails em Java ME [2 kB]
- AT&T Java security domains [2 kB]
- Scalable 2D Vector Graphics API [2 kB]
- Series 40 触摸和键盘手机开发介绍 [2 kB]
- How to vibrate phones from Java ME [2 kB]
- Usando Expressão Regular para validar e-mail em Java ME [2 kB]
- How to calculate memory used by images in Java ME [2 kB]
- Como detectar se uma classe/pacote está disponível no telefone [2 kB]
- 如何使用OpenSSL创建证书 [2 kB]
- How to install MIDlets on RDA devices [2 kB]
- How to Draw a circle in Java ME [2 kB]
- Inconsistency in displaying text which contains mixed Latin and Arabic characters on Series 40 (Known Issue) [2 kB]
- Messaging interprets 'Ask once for session' as 'Always allowed' in S60 5th Edition (Known Issue) [2 kB]
- SMS URI scheme in Nokia Asha web apps [2 kB]
- Downloading a Java ME application fails after recovering signal (Known Issue) [2 kB]
- Record store vulnerability in Series 40 (Known Issue) [2 kB]
- Como desenhar um circulo em Java ME [2 kB]
- Rotate an image in Java ME [2 kB]
- NMEA String can not be retrieved on Belle devices with Java ME [2 kB]
- 如何在Java ME平台上获取手机串号 [2 kB]
- Java Runtime 1.1.0 for Series 40 Release Notes [2 kB]
- Updating a MIDlet on the memory card does not work correctly with Symbian backup and restore (Known Issue) [2 kB]

(C) Copyright Nokia 2014. All rights reserved.

- 中文 Web服务API [2 kB]
- SocketConnection is terminated with IOException when access point is disconnected (Known Issue) [2 kB]
- MIDlets may not be reinstalled after firmware update in S60 5th Edition (Known Issue) [2 kB]
- EclipseME [2 kB]
- Utilizing Alert in viewing output data [2 kB]
- Snapshot is taken before security dialog is displayed in S60 MIDlet (Known Issue) [2 kB]
- Como reproduzir MP3 a partir de servidor em Java ME [2 kB]
- PNG Image Crushers [2 kB]
- SMS handling in Java ME [2 kB]
- LCDUIUtil.getObjectTrait() with nokia.ui.s40.item.substate raises NOT SUPPORTED exception [2 kB]
- How to play mp3 from server in Java ME [2 kB]
- Get the bounding box of a jsr 184 mesh [2 kB]
- MIDP 2.0 (Português) [2 kB]
- Como fazer uma chamada telefônica em Java ME [2 kB]
- Manipulação de mensagens em Java ME [2 kB]
- 如何动态检查功能类或功能包的存在 [2 kB]
- Lendo UID de tags mifare embutidas [2 kB]
- Mengatasi 'Resource limit exceeded for TCP client sockets' Exception pada Java ME [2 kB]
- SDK Help [2 kB]
- MIDP 1.0 (Português) [2 kB]
- Sprint Java security domains [2 kB]
- Themes: Steps to create theme package [2 kB]
- How to find out the total memory in Java ME [2 kB]
- 获得MIDlet图标 [2 kB]
- Reading UID from embedded Mifare tag [2 kB]
- 获取Series40双SIM卡手机属性 [2 kB]
- Value of TextField.NUMERIC is limited to 10 digits in Series 40 (Known Issue) [2 kB]
- Nokia Web Tools简介 [2 kB]
- How to flip an image in Java ME [2 kB]
- Nokia Asha VoIP Client documentation [2 kB]
- Como listar arquivos da pasta raiz em Java ME [2 kB]
- Version Control Systems [2 kB]
- How to change image colors (on the fly) in Java ME. [2 kB]
- Controlling screen saver in MIDlets on Symbian [2 kB]
- MIDP 2.0.1 API access rights [2 kB]
- Portal:Java ME Featured Articles [2 kB]
- Threading differences in Java Runtime for Symbian (Known Issue) [2 kB]
- Ofuscação [2 kB]
- Selection between SIM1 and SIM2 for Sending an SMS in Java ME on Dual Sim Devices fails [2 kB]
- Nokia Asha web apps – W3C Geolocation API [2 kB]
- How to list the supported fields in a PIMList [2 kB]
- MIDP 2.1 API access rights [2 kB]
- How to list root file systems in Java ME [2 kB]
- How to list files and folders in Java ME [2 kB]
- Como desenvolver uma aplicação para Series 40 [2 kB]
- MIDP 2.0 [2 kB]
- Difference in SMS and PushRegistry behavior in Series 40 and S60 [2 kB]
- Bluetooth chat between two or more devices using J2ME [2 kB]
- How to get full filename of the snapshot taken in JSR 234 [2 kB]
- MIDP 1.0 [2 kB]
- Memperoleh Screenshot Themes pada Series 40 [2 kB]
- Not Supported - SIP API (JSR-180) [2 kB]
- Phoneme [2 kB]
- S40WebKit [2 kB]

(C) Copyright Nokia 2014. All rights reserved.

- 中文 JAD [2 kB]
- 中文 如何在电话接入时处理音频播放 [2 kB]
- Como adicionar múltiplas MIDlets no arquivo manifest [2 kB]
- Obfuscation [2 kB]
- Retrieving the icon of a MIDlet using Symbian C++ [2 kB]
- How to get external volume buttons events [3 kB]
- Mobile Service Architecture (MSA) [3 kB]
- Optimizing battery life [3 kB]
- 中文 J2ME中的XML解析器 [3 kB]
- Como listar os campos com suporte em um PIMList [3 kB]
- Getting MCC, MNC and Device model in Nokia Asha Web Apps 2.0 Beta [3 kB]
- Como acessar o IMEI usando Java ME [3 kB]
- 如何用Java ME取得IMEI [3 kB]
- Mendeteksi State Aplikasi Menjadi Active atau Inactive pada Java ME [3 kB]
- Series 40 Touch API - Text Editor API (Chinese) [3 kB]
- API Bluetooth [3 kB]
- Java ME Compass [3 kB]
- How to add multiple midlets in manifest file [3 kB]
- Java (RU) [3 kB]
- TextField with ANY option can’t accept the some of the characters if DateField added to the form in X2-01 (Known Issue) [3 kB]
- Series 40 Touch的移植 [3 kB]
- T-Mobile U.S. API access rights [3 kB]
- Java Runtime 2.3 for Symbian Release Notes [3 kB]
- Making image files downloadable for Nokia Asha Web Apps [3 kB]
- The Prosciutto Project [3 kB]
- How to find the Java signing certificates on the phones [3 kB]
- Series 40 Touch API - Frame Animator API (Chinese) [3 kB]
- Softkey codes are not reported on a normal Canvas (Known Issue) [3 kB]
- Nokia UI API [3 kB]
- Using Marketing in a Box (MiB) [3 kB]
- Como recuperar IMEI em Java ME [3 kB]
- O uso de memória ao utilizar imagens em aplicações JavaME [3 kB]
- Inspecting Java emulator's network traffic with Fiddler [3 kB]
- APIs adicionales en Java ME [3 kB]
- File Connection API (JSR 75) [3 kB]
- Hello World no Java ME [3 kB]
- CLDC [3 kB]
- Hutchinson 3G API access rights [3 kB]
- 在Java ME中取得Cell ID [3 kB]
- A ApiBridge em Java ME [3 kB]
- 如何保持屏幕常亮 [3 kB]
- Push registrations for Bluetooth MIDlet turns off in the latest S60 3rd Edition devices (Known Issue) [3 kB]
- Using HTTP proxy with Java MIDlets in Nokia Series 40 devices (from 2nd Edition onwards) [3 kB]
- Java ME的Hello World [3 kB]
- 制作程序启动画面 [3 kB]
- Como descobrir o total de memória do celular com Java ME [3 kB]
- Series 40 network configuration [3 kB]
- How to get device Java ME configuration information [3 kB]
- Controle de versão [3 kB]
- Draw Gradient in Java ME [3 kB]
- Midlet basic lifecycle and states [3 kB]
- Updating MIDlets on Series 40 phones (Known Issue) [3 kB]
- Moldagem de texto em Java ME [3 kB]

(C) Copyright Nokia 2014. All rights reserved.

- Como tocar som no Java ME [3 kB]
- How to play sound in Java ME [3 kB]
- MIDP 3.0 [3 kB]
- Retrieving name and address of local Bluetooth device in Java ME [3 kB]
- Text wrapping in Java ME [3 kB]
- Como bloquear o screen saver em Java ME [3 kB]
- Porting considerations while using PIM [3 kB]
- Java ME Installation troubleshooting [3 kB]
- S60的Java運行名稱及版本 [3 kB]
- Record update with RecordStore.setRecord() fails in Series 40 (Known Issue) [3 kB]
- RFID in Java ME [3 kB]
- TPO项目中的Java签名 [3 kB]
- Interactive buttons with onfocus event (Arabic) [3 kB]
- Signed to Either Operator or Manufacturer Domain [3 kB]
- How to disable the screen saver on Java ME [3 kB]
- Generate JAD from JAR file [3 kB]
- File size using RecordControl.setRecordSizeLimit(Integer.MAX VALUE) not set accordingly in Series 40 (Known Issue) [3 kB]
- Getting IMEI and IMSI in Java ME [3 kB]
- Ler número serial de tags NDEF (NFC) [3 kB]
- APIs adicionais disponíveis para a plataforma Java ME [3 kB]
- Java ME - Português [3 kB]
- Defining the installation folder for a MIDlet [3 kB]
- Using AT commands to send and read SMS [3 kB]
- Nokia Web Tools安装指南 [3 kB]
- Web Services APIs on Symbian [3 kB]
- Using timers in Nokia Asha web apps [3 kB]
- Series 40 触摸和键盘手机特性 [3 kB]
- Multiple HTTP headers of the same type cannot be handled (Known Issue) [3 kB]
- J2ME Customizing Game Sprites Color [3 kB]
- 旧ドキュメント - Series 40 [3 kB]
- How to check if a specific API is supported in Java ME [3 kB]
- Security and Trust Services API (JSR-177) [3 kB]
- Checando se uma API específica é suportada em Java ME [3 kB]
- Adding an icon to a MIDlet [3 kB]
- How to send text SMS in Java ME [3 kB]
- How to read serial number of NDEF (NFC) tag [3 kB]
- How to resume a Java ME application when a phone call or message is received [3 kB]
- Nokia Asha web apps目前不支持的特性 [3 kB]
- API access rights on phones, S60 2nd FP2 ver2 [3 kB]
- Adicionando um ícone à MIDlet [3 kB]
- Desenho gradiente, em Java ME [3 kB]
- 無線通訊API [3 kB]
- Java Verified (Português) [3 kB]
- Hello World in Java ME [3 kB]
- Menentukan Orientasi UI Menjadi Portrait atau Landscape pada Java ME [3 kB]
- TextWrapUtil to draw Multiple line text in Java ME [3 kB]
- Como capturar informações do sistema celular [3 kB]
- Additional APIs available for Java ME [3 kB]
- How to list extended fields of ContactList [3 kB]
- WMA 1.0 (JSR-120) [3 kB]
- 如何在手機裡安裝Java ME應用程式 [3 kB]
- Como listar os campos estendidos da lista de contatos [3 kB]
- Como ler os contatos usando a JSR 75 [3 kB]
- Como enviar uma mensagem SMS com Java ME [3 kB]

(C) Copyright Nokia 2014. All rights reserved.

- JavaDoc [3 kB]
- Series 40 Filesystem [3 kB]
- API access rights on phones, Series 40 5th FP1 [3 kB]
- How to get IMEI in Java ME [3 kB]
- Nokia Asha web apps平台介绍 [3 kB]
- Getting Mobile country code (MCC) in Java ME [3 kB]
- API access rights on phones, S60 5th [3 kB]
- API access rights on phones, Series 40 6th FP1 [3 kB]
- Como ajustar uma imagem ao tamanho da tela [3 kB]
- Why Choose Java For Mobile Game Development? [3 kB]
- Como gravar dados em um arquivo em Java ME [3 kB]
- How to encode URL in Java ME [3 kB]
- Wireless Messaging API [3 kB]
- How to get IP address in a Nokia Asha Web App [3 kB]
- 诺基亚支持的Java移动版API [3 kB]
- Identifying the Nokia platform in Java ME [3 kB]
- API access rights on phones, Series 40 6th [3 kB]
- Java Verified [3 kB]
- How to read contacts using JSR 75 [3 kB]
- How to launch Nokia Store client from Java ME [3 kB]
- MicroFloat for floating point numbers in CLDC 1.0 [3 kB]
- Como utilizar números com ponto flutuante na CLDC 1.0 [3 kB]
- How to get cell information in Java ME using CBS [3 kB]
- API access rights on phones, Series 40 3rd FP2 [3 kB]
- Reducing Social Isolation among patients and monetizing medical applications [3 kB]
- Java ME signing for dummies [3 kB]
- How to send a jar file from a Java ME app using Bluetooth [3 kB]
- API access rights on phones, Series 40 3rd FP1 [3 kB]
- Nokia SDK 2.0 开发环境搭建 [3 kB]
- API access rights on phones, S60 2nd FP3 [3 kB]
- Location API [3 kB]
- API access rights on phones, S60 2nd FP2 [3 kB]
- Como listar arquivos e pastas em Java ME [3 kB]
- Como criar um alarme de aniversário no Java ME [3 kB]
- 如何实现打电话功能 [3 kB]
- Get location coordinates along route in Java ME [3 kB]
- JAD [3 kB]
- How to scale an Image to the screen size in Java ME [3 kB]
- PIM API on Java ME [3 kB]
- NFC Secure Element Example Java Card for Nokia6131 [3 kB]
- Nokia S60 VoIP Client documentation [4 kB]
- Import a vCard containing photo data returns PIM exception on Series 40 5th & 6th Edition devices [4 kB]
- Location MIDlet closed after 110th orientation call in S60 5th Edition (Known Issue) [4 kB]
- StringTokenizer pada Java ME [4 kB]
- Example app stubs with logging framework [4 kB]
- How to provide Multi-language support [4 kB]
- Developer guidelines for new Nokia Asha Web Apps runtime proxy server release [4 kB]
- AT&T branded 6085 API Access Rights [4 kB]
- How to check if a date is in the future or past in Java ME [4 kB]
- Using audio feedback for non-cursive text [4 kB]
- Nokia Asha Web Apps - Run your app on device [4 kB]
- The Factory pattern in MIDP 2.0 [4 kB]
- Body Fat Maintainer Application [4 kB]
- How to create birthday alarm in Java ME [4 kB]

(C) Copyright Nokia 2014. All rights reserved.

- How to handle multiple sounds in Java ME [4 kB]
- Como trabalhar com múltiplos arquivos de áudio em Java ME [4 kB]
- Getting Cell ID in Java ME [4 kB]
- Plataforma Series 40 [4 kB]
- How to write data to a file in Java ME [4 kB]
- Java ME Location API(中文) [4 kB]
- MIDP 2.0 API access rights [4 kB]
- Java ME Location API(日本語) [4 kB]
- Image Optimization for JavaME [4 kB]
- API Wireless Messaging [4 kB]
- Certain Arabic characters are not properly displayed in Java ME applications that utilize LCDUI Forms on Symbian devices [4 kB]
- Simple MIDP2 screen design pattern [4 kB]
- Como instalar aplicações Java ME em dispositivos móveis [4 kB]
- Enabling pauseApp() method calls in Java ME [4 kB]
- Realizando Chamadas Telefônicas Utilizando TextField [4 kB]
- Nokia Asha web apps - Creating On/Off Switch [4 kB]
- Domain name with spaces in certificate path results in MIDlet installation failure on S60 (Known Issue) [4 kB]
- Java Verified(日本語) [4 kB]
- MIDlet JAR Manifest essentials [4 kB]
- 中文 理解MIDP中的UI事件处理 [4 kB]
- Thawte signing for Java ME [4 kB]
- Saving and reading DRM-protected files using FileConnection API and Mobile Media API [4 kB]
- Designing your MIDlet for JavaVerified [4 kB]
- Game API [4 kB]
- Como ler uma imagem da Galeria em Java ME [4 kB]
- 使用NanoXml解析xml [4 kB]
- Simples exemplo de um PushRegistry NFC [4 kB]
- Coding Nokia Asha web apps for screen orientation [4 kB]
- NFC UIDReader using Java ME [4 kB]
- 通过Cell-ID获取位置信息 [4 kB]
- Wrong exception thrown when sending too large SMS message using Java ME (Known Issue) [4 kB]
- Developing MIDlets using Pulsar and Eclipse [4 kB]
- 解决WDE向导生成News应用中有些中文RSS内容不能显示的问题 [4 kB]
- Membuat Timer di Nokia Asha Web Apps [4 kB]

Old Stubs

Should review old stubs and determine if they should exist or need to be removed.

- Application Distribution
- PRJ TESTEXPORTS
- PRJ MMPFILES
- PRJ TESTMMPFILES
- SVG basics
- Platform Services
- General mobile app design guidelines
- Getting started with qooxdoo JavaScript library
- Sandbox/Hamishwillee/WikiTests/InformationBoxes
- Windows Phone User Interface Controls

Older articles

Articles below listed in order of oldest "major" edit first. This is an indicator that the article hasn't had a significant review for some

(C) Copyright Nokia 2014. All rights reserved.

time. To remove from the list, make a "major edit" of the article - perhaps addition of a reviewer checked marker or similar. Note that this does not display archived topics, FNWiki topics.

- Java ME Porting Guidelines (24 Dec 2007)
- How to install MIDlets on RDA devices (19 Mar 2008)
- Decoupling components using a generic service locator (14 Oct 2009)
- Game Development Guidelines for The First Time Programmers on Series 40 (30 Jun 2011)
- Portal:Java ME Tools and SDK Articles (20 Jul 2011)
- Not Supported - Java Speech API 2.0 (JSR 113) (24 Aug 2011)
- How to use ProximityListener in Java ME (05 Oct 2011)
- How to read a binary file from JAR (17 Jan 2012)
- HTTP Post multipart file upload in Java ME (20 Jan 2012)
- Create a certificate using OpenSSL (30 Jan 2012)
- Java Runtime 1.0.0 for Series 40 Release Notes (03 Feb 2012)
- Java Runtime 2.3 for Symbian Release Notes (06 Feb 2012)
- Thawte signing for Java ME (08 Feb 2012)
- Selection between SIM1 and SIM2 for Sending an SMS in Java ME on Dual Sim Devices fails (27 Feb 2012)
- Title of purchasable item cannot be retrieved with In-App Purchase API in Series 40 (01 Mar 2012)
- Java Runtime 1.1.0 for Series 40 Release Notes (26 Mar 2012)
- How to set image format in JSR 234 (23 Apr 2012)
- How to implement purchase and restoration of multiple items with In-App Purchase and Java ME (31 May 2012)

(C) Copyright Nokia 2014. All rights reserved.