Template:Archived

Apply this template to articles that are no longer relevant for third-party developers creating commercial solutions today. For example, articles about development frameworks that are no longer in use, or which have been superseded.

Usage

Copy-paste the text below into the target article, then remove or replace the text *Text explaining alternatives (optional)* with an explanation of why this article was archived.

```
{{Archived|timestamp={{subst:CURRENTTIMESTAMP}}|user=~~~|Text explaining alternatives
(optional)}}
```

The following parameters are optional

- *timestamp*: Apply a timestamp so its clear when this was archived. Usually just copy-paste timestamp={{subst:CURRENTTIMESTAMP}}
- *user*: Your user id, so its clear who made the decision
- Unnamed parameter: Text explaining why the article has been archived and alternatives, if any.

```
{{Archived|Text explaining alternatives (optional)}}
{{Archived|timestamp={{subst:CURRENTTIMESTAMP}}|user=~~~|Text explaining alternatives
(optional)}}
```

- *language*: The language category of the natural language the template is to display in. If no language is specified or if the specified language is not supported then the English version is used.
  - Translations exist for: Lang-Portuguese, Lang-Chinese, Lang-Russian, Lang-Bahasa Indonesia
  - For example:

```
{{Archived|timestamp={{subst:CURRENTTIMESTAMP}}|user=~~~|language=Lang-
Chinese|your text}}
```

存档: 这篇文章是存档，因为考虑到今天它与第三方开发者建立商业解决方案不相关。

your text

Aquivado: Este artigo foi arquivado, pois o conteúdo não é mais considerado relevante para se criar soluções comerciais atuais. Se você achar que este artigo ainda é importante, inclua o template {{ForArchiveReview|*escreva a sua justificativa*}}.

your text

Отправлено в архив: Данная статья отправлена в архив так как, на сегодняшний день, не представляет ценности для сторонних разработчиков коммерческих решений. If you think this article is still relevant, let us know by adding the template {{ForArchiveReview|*write your reason here*}}.

your text

Diarsipkan: Artikel ini telah diarsipkan karena isinya dianggap tidak relevan untuk pengembang pihak ketiga dalam menciptakan solusi komersial saat ini. Jika anda pikir artikel ini masih relevan, beritahu kami dengan menambah template {{ReviewForRemovalFromArchive|user=~~~~|*tulis alasan anda di sini*}}.

your text

(C) Copyright Nokia 2014. All rights reserved.

Articles List

- Add data to a web page with JavaScript, WebKit, and Qt
- Archived:A 100% PySymbian Listbox base class
- Archived:A color picker in PySymbian
- Archived:A contact list for choosing number(s) in PySymbian
- Archived:A ferramenta eSWT
- Archived:A guided tutorial using Twitter API
- Archived:A long Form takes a long time on the Nokia E61, E61i, E62 (Known Issue)
- Archived:A plataforma series 90
- Archived:A simple ORM SQL for PySymbian
- Archived:A simple PySymbian camera application using the view finder
- Archived:A simple class to implement a progressbar in PySymbian
- Archived:A simple random rectangle demo using PySymbian
- Archived:A simple screensaver in PySymbian
- Archived:A simple stopwatch example using PySymbian
- Archived:A simple text-to-speech app in PySymbian
- Archived:A simple tic-tac-toe game in PySymbian
- Archived:A simple timeout application using PySymbian
- Archived:AAC recording for different sampling rates using Symbian C++
- Archived:AES buffer encryption of files using Symbian C++
- Archived:AIW Dial Data Consumer Symbian API
- Archived:ALLOC panic after installing a widget via App Installer in the Emulator (Known Issue)
- Archived:ALLOC panic when closing the browser session in the emulator (Known Issue)
- Archived:AMR cannot be recorded to a descriptor on Nokia 7610 and Nokia 6260 devices (Known Issue)
- Archived:API GPS para Symbian 3a edição
- Archived:API access rights on S60 3rd Edition devices
- Archived:API access rights on S60 3rd FP1 devices
- Archived:API access rights on S60 3rd FP2 devices
- Archived:API and demo application for accessing Wordpress statistics using PySymbian
- Archived:API para acesso à mapas estáticos usando GoogleMaps para JavaScript
- Archived:ASD
- Archived:Accept header change in S60 2nd Edition FP2 (Known Issue)
- Archived:Access Point Name configuration for Series 40 1st, 2nd, 3rd Edition
- Archived:Access Point dialog appears when connecting to local host on S60 3rd Edition (Known Issue)
- Archived:Access Point is queried repeatedly in certain S60 3rd Edition FP1 (Known Issue)
- Archived:Accessing Contacts fails on Nokia 6212 Classic (Known Issue)
- Archived:Accessing data anywhere in application
- Archived:Accessing display memory with UserSvr::ScreenInfo() is deprecated from S60 3rd Edition onwards (Known Issue)
- Archived:Accessing memory used by Camera
- Archived:Accessing network from Flash Lite applications on Nokia N95 NAM phones closes the player (Known Issue)
- Archived:Accessing network with Symbian and Maemo Platforms
- Archived:Accessing public Qik streams using PySymbian
- Archived:Accessing remote and local databases of a SyncML profile
- Archived:Accessing system resources with PySymbian on S60 3rd Edition devices
- Archived:Accesskey attribute not working in Web Browser on S60 3rd Edition (Known Issue)
- Archived:Acessando os recursos do sistema com PySymbian em dispositivos S60 3rd Edition
- Archived:ActionScript
- Archived:ActionScript (日本語)
- Archived:Actionscript
- Archived:Adding 3rd party MTM in Contacts application's Create message option menu and to the New Msg. CBA option
- Archived:Adding 3rd party MTM to the Options-New Message Menu on Eseries devices
- Archived:Adding Commands to Alert Screens on Nokia 6600 (Known Issue)

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Adding Options menu, panes, and icon to a Qt for Symbian application
- Archived:Adding a MIDlet icon in S60 2nd Edition (Known Issue)
- Archived:Adding a calendar entry in Flash Lite
- Archived:Adding a contact entry in Flash Lite
- Archived:Adding a landmark in Flash Lite
- Archived:Adding a service access point as a selectable item in the Preferred AP list on the Nokia 3220
- Archived:Adding custom menu items for a 3rd party MTM
- Archived:Adding files to the startup list from embedded SIS packages not possible (Known Issue)
- Archived:Adding icon to QComboBox
- Archived:Adding items to listbox dynamically
- Archived:Adding menu items dynamically using Symbian C++
- Archived:Additional JAD attribute for changing Canvas updating feature (Known Issue)
- Archived:Additional confirmations for editing PIM data (Known Issue)
- Archived:Additional settings needed to run DevVideoRecord on N96 (Known Issue)
- Archived:Adicionando bibliotecas ao seu projeto
- Archived:Adicionando suporte a várias linguagens em PySymbian
- Archived:Adobe
- Archived:Adobe Device Central
- Archived:Adobe Flash Lite
- Archived:Adobe Flash Lite 1.1, 2.0, 2.1におけるFPS Meter
- Archived:Adobe Flash Professional
- Archived:Advanced filters
- Archived:AknTextUtils::WrapToArrayL() does not accept literals (Known Issue)
- Archived:Alarm at specified cell id using PySymbian
- Archived:Alarmshared.lib missing from S60 2nd Edition SDKs (Known Issue)
- Archived:Always allowed setting not available for network access and application autostart in trusted 3rd-party domain MIDlets (Known Issue)
- Archived:An Introduction to L Classes
- Archived:Animated Bubbles with QPainter
- Archived:Animated effects with the Qt Graphics View Framework
- Archived:Animating graphics item fading
- Archived:Animating graphics item position and rotation simultaneously
- Archived:Animating graphics item position in Qt
- Archived:Animating graphics item rotation
- Archived:Animation for Games in Flash Lite
- Archived:Animation framework DLLs not included in device software (Known Issue)
- Archived:Animação para jogos em Flash Lite
- Archived:Answering and disconnecting a VoIP call from a Bluetooth headset (Known Issue)
- Archived:Aplicação PySymbian básica com canvas
- Archived:Aplicação em tela cheia, em Qt
- Archived:Aplicações multimídia para Maemo - Parte I
- Archived:Aplicações multimídia para Maemo - Parte II
- Archived:Aplicações multimídia para Maemo - Parte III
- Archived:Application and view IDs changed in S60 2nd Edition initial release (Known Issue)
- Archived:Application disappears from Group folder in the Nokia N75 (Known Issue)
- Archived:Application main view usability
- Archived:Application name may remain in application manager after uninstallation on Series 80 (Known Issue)
- Archived:Application panic during moving or copying files with Document Handler API (Known Issue)
- Archived:Application panic when using Ctrl+V (paste) on Nokia E61 (Known Issue)
- Archived:Application signing for Dummies
- Archived:Applications should not capture events from numeric keys (Known Issue)
- Archived:Applying a Qt style sheet to an application via QApplication
- Archived:Applying actions on list box items using Symbian C++
- Archived:Applying background color for paragraphs in a CEikRichTextEditor

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Aptana WRT Plugin - displaying log messages in output console
- Archived:Aptana WRT Plugin Basics
- Archived:Architecture Comparison of Android and Qt Apps
- Archived:Architecture Comparison of iPhone and Qt Apps
- Archived:Assinando uma aplicação com Open Signed
- Archived:Audio Input Routing Symbian API
- Archived:Audio Proxy Server panics when trying to initialize recorder before player on S60 3rd Edition (Known Issue)
- Archived:Audio Routing API – Input and Output
- Archived:Audio input streaming overflow error causes a panic on S60 2nd Edition (Known Issue)
- Archived:Audio is not routed to telephony uplink on S60 1st Edition (Known Issue)
- Archived:Audio playback via JSR-135 works in S60 1st Edition Emulators but not devices (Known Issue)
- Archived:Audio progressive playback using Java ME not working without format suffix on Symbian (Known Issue)
- Archived:Audio routing limitations on S60 3rd Edition (Known Issue)
- Archived:Audio routing settings cannot be controlled on S60 1st and 2nd Editions (Known Issue)
- Archived:Audio stream is left in inconsistent state after a panic on S60 2nd Edition (Known Issue)
- Archived:Audio streaming latency in Nokia 3250 (Known Issue)
- Archived:Audio/x-wav throws a MediaException on the Nokia 6230i (Known Issue)
- Archived:Audiostream playback using Symbian C++
- Archived:Authorization requires authentication in Bluetooth security manager on S60 2nd Edition (Known Issue)
- Archived:Available DevSound codecs in S60 3rd Edition devices
- Archived:Available content fetching services
- Archived:Avkon.mbg IDs do not contain the scalable icons in S60 2nd Edition FP3 alpha (Known Issue)
- Archived:Avoiding partially visible lines in an editor
- Archived:Axyz module PySymbian location example
- Archived:BRisa (Português)
- Archived:Background noise while streaming zero-filled buffers (Known Issue)
- Archived:Backlight not turned off in Series 40 1st Edition devices with a foldout keyboard (Known Issue)
- Archived:Backslash character within ContentLocation parameter crashes WMA in S60 3rd Edition initial release (Known Issue)
- Archived:Backup & Restore fails on Nokia 3250 (Known Issue)
- Archived:Backup & Restore of public files in the C:\System folder is not supported (Known Issue)
- Archived:Backup and restore fails for applications using a developer certificate (Known Issue)
- Archived:Backup of add-on DLLs on Symbian
- Archived:Bad usability when using OMA download of SIS files on S60 2nd Edition (Known Issue)
- Archived:Basic Dynamics in Flash Lite
- Archived:Basic PySymbian app - series2
- Archived:Basic PySymbian app - series3
- Archived:Basic PySymbian application - series1
- Archived:Basic canvas application in PySymbian
- Archived:Behavior of reference pixel methods on Series 40 3rd Edition devices (Known Issue)
- Archived:Binary compatibility break in Text-To-Speech Utility API on S60 3rd Edition (Known Issue)
- Archived:Binary-incompatible change in Open C to require proper permission checks for creating IPC resources (Known Issue)
- Archived:Blank dialog box appears when running a location-based MIDlet in Nokia E62 (Known Issue)
- Archived:Bldmake fails with "EPOCROOT environment variable must be capitalised" error (Known Issue)
- Archived:Blink the QGraphicsTextItem in QGraphicsViewWidget
- Archived:Bluetooth Engine API for S60 3rd Edition FP2
- Archived:Bluetooth L2CAP error -6305 (Known Issue)
- Archived:Bluetooth MAC address cannot be retrieved if Bluetooth is not activated (Known Issue)
- Archived:Bluetooth SCO data links are not supported (Known Issue)
- Archived:Bluetooth serial connection problems in S60 Nseries devices (Known Issue)
- Archived:Blur effect with the Qt Graphics View Framework
- Archived:Browser Control API cannot be configured to display Flash content (Known Issue)
- Archived:Browser Control interface stops working after delete/reconstruct (Known Issue)

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Browser Control sample in S60 3rd MR SDK can't work in emulator (Known Issue)
- Archived:Browser cannot be launched while a Symbian Web Runtime instance is running on the Emulator (Known Issue)
- Archived:Browser in S60 1st Edition cannot open links that include the hash character (Known Issue)
- Archived:Bug affecting textarea in WRT widgets (Known Issue)
- Archived:Bugs in CallAudioControl
- Archived:Build PySymbian
- Archived:Build a reusable Flash Lite 1.1 component
- Archived:Building and Testing Applications with the WidSet SDK
- Archived:Built-in support for video playback missing on Nokia 7650 (Known Issue)
- Archived:Button Component for Flash Lite
- Archived:C Python Extensions
- Archived:CAudioEqualizer does not work with CMdaAudioOutputStream before S60 3rd Edition FP1 (Known Issue)
- Archived:CBC mode encryption and decryption of data
- Archived:CContactDatabase problem in some S60 3rd Edition, FP2 devices (Known Issue)
- Archived:CContactDatabase::DeleteDefaultFileL() always returns error code -14 KErrInUse (Known Issue)
- Archived:CContactDatabase::DeleteDefaultFileL()总是返回错误代码-14 KErrInUse
- Archived:CGraphicsContext::ERight list box alignment does not work in some S60 3rd Edition FP1 and FP2 devices (Known Issue)
- Archived:CMdaAudioOutputStream returns KErrNone for unsupported parameters on S60 2nd Edition (Known Issue)
- Archived:CMdaAudioPlayerUtility consumes two playback rights on S60 2nd Edition (Known Issue)
- Archived:CMdaAudioToneUtility API does not play audio in uplink direction on S60 2nd Edition (Known Issue)
- Archived:CPUs of S60 3rd Edition and later devices
- Archived:CSendAs API has limited SMS capabilities (Known Issue)
- Archived:CSendUi cannot resolve phone number when a name is specified in To field (Known Issue)
- Archived:CTelephony::DialNewCall() API gives connection error in dual mode (Known Issue)
- Archived:CVideoPlayerUtility does not display video on E72 devices (Known Issue)
- Archived:CVideoPlayerUtility::SetRotationL() crash or erroneous behavior (Known Issue)
- Archived:CVideoRecorderUtility requires MultimediaDD capability on Nokia N93 and Nokia N93i (Known Issue)
- Archived:CVideoRecorderUtility unable to stream images over HTTP using OpenUrlL() (Known Issue)
- Archived:Calculando a distância entre duas localizações em Flash Lite
- Archived:Calculating ball collision physics in Flash Lite
- Archived:Calculating text width in Qt
- Archived:Calculating the distance between two locations in Flash Lite
- Archived:Calendar Exporter Symbian API
- Archived:Calendar Importer Symbian API
- Archived:Calendar Settings Symbian API
- Archived:Calendar example in Qt for Maemo
- Archived:Calendar for Symbian Web Runtime
- Archived:Call muting disables routing to telephony uplink (Known Issue)
- Archived:Call termination key behavior has changed from S60 2nd Edition FP3 (Known Issue)
- Archived:Calling HTTPSConnection.getSecurityInfo() method crashes the MIDlet (Known Issue)
- Archived:Calling LocationProvider.getLocation() periodically may result in device lock-ups with Nokia 6110 Navigator (Known Issue)
- Archived:Camera MIDlet rotates by 90 degrees in Nokia 6110 Navigator (Known Issue)
- Archived:Camera and light transformations are incorrect after retained-mode rendering (Known Issue)
- Archived:Camera application does not support video in the S60 2nd Edition Emulator (Known Issue)
- Archived:Camera shutter key (EKeyCamera events) cannot be used in 3rd party applications (Known Issue)
- Archived:Camera viewfinder orientation (Known Issue)
- Archived:Canceling an asynchronous silent uninstallation takes a long time
- Archived:Canceling app installation by not accepting the license agreement does not work correctly (Known Issue)
- Archived:Canceling the installation of an application fails on the Nokia 6600 (Known Issue)
- Archived:Cannot answer data calls using Core ETEL API on S60 1st Edition (Known Issue)
- Archived:Cannot edit text fields on a Web page in tabbed mode (Known Issue)
- Archived:Cannot getting Bluetooth bit error rate on Symbian (Known Issue)

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Cannot switch on device backlight or vibration in MIDlets on S60 1st Edition (Known Issue)
- Archived:Capability issues in Notepad Library API (Known Issue)
- Archived:Capability requirements for Flash Lite Viewer API
- Archived:Capturando áudio, vídeo ou imagens e fazendo o upload do arquivo usando Flash Lite e APIBridge
- Archived:Capturing Send and End key events fails on S60 3rd Edition FP2 (Known Issue)
- Archived:Capturing an image using the Symbian Camera API
- Archived:Capturing and uploading image, video or audio files to server with Flash Lite and APIBridge
- Archived:Capturing contents of video playback area not possible (Known Issue)
- Archived:Carbide UI Designer app with empty Options menu panics with 3rd party FEP (Known Issue)
- Archived:Carbide.j
- Archived:Carbide.ui
- Archived:Carbide.ui (Português)
- Archived:Carbide.ui - Graphics reusing
- Archived:Carbide.ui - Help
- Archived:Carbide.ui - Testing themes on real devices
- Archived:Carbide.ui FAQ
- Archived:Carbide.ui FAQ (Português)
- Archived:Carbide.ui Nokia Belle for Nokia E6 plug-in
- Archived:Carbide.ui Theme Edition Developers Guide
- Archived:Carbide.ui plug-in for Nokia Belle
- Archived:Carbide.ui plug-in for Series 40 Developer Platform 2.0 (Full Touch UI)
- Archived:Carbide.ui plug-ins
- Archived:Carbide.ui supported Multimedia formats
- Archived:Carbide.ui theme edition evolution
- Archived:Carbide.vs Creating and deploying projects on hardware
- Archived:Carbide.vs Criando e instalando projetos no hardware
- Archived:Carbide.vs Overview
- Archived:Carregar, redimensionar e configurar imagens de fundo, em aplicações Qt
- Archived:CellIds and songs in PySymbian
- Archived:Certain EAP types not supported in OMA Client Provisioning (Known Issue)
- Archived:Certain MIDI songs won't play in the Nokia 3200
- Archived:Certain PIM API operations cause error in Nokia 6270 and Nokia 6230i (Known Issue)
- Archived:Certified Signed (Symbian Signed)
- Archived:Certified Signed (Symbian Signed)/zh-hans
- Archived:Change SoftKey labels of a QWidget
- Archived:Change a synchronous Symbian C++ method to act like an asynchronous one
- Archived:Change in creation of BrowserControl instance for S60 3rd Edition (initial release) and FP1 (Known Issue)
- Archived:Changes in CMMFCodec configuration in S60 2nd Edition FP3 (Known Issue)
- Archived:Changing QWidget background colour
- Archived:Changing S60 UI color scheme is not supported on S60 3rd Edition (Known Issue)
- Archived:Changing asynchronous method to synchronous in Symbian C++
- Archived:Changing default browser on S60 3rd Edition not possible (Known Issue)
- Archived:Changing softkey labels on a Symbian Web Runtime app may freeze the device (Known Issue)
- Archived:Changing softkeys in the system standby screen on Symbian
- Archived:Changing the Canvas to full-screen mode on Symbian
- Archived:Changing the FullScreenMode of Canvas to true disables menu commands on S60 2nd Edition (Known Issue)
- Archived:Changing the Operator Logo in S60 1st and 2nd edition devices
- Archived:Changing the skin of the status pane on Symbian
- Archived:CheckBox Component for Flash Lite
- Archived:Checking battery level in Flash Lite
- Archived:Checking for S60 Platform Services support in Symbian Web Runtime
- Archived:Checking memory card availability in Flash Lite
- Archived:Checking network signal strength in Flash Lite
- Archived:Checking the type and status of an outgoing telephony call using Symbian C++

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Class CCameraAdvancedSettings is documented but not implemented (Known Issue)
- Archived:Class inheriting from Canvas should not implement a method called update() (Known Issue)
- Archived:Clock Settings Symbian API
- Archived:Code Example Challenge 2008
- Archived:CodeWarrior
- Archived:Codewarrior Scripting
- Archived:Colisões de esferas em FlashLite
- Archived:Collision detection events with PySymbian
- Archived:Collision detection for QWidgets
- Archived:Colorize effect with the Qt graphics view framework
- Archived:Colorizing SVG image in Carbide.ui
- Archived:Combining Qt Animation and State Machine Frameworks
- Archived:ComboBox with color palettes in Qt
- Archived:Comma character used as decimal point symbol instead of point character in some locales on S60 3rd Edition (Known Issue)
- Archived:Command label is always "Exit" if Command.EXIT type is used on S60 2nd Edition early firmware (Known Issue)
- Archived:Communicating with Flash Lite from JavaScript in a widget (WRT)
- Archived:Como acessar os recursos de dispositivos S60 em WRT ou Flash Lite usando PySymbian
- Archived:Como adicionar o ícone em um botão, em Qt
- Archived:Como adicionar um submenu em PySymbian
- Archived:Como adicionar um texto à uma imagem, em PySymbian
- Archived:Como alterar o formato da hora, em PySymbian
- Archived:Como alterar o tamanho da tela em PySymbian
- Archived:Como bloquear e desbloquear o teclado em PySymbian
- Archived:Como carregar e exibir imagens com PySymbian
- Archived:Como colocar um som como toque do celular em PySymbian
- Archived:Como conectar o Flash Lite e o Java ME
- Archived:Como criar e extrair arquivos, em PySymbian
- Archived:Como criar um MP3 player no Maemo
- Archived:Como criar um Menu, usando um QPushButton
- Archived:Como criar um bate-papo por Bluetooth no Flash Lite
- Archived:Como criar um bloco de notas (notepad), em Qt
- Archived:Como criar um jogo da velha, usando Qt
- Archived:Como criar um jogo para celulares usando Flash Lite
- Archived:Como criar uma animação simples usando QTimeLine
- Archived:Como criar uma calculadora simples, em Qt
- Archived:Como criar uma messageBox interativa para obter resposta do usuário, em Qt
- Archived:Como desenvolver o jogo brick-breaker em PySymbian - Parte 1
- Archived:Como desenvolver o jogo brick-breaker em PySymbian - Parte 2
- Archived:Como desenvolver o jogo brick-breaker em PySymbian - Parte 3
- Archived:Como detectar SMS na Caixa de saída em PySymbian
- Archived:Como detectar eventos de tecla em Flash Lite
- Archived:Como editar uma imagem, em PySymbian
- Archived:Como efetuar uma chamada telefônica, em PySymbian
- Archived:Como enviar MMS com PySymbian
- Archived:Como enviar arquivos usando Bluetooth, em PySymbian
- Archived:Como enviar e receber mensagens, em Qt para Symbian
- Archived:Como enviar e-mail em PySymbian
- Archived:Como enviar mensagens SMS/MMS
- Archived:Como escrever e ler configurações em um arquivo, com Python
- Archived:Como escrever uma aplicação Flash Stub para proteger o seu arquivo swf?
- Archived:Como exibir imagens PNG no canvas
- Archived:Como exibir informações sobre o painel de navegação, em PySymbian
- Archived:Como fazer animações sem bloqueio usando sprites

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Como fazer um campo de entrada de texto em Flash Lite
- Archived:Como fazer um hello world
- Archived:Como fazer um movimento básico de tecla em Flash Lite
- Archived:Como fazer um temporizador em PySymbian
- Archived:Como fazer uma aplicação em Flash Lite se adaptar a qualquer orientação de tela
- Archived:Como fazer uma captura de tela, em Qt
- Archived:Como fechar uma conexão GPRS ativa em PySymbian
- Archived:Como forçar o Flash Lite a ficar em tela cheia
- Archived:Como gerar e reproduzir notas MIDI, em PySymbian
- Archived:Como gravar um vídeo em python
- Archived:Como gravar uma chamada, em PySymbian
- Archived:Como implementar telas de alerta usando exceções em ActionScript 2.0
- Archived:Como implementar um Mapa Relativo usando GPS em Flash Lite 3.0
- Archived:Como implementar um cronômetro em Flash Lite 3.0
- Archived:Como integrar o S60 SDK Emulator ao NetBeans
- Archived:Como lidar com a inatividade do usuário, em PySymbian
- Archived:Como manipular arquivos de metadados, em PySymbian
- Archived:Como manipular data e hora facilmente, em PySymbian
- Archived:Como manter a luz de fundo acesa, em PySymbian
- Archived:Como modificar a fonte de aplicações, em Qt
- Archived:Como mostrar uma tela de início, em Qt
- Archived:Como obter data e hora atual com PySymbian
- Archived:Como obter o nome da rede e da operadora, em Qt para Symbian
- Archived:Como pesquisar uma extensão de arquivo
- Archived:Como recuperar informações da rede celular em PySymbian
- Archived:Como reinicializar o telefone
- Archived:Como resolver uma equação do segundo grau
- Archived:Como saber a velocidade da CPU
- Archived:Como salvar ou abrir arquivos, usando QFileDialogBox
- Archived:Como salvar todas as SMS em um arquivo, com PySymbian
- Archived:Como usa abas, em PySymbian
- Archived:Como usar QDir e QFileDialog, em Qt
- Archived:Como usar QSplitter e QTextEdit
- Archived:Como usar QToolBar e QToolButton
- Archived:Como usar QVBoxLayout e QHBoxLayout
- Archived:Como usar a classe para manipulação de texto
- Archived:Como usar caixas de diálogo eSWT em Java ME
- Archived:Como usar calendário em PySymbian
- Archived:Como usar calendário, em Qt
- Archived:Como usar decoradores em PySymbian
- Archived:Como usar eventos de toque em PySymbian
- Archived:Como usar o viewfinder da câmera em PySymbian
- Archived:Como usar pycamera
- Archived:Como usar um QLCDNumber
- Archived:Como usar um QPushButton
- Archived:Como usar um QStackedLayout
- Archived:Como usar um QString
- Archived:Como usar um QWebView
- Archived:Como usar um QWidget
- Archived:Como usar um ícone em um listbox, em PySymbian
- Archived:Como usar uma QProgressBar
- Archived:Como usar uma QToolBox
- Archived:Como utilizar o Shared Objects para armazenar informações com Flash Lite
- Archived:Como utilizar uma QStatusBar, em Qt para Maemo

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Como verificar se o aparelho tem tela sensível ao toque com PySymbian
- Archived:Como vincular símbolos dinamicamente em ActionScript 2.0
- Archived:Comparing Symbian and Maemo Platforms
- Archived:Compatibility break in Bluetooth Engine Symbian API
- Archived:Compatibility problem with binary-encoded SVG images (Known Issue)
- Archived:Compiler and linker warnings with Open C GCCE and WINSCW builds (Known Issue)
- Archived:Compiling a component using static libraries in CodeWarrior
- Archived:Compiling some regular expressions is slow using Open C/C++ on S60 3rd Edition devices (Known Issue)
- Archived:Complete SQL database guide for PySymbian
- Archived:Compress your Symbian C++ executables
- Archived:Compressing and decompressing GZIP files using Symbian C++
- Archived:Compressing and decompressing files using CEZFileBufferManager
- Archived:Configurando a Eric IDE para desenvolvimento em PySymbian
- Archived:Configurando o Carbide.c++ para utilizar Qt para Symbian
- Archived:Configuring Eclipse IDE for PySymbian
- Archived:Configuring Eric IDE for PySymbian development
- Archived:Configuring an editor for syntax highlighting
- Archived:Configuring eAAC+ decoder MMF plug-in
- Archived:Configuring preferred Internet access point in Nokia 3220 (Known Issue)
- Archived:Connecting to Internet from S60 2nd Edition Emulator
- Archived:Connecting to Pandorabots from Flash Lite
- Archived:Construindo um Calendário em PySymbian Utilizando Canvas
- Archived:Contact update deletes contact information in S60 3rd Edition FP1 (Known Issue)
- Archived:Contacts Component for Flash Lite
- Archived:Content Object Descriptor not supported on S60 1st Edition (Known Issue)
- Archived:Content delivered with OMA DRM 1.0 combined delivery with usage right constraints cannot be used for its purpose (Known Issue)
- Archived:Content download with audio/sp-midi MIME type not supported on S40 1st Edition browser (Known Issue)
- Archived:Content with Audio/Sp-midi and Audio/Midi MIME types not supported on Nokia 8910i (Known Issue)
- Archived:Content-Disposition header ignored in some S60 3rd Edition devices
- Archived:Contents of 'Podcasts' folder not listed by CLF on Nokia N95 (Known Issue)
- Archived:Context menus in Qt
- Archived:Context-Senstive Help fails for aftermarket apps on S60 3rd Edition
- Archived:Context-sensitive help not available for applications having a UID from the unprotected range (Known Issue)
- Archived:Continuous output on hold of a button in Flash Lite
- Archived:Controle dinâmico de layout com o Flash Lite
- Archived:Controlling Actions item in Qt context-sensitive menus
- Archived:Controlling Bluetooth power state in notifier-initiated situations
- Archived:Controlling LED on Nokia E61 for incoming messages
- Archived:Controlling a device remotely using PySymbian
- Archived:Controlling audio routing in S60 3rd Edition FP1
- Archived:Controlling light settings using CHWRMLight
- Archived:Controlling the keyboard repeat rate
- Archived:Controlling vibra settings in Flash Lite
- Archived:Controlling vibra settings using CHWRMVibra
- Archived:Conversion error during MIDlet installation on S60 devices (Known Issue)
- Archived:Converting C strings to numbers
- Archived:Converting numbers to C strings
- Archived:Converting time zones using Symbian C++
- Archived:Copying or moving unrecognized files with document handler (Known Issue)
- Archived:Count Down - small app using PySymbian
- Archived:Create a list of platform threads in PySymbian
- Archived:Create a moving ball controlled by a motion sensor using Flash Lite
- Archived:Create a moving ball using accelerometer with Kuneri Lite

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Create a page based UI with QStackedWidget and QToolbar
- Archived:Create progress dialog using QProgressDialog
- Archived:CreateRGBImage() does not work properly on Nokia 7610 (Known Issue)
- Archived:Creating C PySymbian extensions using Carbide.c++
- Archived:Creating Context Menu from QPushButton
- Archived:Creating Image Gallery with Flash Lite and APIBridge
- Archived:Creating Instant Messenger in Flash Lite 2.0
- Archived:Creating PySymbian 2.0 Extensions (Easy Approach)
- Archived:Creating Random Numbers in Symbian
- Archived:Creating SMS decoder using PySymbian
- Archived:Creating SMS encoder using PySymbian
- Archived:Creating Symbian C++ Unit Tests for Active Objects
- Archived:Creating Tic-Tac-Toe using QWidgets
- Archived:Creating a Digital Clock QWidget
- Archived:Creating a Dynamic List with scrollbar in Flash Lite
- Archived:Creating a New Cocos2d-x Project for Windows Phone 8
- Archived:Creating a SIP connection to an IP address starting with one digit (Known Issue)
- Archived:Creating a SIP profile without defining an outbound SIP proxy using Symbian C++
- Archived:Creating a WLAN access point using OMA DM
- Archived:Creating a condition-based schedule with RScheduler
- Archived:Creating a custom custom line editor from QLineEdit
- Archived:Creating a customized Ticker Component in Flash Lite
- Archived:Creating a dependency to embedded SIS files
- Archived:Creating a gradient background for a QPushButton with style sheet
- Archived:Creating a loading animation with GIF, QMovie, and QLabel
- Archived:Creating a pop-up style TextBox does not work in Symbian (Known Issue)
- Archived:Creating a simple One-key game in Flash Lite
- Archived:Creating a simple calculator using QWidgets
- Archived:Creating a stop watch with QWidgets
- Archived:Creating an email account and showing it in the Messaging application using Symbian C++
- Archived:Creating dependencies to Open C components
- Archived:Creating multiple access points using OMA DM
- Archived:Creating persistent and transient schedules with RScheduler
- Archived:Creating screencasts with mmaker
- Archived:Creating specialized TextFields in Flash Lite
- Archived:Creating temporary files in Open C
- Archived:Creating themes for Symbian and Series 40
- Archived:Creating too many Canvas instances throws an outOfMemoryException (Known Issue)
- Archived:Creating trend graphics on canvas using PySymbian
- Archived:Creation of SIP & VoIP profiles with LCP plug-in fails (Known Issue)
- Archived:Criando animações em PySymbian
- Archived:Criando extensões de C PySymbian usando o Carbide.c++
- Archived:Criando um indicador de bateria em Flash Lite
- Archived:Criando um indicador de sinal
- Archived:Criando um simples jogo em Flash Lite utilizando somente uma tecla
- Archived:Cropping before recording using AMR format fails on S60 2nd Edition (Known Issue)
- Archived:Custom FEP replaced with the default one at device startup (Known Issue)
- Archived:Custom alarm sounds and categories are ignored on S60 2nd and 3rd Editions (Known Issue)
- Archived:Custom font files don't work properly on S60 3rd Edition (Known Issue)
- Archived:Custom screen saver is not activated again after keypad has been unlocked (Known Issue)
- Archived:Custom window fading parameters do not work correctly (Known Issue)
- Archived:Custom-created message left in Outbox (Known Issue)
- Archived:CustomItem extension using setClip() paints over Form components in Series 40 (Known Issue)
- Archived:CustomItem overlaps TextField in S60 2nd Edition devices (Known Issue)

(C) Copyright Nokia 2014. All rights reserved.

- Archived:Customising QTreeView
- Archived:Customized PySymbian listbox on canvas with images support
- Archived:Customized listbox on canvas in PySymbian
- Archived:Customizing CAknMarkableListDialog
- Archived:Customizing QSlider
- Archived:DLL naming conflict in Flash Lite 3.0 Web Runtime firmware (Known Issue)
- Archived:DM Adapters and MfE issue (Known Issue)
- Archived:DM adapter和MFE的问题
- Archived:DSA API not supported by compatibility mode in scalable UI platforms (Known Issue)
- Archived:Dark themes mix with black input text and black TextField area in S60 2nd Edition FP3 and S60 3rd Edition devices (Known Issue)
- Archived:Data handler applications must implement CAknAppUi::OpenFileL (Known Issue)
- Archived:Data type 'long double' lacks precision on Symbian (Known Issue)
- Archived:Database in PySymbian
- Archived:DateField implementation bug in Nokia 6600 (Known Issue)
- Archived:DateField minutes part behaves incorrectly (Known Issue)
- Archived:Debugging techniques for S60 3rd Edition
- Archived:Dectando pressionamentos longos no Flash Lite
- Archived:Dedicated volume and media buttons not supported in Java (Known Issue)
- Archived:Default Flash player cannot be updated in S60 3rd Edition devices (Known Issue)
- Archived:Default SIP profile is registered unnecessarily (Known Issue)
- Archived:Default encoding of Java Strings is ISO-8859-1 instead of UTF-8 on S60 2nd Edition (Known Issue)
- Archived:Default selection in a choiceGroup may not be effective right after MIDlet startup (Known Issue)
- Archived:Delete Spam SMS using PySymbian
- Archived:Deleting a calendar entry in Flash Lite

Default appearance

The default appearance of the template, without the unnamed explanatory parameter specified, is shown below:

Archived: This article is **archived** because it is not considered relevant for third-party developers creating commercial solutions today. If you think this article is still relevant, let us know by adding the template {{ReviewForRemovalFromArchive|user=~~~~|*write your reason here*}}.

The article is believed to be still valid for the original topic scope.

(C) Copyright Nokia 2014. All rights reserved.