Using direct screen view finder with CCamera

Description

The direct screen view finder can be used in certain S60 devices. `CCamera::StartViewFinderDirectL()` will transfer view finder data from the camera to the screen using direct screen access. This improves performance and makes the code less complex, as there's no need to blit each individual view finder frame (bitmap) to the screen.

Solution

Checking if direct screen view finder is supported

After constructing the camera object with `CCamera::NewL()` or `CCamera::New2L()`, use the following code to check if direct screen view finder is supported:

```
 TCameraInfo info;
 iCamera->CameraInfo(info);

 TBool supportsDirectVF = info.iOptionsSupported &
TCameraInfo::EViewFinderDirectSupported;
```

Starting view finder in direct screen mode

Direct screen view finder requires the same parameters as using `CDirectScreenAccess`; a handle to a window server session (`RWsSession`), screen device (`CWsScreenDevice`), and a window (`RWindow`) to draw to. In an S60 GUI application, the first two are available from the control environment (`CCoeEnv`), and the window handle can be requested from a `CCoeControl`-derived view/container class.

```
 if ( supportsDirectVF )
   {
   CCoeEnv* coeEnv = CCoeEnv::Static();
   iCamera->StartViewFinderDirectL( coeEnv->WsSession(),
                                    *(coeEnv->ScreenDevice()),
                                    *iAppView->DrawableWindow(),
                                    iViewFinderRect );
   }
 else // fall back to view finder using bitmaps
  {
  iCamera->StartViewFinderBitmapsL( iViewFinderRect.Size() );
  }
```

There is also an overloaded version of `StartViewFinderDirectL` that allows specifying a clipping rectangle in addition to the view finder display area.

Drawing the background of the view finder window

In some devices, the output of direct screen view finder will not be visible unless the background of the view finder window has been painted with a color that has a fully transparent alpha channel. In the `CCoeControl::Draw()` function of the container window, this can be done as follows:

```
 void CViewFinderView::Draw( const TRect& aRect ) const
   {
   CWindowGc& gc = SystemGc();
```


(C) Copyright Nokia 2014. All rights reserved.

```
    if ( iCamera->ViewFinderActive() )
      {
      // clear the background of viewfinder with transparent color
      gc.SetDrawMode( CGraphicsContext::EDrawModeWriteAlpha );
      gc.SetBrushColor( TRgb( 0, 0 ) );
      gc.Clear();
      return;
      }

    // Draw normally when view finder is not active
    ...
    }
```

Note that the direct screen view finder does not support alpha blending; view finder is visible only when the window background is fully transparent.

(C) Copyright Nokia 2014. All rights reserved.